

# A prospective, randomized, double-blind clinical study to assess the impact of a dietary supplement called Turnera diffusa on healthy individuals who report having little sexual desire

<b>Submission date</b> 18/01/2026	<b>Recruitment status</b> No longer recruiting	<input type="checkbox"/> Prospectively registered
<b>Registration date</b> 19/01/2026	<b>Overall study status</b> Completed	<input type="checkbox"/> Protocol
<b>Last Edited</b> 19/01/2026	<b>Condition category</b> Mental and Behavioural Disorders	<input type="checkbox"/> Statistical analysis plan
		<input type="checkbox"/> Results
		<input type="checkbox"/> Individual participant data
		<input checked="" type="checkbox"/> Record updated in last year

## Plain English summary of protocol

Not provided at time of registration

## Contact information

### Type(s)

Principal investigator, Scientific

### Contact name

Dr Ricardo Gallego

### ORCID ID

<https://orcid.org/0000-0001-9671-8444>

### Contact details

Fitback Medic  
Av. Maresme, 14  
El Masnou (Barcelona)  
Spain  
08320  
+34 (0)620 923 212  
[ricardogallego@fitback.es](mailto:ricardogallego@fitback.es)

### Type(s)

Public, Scientific

### Contact name

Dr Sonia Sanchez

**Contact details**

Fitback women  
Av. Maresme, 14  
El Masnou (Barcelona)  
Spain  
08320  
+34 (0)632 118 829  
soniasanchez@fitback.es

**Additional identifiers****Study information****Scientific Title**

Prospective, randomised, double-blind clinical trial to evaluate the effect of a dietary supplement (Turnera diffusa) in healthy subjects who report low sexual desire

**Acronym**

Liboost

**Study objectives**

We aimed to assess how effective and safe a standardized extract of Turnera diffusa (damiana) is when used alone to boost sexual desire in healthy volunteers who report low sexual desire after 8 weeks of treatment. Additionally we wanted to assess treatment compliance by participants at week 8 of treatment.

**Ethics approval required**

Ethics approval required

**Ethics approval(s)**

approved 31/05/2022, CEIm (Committee on Ethics in Research with Medicines) Hospital Clínico San Carlos - Madrid (Spain) (Hospital Clínico San Carlos Profesor Martín Lagos, s/n. - Puerta G - 4ª Norte, Madrid, 28040, Spain; +34 (0)91 330 38 19; ceic.hcsc@salud.madrid.org), ref: LIBDAM.22/280-EC\_X

**Primary study design**

Interventional

**Allocation**

Randomized controlled trial

**Masking**

Blinded (masking used)

**Control**

Placebo

**Assignment**

Parallel

## **Purpose**

Treatment

## **Study type(s)**

## **Health condition(s) or problem(s) studied**

Low sexual desire

## **Interventions**

Participants were randomly assigned in a 1:1 ratio through a computer-generated sequence to either receive Turnera diffusa extract at a dose of 500 mg per day (one tablet each morning) or a matching placebo for a duration of 8 weeks. The study products looked identical, and both the participants and the investigators were blinded for treatment allocation.

## **Intervention Type**

Supplement

## **Primary outcome(s)**

1. Level of subjective sexual desire measured using subjective question: "How would you rate your level of sexual desire over the past week?" They responded using a 10-point visual analogue scale (VAS) at baseline and week 8

## **Key secondary outcome(s)**

1. Female sexual function measured using Female Sexual Function Index (FSFI) and Sexual Desire Inventory (SDI) at baseline and week 8

2. Male sexual function measured using International Index of Erectile Function (IIEF) at baseline and week 8

## **Completion date**

06/04/2025

# **Eligibility**

## **Key inclusion criteria**

1. The participant must have voluntarily signed the Informed Consent Form (ICF).
2. Aged between 18 and 65 years old.
3. Participant reports low sexual desire.
4. Able to complete self-administered questionnaires (PROs).
5. Must have completed one of the following questionnaires:
  - 5.1. FSFI for women
  - 5.2. IIEF (Erectile Function subdomain EF-IIEF) for men
6. Sexually active, regardless of type or frequency of sexual activity.
7. Sexually active women must agree to use contraceptive methods (hormonal contraceptives [oral, injectable, or implanted], tubal ligation, intrauterine device, barrier methods with spermicide, or partner vasectomy in the case of male partners) while taking the dietary supplement during the study.
8. Must have a smartphone device compatible with the study app.

## **Healthy volunteers allowed**

Yes

**Age group**

Mixed

**Lower age limit**

18 years

**Upper age limit**

65 years

**Sex**

All

**Total final enrolment**

53

**Key exclusion criteria**

1. Diagnosed with any sexual dysfunction.
2. Pregnant or breastfeeding women, or those who have given birth or had an abortion within the previous 3 months.
3. Women experiencing significant pain during sexual intercourse.
4. Individuals with unexplained genital bleeding.
5. Individuals with symptoms and/or signs compatible with genital infectious diseases.
6. Having any condition that could cause sexual dysfunction:
  - 6.1. Poorly controlled type I or II diabetes
  - 6.2. Hypertension requiring more than one antihypertensive or poorly controlled (diuretics in men frequently cause erectile dysfunction, impacting sexual desire)
  - 6.3. Any type of heart disease (ischemic, heart failure, valvular, etc)
  - 6.4. History of venous and/or arterial thromboembolic events
  - 6.5. Other active cardiovascular conditions: stroke, intermittent claudication, etc.
7. Women with a history of cancer.
8. Currently receiving any treatment or medication that may produce symptoms related to sexual dysfunction: psychotropic drugs, antihypertensives, hypoglycemics, anticoagulants, or other medication deemed relevant by the investigator.
9. Currently receiving medication for the treatment of sexual dysfunction (PDE5 inhibitors, bupropion, etc).
10. Severe psychiatric disorder.
11. Any endocrinological, renal, hepatic, oncological, pulmonary, cardiovascular, psychological disease, substance addiction, or any other condition that, in the investigator's judgment, could significantly interfere with sexual health.
12. Individuals with major relationship problems that interfere with sexual desire and/or sexual activity with their partner.
13. Individuals with known allergy or hypersensitivity to the dietary supplement used in the study.
14. Individuals with a criminal record or ongoing legal cases related to gender violence or sexual offenses.

**Date of first enrolment**

20/11/2022

**Date of final enrolment**

29/01/2025

**Locations****Countries of recruitment**

Spain

**Sponsor information****Organisation**

Evidenze Heath España SLU (CRO)

**Funder(s)****Funder type****Funder Name**

Pharmactive Biotech Products SLU

**Results and Publications****Individual participant data (IPD) sharing plan****IPD sharing plan summary**

Not expected to be made available