

Integrated CBT for depression trial (INTERACT RCT)

Submission date	Recruitment status	<input checked="" type="checkbox"/> Prospectively registered
30/09/2020	No longer recruiting	<input checked="" type="checkbox"/> Protocol
Registration date	Overall study status	<input type="checkbox"/> Statistical analysis plan
11/11/2020	Completed	<input type="checkbox"/> Results
Last Edited	Condition category	<input type="checkbox"/> Individual participant data
16/12/2025	Mental and Behavioural Disorders	<input checked="" type="checkbox"/> Record updated in last year

Plain English summary of protocol

Background and study aims

Cognitive Behavioural Therapy (CBT) is an effective type of talking treatment that can help people who have depression. However, many people are unable to get one-to-one CBT. One of the reasons for this is a lack of CBT therapists; another is cost. There are computerised self-help packages based on CBT. However, these are of only small benefit, and patients often do not engage with them. The aim of the INTERACT study is to bring together online CBT materials and input from a qualified CBT therapist. CBT materials are worksheets, information about depression, and short films. This is a way of making CBT more widely available in the NHS.

The INTERACT team have developed a new way of providing therapy. The therapist and patient meet face-to-face (either in person or via videocall) for the first session, but after that they meet for therapy online in real-time at pre-arranged appointments (using instant messaging and/or by telephone). Patients will also have online CBT materials to work with between sessions. Online therapy appointments and CBT materials can be accessed using a computer, smartphone or tablet, so people can access therapy from home, and can do between-session exercises (such as recording their thoughts and feelings) at convenient times.

This study is trying to find out whether this new form of therapy, 'integrated CBT', helps people with depression. The study will find out whether the treatment is effective, cost-effective, and acceptable to patients. In order to do this, we are carrying out what is called a randomised controlled trial. We would also like to find out patients' views and experiences of this way of delivering CBT, and of participating in the trial, by carrying out interviews with a small number of participants.

Who can participate?

Adults who are currently depressed, not already receiving a talking therapy, and who have not received one-to-one 'high-intensity' CBT in the last four years. We can't include people who: are currently receiving treatment from a psychiatrist; have other serious mental health problems such as schizophrenia, bipolar disorder, or dementia; or who are dependent on drugs or alcohol. In order to take part, you would also need to be willing to receive a course of CBT delivered by a

qualified therapist both face-to-face (in person or via videocall), and online (using instant messaging and by telephone). To receive the therapy in this way, you would need access to a computer, tablet or smartphone.

What does the study involve?

There's a brief (10 min) telephone call with a researcher to check if the study might be suitable for you. We would then invite you to an appointment (90-120 mins) with a researcher to discuss the study, go through a consent form, and ask you to complete some questionnaires. The researcher will look at your answers and tell you whether you meet the study criteria. If your answers suggest you are suitable for the study, you will be asked some further questions, and to complete some simple computerised tasks. One of two treatments will then be randomly chosen for you by computer: either integrated CBT, or usual GP care. If you are allocated integrated CBT, you would be offered 9-12 sessions of CBT - the first session is face-to-face (in person or via videocall) and subsequent sessions are delivered by instant messaging over a secure, online therapy platform. You would be asked to complete some follow-up questionnaires and computer tasks at 3, 6, 9 and 12 months, and may also be invited to take part in an interview to discuss your views of the treatment you were allocated.

What are the possible benefits and risks of participating?

Participants will have an opportunity to help us evaluate this new way of delivering CBT, and we hope they will find this interesting and rewarding. Whether you are allocated integrated CBT or usual care, we hope that this treatment will help you develop ways of managing your depression better, however this cannot be guaranteed.

Where is the study run from?

The study is organised by the University of Bristol, in collaboration with the University of York and University College London (UK)

When is the study starting and how long is it expected to run for?

January 2019 to August 2024

Who is funding the study?

National Institute for Health Research (NIHR) (UK)

Who is the main contact?

Debbie Tallon, d.tallon@bristol.ac.uk

Contact information

Type(s)

Scientific

Contact name

Ms Debbie Tallon

ORCID ID

<https://orcid.org/0000-0001-9195-5010>

Contact details

Centre for Academic Mental Health
Population Health Sciences

Bristol Medical School
University of Bristol
Canynge Hall
39 Whatley Road
Bristol
United Kingdom
BS8 2PS
+44 (0)117 4561618
d.tallon@bristol.ac.uk

Type(s)

Scientific

Contact name

Prof Nicola Wiles

ORCID ID

<https://orcid.org/0000-0002-5250-3553>

Contact details

Centre for Academic Mental Health
Population Health Sciences
Bristol Medical School
University of Bristol
Canynge Hall
39 Whatley Road
Bristol BS8 2PS
Bristol
United Kingdom
BS8 2PS
+44 (0)117 455 7763
Nicola.Wiles@bristol.ac.uk

Additional identifiers

Clinical Trials Information System (CTIS)

Nil known

Integrated Research Application System (IRAS)

257620

ClinicalTrials.gov (NCT)

Nil known

Protocol serial number

CPMS 41172, IRAS 257620

Study information

Scientific Title

Multi-centre randomised controlled trial of integrated therapist and online CBT for depression in primary care (INTERACT)

Acronym

INTERACT RCT

Study objectives

An integrated approach to delivering CBT will reduce depressive symptoms in depressed patients from primary care

Ethics approval required

Old ethics approval format

Ethics approval(s)

Approved 20/03/2019, South West - Frenchay Research Ethics Committee (Level 3, Block B, Whitefriars, Lewins Mead, Bristol, BS1 2NT, UK; +44 (0)207 104 8041; nrescommittee.southwest-frenchay@nhs.net), ref: 19/SW/0038

Study design

Interventional randomised controlled trial with nested qualitative study

Primary study design

Interventional

Study type(s)

Treatment

Health condition(s) or problem(s) studied

Depression

Interventions

Eligible participants will be randomised to one of two treatment arms; either a course of individual integrated CBT (9 sessions of therapist-led CBT, with (up to) a further 3 sessions if deemed clinically appropriate), or usual care, which may include referral to local psychological services or antidepressant medication, as appropriate.

The INTERACT therapy protocol utilises the standard Beckian intervention for depression (Beck et al, 1979; Beck 1995). Participants who are randomised to receive the therapy will receive login details to the platform before the first session to enable them to familiarise themselves with the platform. They will also be asked to provide some brief details about the problems that bring them to therapy, previous treatment, depressive symptoms (using the PHQ-9) and to plan for their first session within the platform.

The first session of therapy will take place face-to-face (in person or via videocall) and may take up to 90 minutes. This will enable completion of history taking, introduction of the CBT model and other relevant psychoeducation. In addition, therapists will help the patient become familiar with the INTERACT platform. When the first session is face-to-face in person, this will usually take place in the patient's GP surgery or other local NHS premises. However, it could also be offered at the local University premises if the patient prefers this and a suitable space is available.

Subsequent sessions will take place online using the INTERACT platform. This platform enables the patient and therapist to communicate online in real-time and to use a collaborative workspace to view, edit and discuss CBT resources within the platform. Online communication will take place using instant messaging and may also involve the telephone. As per standard face-to-face CBT, therapists and patients will agree tasks ("homework") for the patient to try out between therapy sessions. These tasks will utilise CBT worksheets/other materials embedded within the INTERACT platform.

The expectation is that the first four one-hour therapy sessions will take place weekly. Later therapy sessions may be spaced at fortnightly or monthly intervals. In order to help facilitate engagement with the intervention and platform, the platform will allow patients to send their therapist a message between sessions, e.g if they need advice or clarification regarding an agreed between session task, or are struggling to use the platform. Patients will be advised that therapists will respond to their query at the next scheduled therapy session.

Patients who are allocated usual care will continue to receive usual GP care from their GP. There will be no restrictions on care provided by GPs so these patients may be offered referral to local psychological services and/or antidepressant medication as appropriate. (To be clear, the usual care group will not be given access to the INTERACT therapy platform.)

Intervention Type

Other

Primary outcome(s)

Depression using the Beck Depression Inventory (BDI-II) score (measured as a continuous variable) at 6 months post-randomisation

Key secondary outcome(s)

1. Depressive symptoms (BDI-II) at 6 months post-randomisation, used to measure: treatment response (at least 50% reduction in depressive symptoms on the BDI-II compared with baseline); remission of symptoms (BDI-II<10); and percentage reduction in depressive symptoms
2. Depressive symptoms on PHQ-9 at 6-months post-randomisation
3. Quality of life using WSAS and EQ-5D-5 at 6-months post-randomisation
4. Anxiety symptoms (GAD-7) at 6-months post-randomisation
5. All the above outcome measures at 12 months post-randomisation

6. Economic evaluation:

- 6.1. EQ-5D-5L (measured at 0, 6 and 12 months post-randomisation)
- 6.2. Number of primary care consultations and prescribed medications (from GP practice medical records over 12 months)
- 6.3. Use of other primary and community care services; secondary care related to mental health; private treatments; use of social services; burden on informal caregivers; personal costs related to mental health; and benefits received (collected by questionnaire at 6 and 12 months post-randomisation)

Completion date

13/08/2024

Eligibility

Key inclusion criteria

1. Aged >=18 years
2. Score >= 14 on Beck Depression Inventory (BDI-II)
3. Meet ICD-10 criteria for depression

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Mixed

Lower age limit

18 years

Upper age limit

100 years

Sex

All

Total final enrolment

478

Key exclusion criteria

1. Alcohol or substance dependency in the past year
2. Bipolar disorder
3. Schizophrenia/Psychosis
4. Dementia
5. Currently under psychiatric care (including those referred but not yet seen) for depression
6. Cannot complete questionnaires unaided or would require an interpreter
7. Are currently receiving CBT or other psychotherapy
8. Have received high-intensity CBT in past 4 years
9. Are taking part in another intervention trial
10. Not willing or able to receive CBT via computer/laptop/smartphone

Date of first enrolment

23/11/2020

Date of final enrolment

11/07/2023

Locations

Countries of recruitment

United Kingdom

England

Study participating centre

University of Bristol

Oakfield House

Oakfield Grove

Bristol

England

BS8 2BN

Study participating centre

University College London

Division of Psychiatry

Maple House

149 Tottenham Court Road

London

England

W1T 7NF

Study participating centre

Hull and York Medical School

University of York

York

England

YO10 5DD

Sponsor information

Organisation

University of Bristol

ROR

<https://ror.org/0524sp257>

Funder(s)

Funder type

Government

Funder Name

NIHR Central Commissioning Facility (CCF); Grant Codes: RP-PG-0514-20012

Funder Name

National Institute for Health Research (NIHR) (UK)

Alternative Name(s)

National Institute for Health Research, NIHR Research, NIHRresearch, NIHR - National Institute for Health Research, NIHR (The National Institute for Health and Care Research), NIHR

Funding Body Type

Government organisation

Funding Body Subtype

National government

Location

United Kingdom

Results and Publications

Individual participant data (IPD) sharing plan

The datasets generated during and/or analysed during the current study will be stored in a publicly available repository.

Will individual participant data be available (including data dictionaries)?

Yes. Participant consent for sharing of anonymised data will be sought as part of the consent process.

What data, in particular, will be shared?

All of the individual participant data collected during the trial, after deidentification. The main trial data (underpinning the clinical and cost-effectiveness analyses) will be anonymised but anyone who wants to use the interview transcripts and/or data from therapy sessions (transcripts of instant messaging sessions; therapy session audio-recordings and/or platform usage data e.g. completed worksheets) will be asked to meet the costs of anonymising such data.

What other documents will be available?

Study protocol, statistical analysis plan

When will data be available (start and end dates)?

Beginning 12 months after publication of the papers reporting the clinical and cost-effectiveness of the intervention and nested qualitative study. No end date.

With whom?

'Bona fide' researchers who provide a methodologically sound proposal and evidence of ethical approval (if required), subject to the agreement of the University of Bristol Data Access Committee.

For what types of analyses?

To achieve aims in the approved proposal

By what mechanism will data be made available?

Prior to data publication, proposals should be directed to the INTERACT Lead Investigators, Professor Nicola Wiles (nicola.wiles@bristol.ac.uk) and Professor David Kessler (david.kessler@bristol.ac.uk). Subsequently, applicants should follow the process outlined below. Data will be made available as a controlled dataset managed by the University of Bristol's Research Data Repository (<https://data.bris.ac.uk/data>). To gain access, data requestors will need to apply for access at <http://www.bristol.ac.uk/staff/researchers/data/accessing-research-data/>. Data release will be contingent on a signed data access agreement. This agreement limits use of data to non-commercial research only. Requests for any other purposes must be negotiated separately.

IPD sharing plan summary

Stored in publicly available repository

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Protocol article	protocol	20/06/2023	21/06/2023	Yes	No
HRA research summary			28/06/2023	No	No
Participant information sheet	Participant information sheet	11/11/2025	11/11/2025	No	Yes
Study website	Study website	11/11/2025	11/11/2025	No	Yes