Use of alpha lipoic acid as a complementary treatment for the control of diabetes

Submission date 17/04/2017	Recruitment status No longer recruiting	Prospectively registered
		Protocol
Registration date 10/05/2017	Overall study status Completed	Statistical analysis plan
		[X] Results
Last Edited	Condition category	Individual participant data
26/11/2020	Nutritional, Metabolic, Endocrine	

Plain English summary of protocol

Background and study aims

Type 2 diabetes mellitus (T2DM) is a long term condition where a person is unable to control their blood sugar (glucose) levels as they do not produce enough insulin to function properly (insulin deficiency), or that the body's cells don't react to insulin as they should do (insulin resistance). If not properly controlled, T2DM can lead to a range of complications, such as irreversible damage to the kidneys, eyes and nerves. This is thought to occur because high blood sugar levels leads to an increase of free radicals, which cause irreversible damage to the body's cells (oxidative stress). Antioxidants are substances which are able to essentially "neutralize" free radicals in the body, and can be found in a range of vitamins and minerals. Alpha lipoic acid (ALA) is a naturally occurring antioxidant made in the body, which helps to support cellular processes. Recent studies have suggested that taking ALA supplements could be an effective way of treating long-term conditions such as diabetes by reducing oxidative stress. The aim of this study is to evaluate the effects of ALA supplements on oxidative stress and blood sugar control in diabetic older adults.

Who can participate?

Adults aged 60-74 who have been diagnosed with T2DM.

What does the study involve?

Participants are randomly allocated to one of two groups. Those in the first group are asked to take two capsules that contain ALA every day for 12 months. Those in the second group are asked to take two capsules that contain a placebo (dummy drug) every day for 12 months. At the start of the study and then after six and 12 months, participants in both groups have their blood pressure measured using an automated blood pressure cuff and have blood samples taken to assess levels of oxidative stress and how well they are controlling their blood sugar levels.

What are the possible benefits and risks of participating? Not provided at time of registration Where is the study run from?

- 1. University health care clinic "Zaragoza" (Mexico)
- 2. Gerontology Research Unit of "Facultad de Estudios Superiores Zaragoza, UNAM" (Mexico)
- 3. Institute of Social Security and Services of State Workers (ISSSTE) "Ignacio Zaragoza" (Mexico)

When is the study starting and how long is it expected to run for? September 2014 to October 2017

Who is funding the study? National Autonomous University of Mexico (Mexico)

Who is the main contact?
Dr Víctor Manuel Mendoza-Nuñez

Contact information

Type(s)

Scientific

Contact name

Dr Víctor Manuel Mendoza Nuñez

ORCID ID

http://orcid.org/0000-0002-9137-3405

Contact details

Avenida Universidad # 3000 Ciudad Universitaria Delegación Coyoacán CDMX Mexico City Mexico 04510

Additional identifiers

EudraCT/CTIS number

IRAS number

ClinicalTrials.gov number

Secondary identifying numbers IN222015

Study information

Scientific Title

Effect of alpha lipoic acid on glycemic control, oxidative stress and inflammation markers in older adults with type 2 diabetes mellitus

Study objectives

According to scientific evidence about hypoglycemic effect of alpha lipoic acid, diabetic patients who will receive this compound will show improvement on glycemic control and will avoid complications due to T2DM.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Bioethics and Biosafety Committee of the Research Committee of "Facultad de Estudios Superiores Zaragoza, UNAM", 12/01/2015, ref: 25/11/SO/3.4.3

Study design

Randomised controlled trial

Primary study design

Interventional

Secondary study design

Randomised controlled trial

Study setting(s)

Hospital

Study type(s)

Quality of life

Participant information sheet

Not available in web format, please use the contact details below to request a patient information sheet

Health condition(s) or problem(s) studied

Type 2 diabetes mellitus

Interventions

Following provision of informed consent, participants are randomised to one of two groups. At baseline, blood samples will be taken to assess levels of oxidative stress, inflammation and glycemic control.

Intervention group: Participants take two capsules containing 300 mg of ALA daily for 12 months

Control group: Participants take two capsules containing a placebo daily for 12 months

After 6 and 12 months, the initial blood tests are repeated to evaluate whether there has been an improvement in those in the group that received ALA.

Intervention Type

Drug

Phase

Drug/device/biological/vaccine name(s)

ALA

Primary outcome measure

- 1. Oxidative stress is assessed by measuring the levels of SOD, GPx, TAS, TBARS and isoprostane markers measured in blood and plasma by spectrophotometry and ELISA, respectively, at baseline, 6 and 12 months
- 2. Inflammation is assessed by measuring serum levels of TNF- α , IL-1 β , IL-6, IL-8, IL-1, IL-12p70 by flow cytometry and PCR by turbidimetry at baseline, 6 and 12 months
- 3. Glycemic control is assessed by measuring HbA1c by turbidimetry and RAGE by ELISA, at baseline, 6 and 12 months

Secondary outcome measures

- 1. Serum glucose levels and the lipid profile determined by spectrophometry, both performed in serum at the beginning of the study, 6 and 12 months
- 2. Blood pressure was measured using mercury sphygmomanometer, at baseline, 6 and 12 months

Overall study start date

06/09/2014

Completion date

01/10/2017

Eligibility

Key inclusion criteria

- 1. Aged 60 to 74 years old
- 2. Diagnosed with T2DM
- 3. No renal damage
- 4. Provision of informed consent

Participant type(s)

Patient

Age group

Adult

Sex

Both

Target number of participants

100

Total final enrolment

135

Key exclusion criteria

- 1. People who have taken antioxidant supplements or anti-inflammatory drugs in the last 6 month
- 2. With hypothyroidism
- 3. Who presenting problems of digestive tract absorption or have been submitted to gastric surgery
- 4. With liver failure
- 5. Hypersensitivity to ALA

Date of first enrolment

01/08/2016

Date of final enrolment

30/09/2016

Locations

Countries of recruitment

Mexico

Study participating centre

University health care clinic "Zaragoza"

Guelatao # 66 Colonia Ejército de Oriente Delegación Iztapalapa Mexico City Mexico 09230

Study participating centre

Gerontology Research Unit of "Facultad de Estudios Superiores Zaragoza, UNAM"

Batalla 5 de Mayo SN, Ejèrcito de Oriente, Delegación Iztapalapa Mexico City Mexico 09230

Study participating centre

Institute of Social Security and Services of State Workers (ISSSTE) "Ignacio Zaragoza"

Calzada Ignacio Zaragoza #1711, Chinampac de Juárez, Delegación Iztapalapa Mexico City

Mexico

09208

Sponsor information

Organisation

National Autonomous University of Mexico

Sponsor details

J.C. Bonilla 66
Ejercito de Oriente
Delegación Iztapalapa
Mexico City
Mexico
09230
+52 562 307 21
mendovic@servidor.unam.mx

Sponsor type

University/education

Website

http://www.zaragoza.unam.mx/

ROR

https://ror.org/01tmp8f25

Funder(s)

Funder type

University/education

Funder Name

National Autonomous University of Mexico

Results and Publications

Publication and dissemination plan

Planned publication in a high-impact peer reviewed journal in 2018.

Intention to publish date

31/12/2018

Individual participant data (IPD) sharing plan

The datasets generated and/or analysed during the current study during this study will be included in the subsequent results publication.

IPD sharing plan summary

Other

Study outputs

Output typeDetailsDate createdDate addedPeer reviewed?Patient-facing?Results articleresults12/06/201926/11/2020YesNo