Pain relief effect of angiopuncture therapy on patients with postoperative pain

Submission date 01/05/2023	Recruitment status No longer recruiting	Prospectively registered		
		Protocol		
Registration date 18/05/2023	Overall study status Completed	Statistical analysis plan		
		[X] Results		
Last Edited 10/06/2024	Condition category Signs and Symptoms	[X] Individual participant data		

Plain English summary of protocol

Background and study aims

There are different ways to use needles for therapeutic purposes. Dry needling, traditional acupuncture, and western medical acupuncture all involve putting thin needles into the skin. However, they have some differences in their indications and techniques.

Traditional acupuncture and western medical acupuncture can be used for a wider range of health issues, including problems with muscles and bones, digestion, and nerves. Dry needling, on the other hand, is specifically used to treat pain related to muscles and bones. Acupuncture focuses on specific points on the body, while dry needling targets trigger points.

There are other ways to alleviate pain, such as nerve blocks, oral medications, and injections. However, this article talks about a new technique called angiopuncture therapy, which involves making small holes in the skin with needles to reduce pain in patients after surgery. The goal of the study was to see if this technique could help patients feel better.

Who can participate?

Patients aged 20-65 years with acute foot and ankle trauma and pain after foot and ankle surgery.

What does the study involve?

Doctors used a handheld ultrasound machine to find 3-4 blood vessels near the injured area. Then, they used a small needle (0.18mm wide and 25mm long) to poke into those blood vessels for about 15 minutes. They checked the patient's pain level and heart rate before and after the acupuncture to see if it helped with their pain. The procedure was carried out on the first and second day after surgery.

What are the possible benefits and risks of participating? The potential benefit is pain relief. The potential risk is being more painful.

Where is the study run from? Gaomi People's Hospital (China) When is the study starting and how long is it expected to run for? June 2021 to June 2022

Who is funding the study?

This study was supported by Health Evaluation and Intervention Using Advanced Raymedy System of Raymedy Bio-Energy InnoTech Limited (CityU ref.: 9239056) and JanusLean Biotech Company Limited (HKTech 300' programme of City University of Hong Kong)

Who is the main contact? HAN Rong, ronghan5-c@my.cityu.edu.hk

Contact information

Type(s)

Scientific

Contact name

Miss Rong Han

ORCID ID

https://orcid.org/0000-0003-3525-3983

Contact details

Flat 16G, 16/F, Montery Plaza No. 15 Chong Yip St Kwun Tong Hong Kong Hong Kong 999077 +852 61448549 ronghan5-c@my.cityu.edu.hk

Additional identifiers

Clinical Trials Information System (CTIS)

Nil known

ClinicalTrials.gov (NCT)

Nil known

Protocol serial number

9239056

Study information

Scientific Title

Angiopuncture: a novel treatment for pain relief

Study objectives

Angiopuncture therapy approach could assist with pain relief in individuals with postoperative pain

Ethics approval required

Old ethics approval format

Ethics approval(s)

Approved 01/07/2021, Research ethics committee of Gaomi People's Hospital (Gaomi City People's Hospital, No. 77 Zhenfu Street (West), Gaomi City, Shandong Province, China; +86 536-2323273; gyrlzy2009@163.com), ref: GYLL2022-02

Study design

Interventional non randomized

Primary study design

Interventional

Study type(s)

Treatment

Health condition(s) or problem(s) studied

Angiopuncture on patients with postoperative pain

Interventions

Physicians used handheld ultrasound Doppler to measure 3-4 perforators at the proximal end of the trauma site, and then puncture the perforators with a filiform needle (size: 0.18mm gauge * 25mm length) for 15 minutes, and finally monitor the patient's pain score and heart rate data before and after acupuncture.

Doppler probes were used to locate cutaneous perforator and angiopuncture therapy was carried out from the 1st day to the 2nd day after surgery. The Numerical Rating Scale (NRS) was used to evaluate the degree of pain before and after puncture.

Duration of therapy is 20 mins each day until 72h.

Intervention Type

Other

Primary outcome(s)

Pain is measured using the numeric rating scale (NRS) at baseline, 6, 12, 24, 36, 48, 60 and 72 hours

Key secondary outcome(s))

There are no secondary outcome measures

Completion date

04/06/2022

Eligibility

Key inclusion criteria

Patients aged 20-65 years with acute foot and ankle trauma and pain after foot and ankle surgery.

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Lower age limit

20 years

Upper age limit

65 years

Sex

All

Total final enrolment

41

Key exclusion criteria

- 1. Have scars and deformities on the lower extremity surface
- 2. Cannot cooperate with the locating method of acupuncture
- 3. Allergy to any material
- 4. Pregnant or breastfeeding women

Date of first enrolment

01/01/2022

Date of final enrolment

01/06/2022

Locations

Countries of recruitment

China

Study participating centre Gaomi People's Hospital

No. 77 Zhenfu Street (West) Gaomi City China 261500

Sponsor information

Organisation

City University of Hong Kong

ROR

https://ror.org/03q8dnn23

Funder(s)

Funder type

Industry

Funder Name

Raymedy Bio-Energy InnoTech Limited

Funder Name

JanusLean Biotech Company Limited (HKTech 300' programme of City University of Hong Kong)

Results and Publications

Individual participant data (IPD) sharing plan

The datasets generated during and/or analyzed during the current study are available upon request form HAN Rong, ronghan5-c@my.cityu.edu.hk

IPD sharing plan summary

Available on request

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article		12/01/2024	10/06/2024	Yes	No
<u>Dataset</u>			03/05/2023	No	No
<u>Dataset</u>			03/05/2023	No	No