

How effective is Hilow Haenkenium cream in hydrating and improving skin elasticity in healthy women

Submission date 27/02/2020	Recruitment status No longer recruiting	<input checked="" type="checkbox"/> Prospectively registered
		<input type="checkbox"/> Protocol
Registration date 04/03/2020	Overall study status Completed	<input type="checkbox"/> Statistical analysis plan
		<input type="checkbox"/> Results
Last Edited 03/03/2020	Condition category Skin and Connective Tissue Diseases	<input type="checkbox"/> Individual participant data
		<input type="checkbox"/> Record updated in last year

Plain English summary of protocol

Background and study aims

Many women suffer from dry skin or loss of skin elasticity.

The study aims to assess the moisturizing and elasticizing efficacy of Profhilo Body Cream.

Who can participate?

Healthy Caucasian women aged between 30 and 65.

What does the study involve?

Participants are asked to attend clinic visits at screening and then after 14 and 28 days of product use. During the screening/baseline visit the dermatologist informs the participants about the study procedure, risks, and benefits. Only participants giving their informed consent will be enrolled in the study. The participants will then use the Profhilo Body Cream for 28 days as directed. At each visit, skin moisturization, skin elasticity, and skin compactness are evaluated by the dermatologist. All the measurements are carried out using minimally invasive procedures. The total duration of each visit is 30 minutes. The study duration is 28 days with an intermediate check at 14 days.

What are the possible benefits and risks of participating?

The product is intended to be used by subjects wishing to hydrate/moisturize and improving the elasticity of their skin. The benefits associated with the study are an improvement of skin hydration/moisturization and improvement of skin elasticity. All of these effects are temporary.

To the best of our knowledge, the risks associated with using the product are very minimal and usually associated with individual sensitivity to one or more of the ingredients in the product formula.

Where is the study run from?

Complife Italia Srl (Italy)

When is the study starting and how long is it expected to run for?
March 2020 to April 2020

Who is funding the study?
IBSA Farmaceutici (Italy)

Who is the main contact?
Dr Vincenzo Nobile
vincenzo.nobile@complifegroup.com

Contact information

Type(s)
Public

Contact name
Dr Vincenzo Nobile

ORCID ID
<https://orcid.org/0000-0001-9147-302X>

Contact details
Via Monsignor Angelini, 21
San Martino Siccomario
Italy
27028
+39 0382 25504
vincenzo.nobile@complifegroup.com

Additional identifiers

EudraCT/CTIS number
Nil known

IRAS number

ClinicalTrials.gov number
Nil known

Secondary identifying numbers
H.E.HU.MP.NEL00.030.05.00_2020/IT0000511

Study information

Scientific Title
Assessment of the moisturizing and elasticizing efficacy of Hilow Haenkenium cream in healthy women: ProMoist study

Acronym

ProMoist

Study objectives

What is the efficacy of the test product in improving skin moisturization and skin elasticity in healthy women with dry skin (or a skin tendency to be dry) and skin atony (mild to moderate loss of skin elasticity)?

Ethics approval required

Old ethics approval format

Ethics approval(s)

There is not an ethics committee that ruled that ethical approval was not necessary. Studies on cosmetic products are usually carried out without any approval of an ethics committee. In Europe, all cosmetic products are safe for human use according to the Cosmetic Regulation EC 1223/2009. The techniques employed in cosmetic testing, and in this study, are non-invasive to minimally invasive. The study that we will perform is carried out according to the declaration of Helsinki to take into account the research ethics related to studies involving humans.

Study design

Single-centre, open label

Primary study design

Interventional

Secondary study design

Non randomised study

Study setting(s)

Other

Study type(s)

Treatment

Participant information sheet

Not available in web format, please use the contact details below to request a participant information sheet

Health condition(s) or problem(s) studied

Mild-to-moderate skin atony; Skin tendency to be dry or dry skin.

Interventions

30 female subjects showing the clinical signs of dry skin and mild-to-moderate skin atony (loss of skin elasticity) are enrolled. Subjects are asked to attend clinic visits at screening/baseline and after 14 and 28 days of product use. Only subjects giving their informed consent will be enrolled in the study.

The participants will be asked to use Prophilu Body Cream on their skin (legs, thigh, gluteus, abdomen, and arms) once a day for 28 days.

At each visit, skin moisturization, skin elasticity, and skin compactness are evaluated by the dermatologist. Skin moisturization (using a Corneometer®), skin elasticity (using a Cutometer®)

MPA 580) and skin strippings (sampling of the outermost layers of the stratum corneum by means of Corneofix® foils) are taken at study start and after 14 and 28 days product use. All the measurements are carried out using minimally invasive procedures. The total duration of each visit is 30 minutes. The study duration is 28 days with an intermediate check at 14 days.

Intervention Type

Other

Primary outcome measure

1. Skin moisturization measured using a Corneometer® at baseline, 14 and 28 days
2. Skin elasticity measured by means of Cutometer® MPA 580 at baseline, 14 and 28 days

Secondary outcome measures

Skin compactness and skin tolerability assessed by visualization of skin strippings taken with Corneofix® foils at baseline, 14 and 28 days

Overall study start date

03/02/2020

Completion date

30/04/2020

Eligibility

Key inclusion criteria

1. Healthy female subject
2. Caucasian ethnicity
3. Aged between 30 and 65 years
4. Mild to moderate skin atony
5. Skin tendency to be dry or dry skin
6. Has not been recently involved in any other similar study
7. Willingness to use during all the study period only the product to be tested
8. Willingness to not vary the normal daily routine

Participant type(s)

Healthy volunteer

Age group

Adult

Sex

Female

Target number of participants

30

Key exclusion criteria

1. Subject does not meet the inclusion criteria
2. Positive history for atopy or hypersensitive skin
3. Past history of allergy or sensitivity to cosmetics, toiletries, to solar and/or topical medications

4. Any skin condition that the principal investigator deems inappropriate for participation
5. Pregnancy or nursing women

Date of first enrolment

09/03/2020

Date of final enrolment

24/03/2020

Locations

Countries of recruitment

Italy

Study participating centre**Complife Italia Srl**

Via Monsignor Angelini, 21

San Martino Siccomario

27028

San Martino Siccomario

Italy

27028

Sponsor information

Organisation

IBSA Farmaceutici (Italy)

Sponsor details

Via Martiri di Cefalonia, 2

Lodi

Italy

26900

+39 0371 617 1

gilberto.bellia@ibsa.it

Sponsor type

Industry

Website

<https://www.ibsa.it/>

ROR

<https://ror.org/02cf8gj49>

Funder(s)

Funder type

Industry

Funder Name

IBSA Farmaceutici Italia S.r.l.

Results and Publications

Publication and dissemination plan

Study results will be disseminated in a journal dealing with cosmetic efficacy studies.

Intention to publish date

31/12/2020

Individual participant data (IPD) sharing plan

Raw data will be stored in Complife servers. A backup copy of the raw data will be also in a cloud-based backup server. Tables containing the raw data (output of the measurements) will be also included in the study report and shared with the study Sponsor by a pdf file electronically signed. The raw data will be stored for a minimum period of 10 years in Complife servers. In the raw data tables, subjects are identified by a means of a code generated by the Complife volunteer's management software. The code is composed of a letter, 4 digits, and a letter. The access to the study raw data is allowed only to the study director and the person designated by him to elaborate the raw data. Elaboration of the raw data includes descriptive statistics (mean and standard error) and the inferential analysis (data normality and statistical test).

IPD sharing plan summary

Available on request