

Medical Research Council Acute Lymphoblastic Leukaemia Trial in Children UKALL R1

Submission date	Recruitment status	<input type="checkbox"/> Prospectively registered
19/08/2002	No longer recruiting	<input type="checkbox"/> Protocol
Registration date	Overall study status	<input type="checkbox"/> Statistical analysis plan
19/08/2002	Completed	<input checked="" type="checkbox"/> Results
Last Edited	Condition category	<input type="checkbox"/> Individual participant data
20/06/2012	Cancer	

Plain English summary of protocol

Not provided at time of registration

Contact information

Type(s)

Scientific

Contact name

Dr --

Contact details

UKCCCR Register Co-ordinator
MRC Clinical Trials Unit
222 Euston Road
London
United Kingdom
NW1 2DA

Additional identifiers

Protocol serial number

MRC UKALL R1

Study information

Scientific Title

Study objectives

Not provided at time of registration.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Local research ethics committee approval.

Study design

Randomised controlled trial.

Primary study design

Interventional

Study type(s)

Treatment

Health condition(s) or problem(s) studied

Leukaemia (acute)

Interventions**INDUCTION THERAPY:**

All patients receive induction chemotherapy with allopurinol, dexamethasone, vincristine, asparaginase and etoposide plus intrathecal methotrexate, cytarabine and hydrocortisone.

CONSOLIDATION THERAPY:

Patients receive consolidation therapy with etoposide, cytarabine and intrathecal methotrexate followed by dexamethasone, asparaginase, epirubicin and vincristine then thioguanine, cytarabine, cyclophosphamide and intrathecal methotrexate.

CONTINUATION THERAPY:

Following consolidation patients are treated according to their initial randomisation:

1. Regimen A: A marrow-ablative regimen of cyclophosphamide and allopurinol plus total body irradiation followed by autologous Bone Marrow Transplant (BMT) or allogenic BMT.
2. Regimen B: High dose methotrexate followed by continuation treatment with prednisolone, vincristine, mercaptopurine, methotrexate, thioguanine, etoposide, cytarabine, cyclophosphamide and intrathecal methotrexate. The duration of therapy is eight cycles each taking 9 weeks.

Intervention Type

Other

Phase

Not Specified

Primary outcome(s)

Not provided at time of registration.

Key secondary outcome(s)

Not provided at time of registration.

Completion date

30/04/1995

Eligibility

Key inclusion criteria

1. Children under the age of 25 years at original diagnosis with first relapse of ALL at any site from previous UKALL trials or pilot studies
2. Multiple relapsed patients are excluded
3. Patients with prior history of toxicity or organ damage such that completion of the protocol is felt unlikely at the outset are to be excluded
4. Patients with Central Nervous System (CNS) relapse must have had prior radiotherapy

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Not Specified

Sex

Not Specified

Key exclusion criteria

Not provided at time of registration.

Date of first enrolment

01/02/1991

Date of final enrolment

30/04/1995

Locations

Countries of recruitment

United Kingdom

England

Study participating centre

UKCCCR Register Co-ordinator

London

United Kingdom

NW1 2DA

Sponsor information

Organisation

Medical Research Council (MRC) (UK)

Funder(s)

Funder type

Government

Funder Name

Medical Research Council (UK)

Alternative Name(s)

Medical Research Council (United Kingdom), UK Medical Research Council, MRC

Funding Body Type

Government organisation

Funding Body Subtype

National government

Location

United Kingdom

Funder Name

European Organisation for Research and Treatment of Cancer (EORTC)

Results and Publications

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article	results	01/08/2000		Yes	No