# A research study in Bosnia and Herzegovina to test a Family Involvement intervention, designed to improve care for people living in the community with severe mental illness

Submission date	Recruitment status  No longer recruiting	[X] Prospectively registered		
09/11/2018		[X] Protocol		
Registration date	Overall study status	Statistical analysis plan		
20/11/2018	Completed	[X] Results		
<b>Last Edited</b> 06/12/2022	<b>Condition category</b> Mental and Behavioural Disorders	Individual participant data		

### Plain English summary of protocol

Background and study aims

The Family Involvement intervention has been developed from existing approaches called Trialogue and psycho-education. A key part of these approaches is bringing together several people living with mental health difficulties, their family members and mental health professionals into regular meetings. These different groups meet as equals to discuss topics that they have previously agreed on, share experiences and to learn from one another. This study aims to find out whether Family Involvement can help to improve care for people living with severe mental illness in Bosnia and Herzegovina. More specifically, the researchers want to find out how patients, family members/friends, and health professionals experience Family Involvement when it is used on a regular basis. They also want to find out if Family Involvement improves outcomes like quality of life and symptoms.

### Who can participate?

Patients aged 18 and older with severe mental illness

## What does the study involve?

All patients are randomly allocated into two groups: one group receives Family Involvement and one group (the control) does not receive Family Involvement (both groups receive their usual treatment). Patients in the Family Involvement group attend meetings once per month over a 6 month period. In each group, there will be 5 patients, 1-2 family members/friends for each patient and 1-2 mental health professionals. The two groups of patients are compared to see if Family Involvement makes a difference to outcomes like quality of life and symptoms. Patients in the Family Involvement group are also interviewed to see how they experienced the intervention.

What are the possible benefits and risks of participating?

For patients, they will be taking part in testing an intervention which might lead to improved quality of life, social functioning and symptoms. Participating family members may benefit from

sharing experiences and learning from others patients and family members/friends, which may help them to manage their own wellbeing and to provide better care for their relatives. The study will benefit clinicians who take part in terms of the training and supervision they will receive to enable them to implement the intervention. For all participants involved in the study, their suggestions and experiences might be incorporated into further adaptations of Family Involvement, so that it is tailored to the needs of patients, carers and clinicians in the context of the mental health care system in Bosnia and Herzegovina. Severe mental illnesses cause a high burden for societies with high levels of distress and high costs to individuals who are affected. This is particularly worse in low and middle-income countries such as Bosnia and Herzegovina, where there is a lack of human and financial resources for specialised mental health services in the community. The testing of Family Involvement will provide evidence for interventions for people with severe mental illness in the community. It is unlikely that any significant ethical, legal or management issues will arise from this study, but some potential risks might be: within the research assessments and interviews that take place across both studies, questions will be raised with participants that might trigger feelings of distress or anxiety. Participants may experience anxiety in trying a new intervention. Throughout the intervention-testing period, individuals will continue to receive their routine care, including any medication, in addition to the test intervention. The intervention can be stopped at any point. The intervention to be tested (Family Involvement) has an evidence base for effectiveness.

Where is the study run from? Clinical Centre University of Sarajevo (Bosnia and Herzegovina)

When is the study starting and how long is it expected to run for? August 2017 to March 2021

Who is funding the study? National Institute for Health Research (NIHR) (UK)

Who is the main contact?

Dr Francois van Loggerenberg, f.vanloggerenberg@gmul.ac.uk

## Contact information

## Type(s)

Public

#### Contact name

Dr Francois van Loggerenberg

#### **ORCID ID**

https://orcid.org/0000-0001-5317-7983

#### Contact details

Unit for Social and Community Psychiatry Queen Mary University of London Newham Centre for Mental Health London United Kingdom E13 8SP

+44 (0)20 7540 4380 Ext: 2339 f.vanloggerenberg@qmul.ac.uk

## Type(s)

Scientific

#### Contact name

Dr Francois van Loggerenberg

#### Contact details

Unit for Social and Community Psychiatry Newham Centre for Mental Health London United Kingdom E13 8SP +44 (0)207 540 4380 Ext: 2339 f.vanloggerenberg@gmul.ac.uk

## Additional identifiers

Protocol serial number 16/137/97

## Study information

#### Scientific Title

Testing the effectiveness, acceptability and feasibility of Family Involvement in severe mental illness in Bosnia and Herzegovina: a randomised controlled trial

## Study objectives

To test the acceptability, feasibility and effectiveness of Family Involvement against usual treatment.

The specific research questions are:

- 1. How can Family Involvement be used to support community mental health care in Bosnia and Herzegovina?
- 2. How is Family Involvement experienced by patients, family members/friends and professionals?
- 3. How do outcomes change when Family Involvement is used?

## Ethics approval required

Old ethics approval format

## Ethics approval(s)

- 1. Clinical Centre University of Sarajevo School of Medicine Research Ethics Committee (Eticki komitet), 18/09/2018
- 2. Queen Mary Ethics of Research Committee, 30/10/2018, ref: QMERC2018/66

## Study design

Interventional single-centre randomised controlled trial

### Primary study design

Interventional

## Study type(s)

Quality of life

## Health condition(s) or problem(s) studied

Patients with severe mental illness (including psychosis)

#### Interventions

72 patients will be recruited. Each patient will be randomly allocated to either a control or intervention group. Randomisation will be done by UK based research team using STATA statistical software and allocations communicated to the unmasked researchers in the Bosnia team. Patients will be randomised to either the intervention or control groups so that each patient will be either receiving the Family Involvement intervention OR receiving their usual treatment.

Masking: randomisation will take place after recruitment of participants and completion of baseline assessments. Follow-up assessments at 6 and 12 months will be completed with participants by masked researchers. Measures are in-place to ensure that researchers completing follow-up research assessments remain masked to participant allocation.

Patients allocated to the intervention group will receive Family Involvement at their routine clinic or agreed community location once per month over a 6 month period. 1-2 family members /friends will be recruited for each patient who is randomly allocated to the intervention group. These participants will attend the monthly Family Involvement meetings with their relatives. 6-12 clinicians will be recruited to help facilitate the Family Involvement meetings. The Family Involvement intervention is based on principles of Trialogue and psychoeducation. It involves bringing together several patients (5), 1-2 of their family members/friends, and 1-2 mental health professionals in monthly meetings, as equals, so that they may discuss pre-agreed topics, share experiences and for mutual learning.

Patients allocated to the control group will receive their usual treatment over the 6 month period.

## Intervention Type

Mixed

## Primary outcome(s)

Quality of life, measured using the Manchester Short Assessment of Quality of Life (MANSA) at baseline, 6 months (post intervention) and 12 months

## Key secondary outcome(s))

- 1. Objective social functioning, measured using Objective social outcome index (SIX) at baseline, 6 and 12 months
- 2. Symptoms, measured using Brief Psychiatric Rating Scale (BPRS) at baseline, 6 and 12 months
- 3. Service use, measured using adapted Client Service Receipt Inventory (CSRI) at baseline, 6 and 12 months
- 4. Client satisfaction, measured using Client Satisfaction Questionnaire (CSQ-8) at 6 and 12 months

5. Self esteem, measured using Self-esteem rating scale at baseline, 6 and 12 months

## 6. Insight and Treatment Attitudes, measured using ITAQ at baseline, 6 and 12 months

#### Completion date

03/08/2020

## Eligibility

#### Key inclusion criteria

- 1. Patients with a primary diagnosis of severe mental illness (ICD-10 F2)
- 2. Aged 18 years and older
- 3. Capacity to provide informed consent
- 4. Scores 5 or below on the MANSA scale
- 5. Illness of over 6 months

## Participant type(s)

**Patient** 

### Healthy volunteers allowed

No

#### Age group

Adult

### Lower age limit

18 years

#### Sex

All

#### Total final enrolment

72

## Key exclusion criteria

- 1. Does not meet inclusion criteria
- 2. Primary diagnosis of substance-use disorder, learning disability, dementia, organic psychosis
- 3. Diagnosis of bipolar disorder
- 4. Participating in another study conducted by this or another research group

#### Date of first enrolment

01/12/2018

#### Date of final enrolment

30/04/2019

## Locations

## Countries of recruitment

Bosnia and Herzegovina

## Study participating centre Clinical Centre University of Sarajevo

Bolnička 25 Sarajevo Bosnia and Herzegovina N/A

## Sponsor information

#### Organisation

Queen Mary University of London

#### **ROR**

https://ror.org/026zzn846

## Funder(s)

## Funder type

Government

#### **Funder Name**

National Institute for Health Research

### Alternative Name(s)

National Institute for Health Research, NIHR Research, NIHRresearch, NIHR - National Institute for Health Research, NIHR (The National Institute for Health and Care Research), NIHR

#### **Funding Body Type**

Government organisation

#### Funding Body Subtype

National government

#### Location

United Kingdom

## **Results and Publications**

Individual participant data (IPD) sharing plan

The trialists will ensure that the study dataset is available for sharing on request following the publication of the main research papers. This is to ensure the scientific impact of the project is maximised. Prior to making the dataset available to interested individuals, the dataset will be pseudonymised and any potentially identifiable data removed. For publications that require data to be accessible, they will comply with this as guided by FAIR principles.

## IPD sharing plan summary

Available on request

## **Study outputs**

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article		12/02/2022	01/03/2022	Yes	No
<u>Protocol article</u>		14/06/2019	11/08/2022	Yes	No
Participant information sheet	Participant information sheet	11/11/2025	11/11/2025	No	Yes