

Randomised phase III study of docetaxel versus active symptom control in patients with relapsed gastric adenocarcinoma

Submission date 19/09/2007	Recruitment status No longer recruiting	<input checked="" type="checkbox"/> Prospectively registered <input type="checkbox"/> Protocol
Registration date 14/11/2007	Overall study status Completed	<input type="checkbox"/> Statistical analysis plan <input checked="" type="checkbox"/> Results
Last Edited 19/03/2020	Condition category Cancer	<input type="checkbox"/> Individual participant data

Plain English summary of protocol

<http://www.cancerhelp.org.uk/trials/a-trial-looking-at-docetaxel-chemotherapy-for-advanced-cancer-of-the-stomach-the-oesophagus-or-the-junction-of-the-stomach-and-oesophagus>

Contact information

Type(s)

Scientific

Contact name

Dr Hugo Ford

Contact details

Oncology Centre
Box 193
Addenbrooke's Hospital
Hills Road
Cambridge
United Kingdom
CB2 0QQ

Additional identifiers

EudraCT/CTIS number

2006-005046-37

IRAS number

ClinicalTrials.gov number

NCT00978549

Secondary identifying numbers

C21276/A7737

Study information

Scientific Title

Randomised phase III study of docetaxel versus active symptom control in patients with relapsed gastric adenocarcinoma

Acronym

COUGAR-02

Study objectives

To establish the role of chemotherapy with docetaxel as second line therapy for advanced gastric cancer in terms of overall survival.

On 12/09/2008 the overall trial start and end dates were changed from 01/11/2007 and 30/04/2010 to 10/04/2008 and 10/10/2010, respectively.

On 15/02/2011 the following changes were made to this trial record:

1. The overall trial end date was changed from 10/10/2010 to 28/02/2012.
2. The target participant number was changed from 320 to 180.

Ethics approval required

Old ethics approval format

Ethics approval(s)

South West Research Ethics Committee, 28/12/2008, ref: 07/H0206/62

Study design

Open-label two-arm multi-centre phase III randomised controlled trial

Primary study design

Interventional

Secondary study design

Randomised controlled trial

Study setting(s)

Hospital

Study type(s)

Treatment

Participant information sheet

Health condition(s) or problem(s) studied

Advanced gastric cancer

Interventions

Arm A: chemotherapy with docetaxel plus active symptom control for 18 weeks. The participants in this arm will have treatment once every 3 weeks and will receive up to 6 cycles of docetaxel intravenously at a dose of 75 mg/m² (total of 18 weeks of treatment).

Arm B: active symptom control for 18 weeks. Active symptom control may include administration of analgesics, anti-emetics, steroids, palliative radiotherapy and/or any other supportive measures deemed appropriate by the treating clinician.

Intervention Type

Drug

Phase

Phase III

Drug/device/biological/vaccine name(s)

Docetaxel

Primary outcome measure

Overall survival, measured as the time between the date of randomisation and the date of death from any cause.

Secondary outcome measures

1. Time to documented progression
2. Response rates to docetaxel. This will be assessed using the Response Criteria In Solid Tumours (RECIST) at baseline and after 3 and 6 cycles of treatment. The best overall response achieved over the treatment period will be determined
3. Toxicity of docetaxel. Docetaxel related toxicity data will be collected at the end of each of the chemotherapy cycles prior to the start of the next cycle. In addition, all Adverse Events (AEs) will be monitored and recorded from randomisation until 21 days after the last administration of docetaxel
4. Quality of life, assessed using the European Organisation for Research and Treatment of Cancer (EORTC) Quality of Life Questionnaire QLQ-C30 vs3 and QLQ-STO22. Quality of life data will be collected at baseline and then after 3, 6, 9, 12, 18 and 24 weeks from start of treatment
5. Health economic evaluation. The EuroQoL (EQ-5D) health outcome instrument is to be used for this assessment. The EQ-5D will be completed at baseline and then at every outpatient visit until death

Overall study start date

10/04/2008

Completion date

10/10/2010

Eligibility

Key inclusion criteria

1. Patients with histologically confirmed adenocarcinoma of the stomach (including Siewert-Stein type II and III adenocarcinoma of the oesophago-gastric junction)
2. Age 18 years or older
3. Advanced disease not amenable to curative treatment

4. Documented progressive disease while receiving or within 6 months of completion of first line chemotherapy with a platinum and fluoropyrimidine based therapy either for advanced disease or as neoadjuvant/perioperative therapy
5. Estimated life expectancy greater than or equal to 12 weeks
6. Eastern Cooperative Oncology Group (ECOG) performance status 0, 1 or 2
7. Satisfactory haematologic (haemoglobin [Hb] greater than or equal to 10 g/dL, White Blood Cells [WBC] greater than or equal to $3.0 \times 10^9/L$, Absolute Neutrophil Count (ANC) greater than or equal to $1.5 \times 10^9/L$, Platelets (Plt) greater than or equal to $100 \times 10^9/L$), renal (creatinine less than or equal to Upper Limit of Normal [ULN]) and hepatic (total Bilirubin less than or equal to ULN, Alanine aminotransferase (ALT) less than or equal to 1.5 x ULN, Alkaline Phosphatase (ALP) less than or equal to 5 x ULN) function
8. Ability to give informed consent
9. Completion of baseline questionnaires (European Organisation for Research and Treatment of Cancer Quality of Life Questionnaire [EORTC QLQ-C30] and EORTC-QLQ-STO22 [gastric cancer-specific QLQ] and EuroQoL (EQ-5D) questionnaire)
10. Patients of both sexes with reproductive potential must be willing to employ barrier contraceptives whilst on treatment and for 3 months after completion of treatment

Participant type(s)

Patient

Age group

Adult

Lower age limit

18 Years

Sex

Both

Target number of participants

180

Key exclusion criteria

1. Cerebral or leptomeningeal metastasis
2. Prior chemotherapy with taxanes
3. Peripheral neuropathy
4. More than one prior chemotherapy regimen in advanced setting
5. Previous malignancy except for curatively treated basal cell carcinoma of the skin or cervical intraepithelial neoplasia
6. Pregnant or breastfeeding female patient
7. Any medical or psychiatric condition which would influence the ability to provide informed consent
8. Any other serious or uncontrolled illness which, in the opinion of the investigator, makes it undesirable for the patient to enter the trial

Date of first enrolment

10/04/2008

Date of final enrolment

10/10/2010

Locations

Countries of recruitment

England

United Kingdom

Study participating centre

Addenbrooke's Hospital

Cambridge

United Kingdom

CB2 0QQ

Sponsor information

Organisation

Cambridge University Hospitals NHS Foundation Trust (UK)

Sponsor details

Box 277

Addenbrooke's Hospital

Hills Road

Cambridge

England

United Kingdom

CB2 0QQ

+44 (0)1223 245151

webmaster@addenbrookes.nhs.uk

Sponsor type

Hospital/treatment centre

Website

<http://www.addenbrookes.org.uk/>

ROR

<https://ror.org/04v54gj93>

Funder(s)

Funder type

Charity

Funder Name

Cancer Research UK (UK) (ref: C21276/A7737)

Alternative Name(s)

CR_UK, Cancer Research UK - London, CRUK

Funding Body Type

Private sector organisation

Funding Body Subtype

Other non-profit organizations

Location

United Kingdom

Results and Publications

Publication and dissemination plan

Not provided at time of registration

Intention to publish date**Individual participant data (IPD) sharing plan****IPD sharing plan summary**

Not provided at time of registration

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Basic results				No	No
Plain English results				No	Yes
Results article	results	01/01/2014		Yes	No