

HF10 therapy for the treatment of chronic pain resulting from spinal cord injury

| | | |
|--|--|--|
| Submission date 26/10/2016 | Recruitment status No longer recruiting | <input checked="" type="checkbox"/> Prospectively registered <input type="checkbox"/> Protocol |
| Registration date 28/10/2016 | Overall study status Completed | <input type="checkbox"/> Statistical analysis plan <input type="checkbox"/> Results |
| Last Edited 17/12/2019 | Condition category Nervous System Diseases | <input type="checkbox"/> Individual participant data <input type="checkbox"/> Record updated in last year |

Plain English summary of protocol

Background and study aims

Spinal Cord Injury (SCI) is an injury to the spinal cord which temporarily or permanently affects the motor (movement), sensory or autonomic (unconscious) functions. SCI is a broad term, which includes both traumatic and non-traumatic causes as well cauda equina lesions (a rare disorder where the nerves at the end of the spinal cord are compressed). In the UK, approximately 700 people sustain a new SCI each year. These injuries are associated with serious damage to the nervous system, and can result in paralysis or death. Around 40-50% of SCI patients suffer from neuropathic pain (pain caused by the nervous system). Neuropathic pain in SCI is constant and often unresponsive to available pain treatments. A treatment called spinal cord stimulation (SCS) systems can be useful in treating the pain caused by SCI. This is where an implanted device sends small electrical fields to the spinal cord, masking areas of pain by altering the pain messages that the body sends to the brain. The aim of this study is to evaluate the safety and effectiveness of a SCS treatment called HF10 in alleviating long-term neuropathic pain in patients with SCI by following patients who have a HF10 device implanted as part of their usual care.

Who can participate?

Patients aged over 18 with a spinal cord injury of at least 2 years

What does the study involve?

Participants undergo a trial of Spinal Cord Stimulation (SCS) at 10 kHz (HF10 Therapy) as per the center's usual practice. Successfully trialed participants get a permanent device implanted as per center's routine clinical practice. SCS involves the surgical placement of two leads (which look like very thin wires) into a small area near the spinal cord. Electrical stimulation is delivered through these wires, in an attempt to provide pain relief, by a small, battery-operated, rechargeable SCS implanted generator. Each patient is followed for 12 months after device activation. The participants attend regular clinic visits to complete questionnaires, and to provide feedback on their pain.

What are the possible benefits and risks of participating?

Participants may benefit from the SCS system to relieve their pain. There are no direct risks of taking part in this study, although the general risks of having a spinal stimulation device in place apply.

Where is the study run from?
South Tees Hospitals NHS Foundation Trust (UK)

When is the study starting and how long is it expected to run for?
May 2016 to December 2018

Who is funding the study?
Nevro Corp (USA)

Who is the main contact?
1. Professor Sam Eldabe (scientific)
2. Mr Wim Laloo (public)

Contact information

Type(s)
Scientific

Contact name
Prof Sam Eldabe

Contact details
South Tees Hospitals NHS Foundation Trust
Cheriton House
The James Cook University Hospital
Marton Road
Middlesbrough
United Kingdom
TS4 3BW

Type(s)
Public

Contact name
Mr Brad Gliner

Contact details
Nevro Corp
1800 Bridge Parkway
Redwood City
United States of America
CA 94065

Additional identifiers

EudraCT/CTIS number

IRAS number

ClinicalTrials.gov number

Secondary identifying numbers

CA2016OUS SCI

Study information

Scientific Title

HF10 therapy for the treatment of chronic pain resulting from spinal cord injury

Study objectives

The aim of this study is to evaluate the safety and effectiveness of HF10 therapy for the alleviation of chronic neuropathic pain in patients with an incomplete or complete spinal cord injury.

Ethics approval required

Old ethics approval format

Ethics approval(s)

NHS - Health Research Authority - North East - York Research Ethics Committee, 26/10/2016, ref: 16/NE/0315

Study design

Single-centre open label post-market (on-label) cohort study

Primary study design

Observational

Secondary study design

Cohort study

Study setting(s)

Hospital

Study type(s)

Treatment

Participant information sheet

Not available in web format, please use the contact details below to request a patient information sheet

Health condition(s) or problem(s) studied

Spinal cord injury

Interventions

As part of their standard care, participants undergo a trial (temporary evaluation period) of Spinal Cord Stimulation (SCS) at 10 kHz (HF10 Therapy) as per the center's usual practice and following this, those for whom the trial treatment was successful have a permanent device implanted as per center's routine clinical practice.

Following device activation, participants are followed for a period of 12 months. The participants attend regular clinic visits, at 1, 3, 6, 9 and 12 month, to complete questionnaires,

and to provide feedback on their pain, disability, health status, mental state and sleep. At these visits, the physicians will take assessments from the participants such as neurological testing, spasticity, disability, health status, medication usage and side effects (if any).

Intervention Type

Device

Primary outcome measure

1. Targetted pain area directly related to SCI is measured using the Visual Analog Scale (VAS) at baseline, end of SCS trial period, 1, 3, 6, 9 and 12 month visits
*target pain area: neuropathic pain following SCI (at-level and below-level)
2. Neurological level and/or sensorimotor state is measured using the ASIA Impairment Scale at baseline, 3, 6 and 12 months
3. Neurological pain is measured using the Douleur Neuropathique 4 (DN-4) questionnaire at baseline, end of SCS trial period, 3, 6 and 12 month
4. Spasticity is measured using the Modified Ashworth Scale and Penn Spasm Frequency Scale at baseline, end of SCS trial period, 3, 6, 9 and 12 months
5. Disability is measured using the Spinal Cord Independence Measure (SCIM) at baseline, end of SCS trial period, 3, 6 and 12 months
6. Health status is measured using the European Quality of Life-5 Dimensions (EQ-5D-5L) questionnaire at baseline, v, 3, 6, 9 and 12 months
7. General state of health is measured using the Patient Global Impression of Change (PGIC) instrument at the end of SCS trial period, 1, 3, 6, 9 and 12 months
8. General state of health is measured using the Clinician* Global Impression of Change (CGIC) instrument at the end of SCS trial period, 1, 3, 6, 9 and 12 months
*Clinician: both pain physician and SCI specialist to complete
9. Depression is measured using the Beck Depression Inventory II (BDI-II) at baseline, end of SCS trial period, 3, 6 and 12 months
10. Sleep disturbance is measured using the Pain and Sleep Questionnaire three-item Index (PSQ-3) at baseline, end of SCS trial period, 3, 6, 9 and 12 months
10. Medication usage is observed at baseline, end of SCS trial period, 3, 6, 9 and 12 months
11. Participant satisfaction with the therapy is measured using the Subject Satisfaction questionnaire at 3, 6 and 12 months
12. Incidence of unanticipated adverse device effects (UADEs) is observed at baseline, end of trial, 3, 6, 9 and 12
13. Pain treatment (only applicable for Trial failures) is observed using the Pain Treatment questionnaire at 12 months

Secondary outcome measures

No secondary outcome measures

Overall study start date

10/05/2016

Completion date

01/05/2020

Eligibility

Key inclusion criteria

1. A spinal cord injury (complete or incomplete lesion) of at least 2 years
2. Injury at cervical/thoracic/lumbar/sacral level
3. A disability grade on the American Spinal Injury Association (ASIA) Impairment Scale (AIS) of A, B, C, D or E as determined by a qualified examiner
4. Neuropathic pain as clinically determined by the investigator
5. Average pain intensity for the target pain area of ≥ 5 out of 10 cm on the Visual Analogue Scale (VAS) at enrollment when the patient is taking medication
6. Stable chronic pain for at least 3 months
7. Refractoriness to pain treatment as determined by the Investigator¹ (which can include medication and/or other treatment modalities)
8. On stable pain medications, as determined by the Investigator¹, for at least 4 weeks prior to the Baseline Visit
9. An appropriate candidate for HF10™ Spinal Cord Stimulation as determined by the Investigator
10. An appropriate candidate for the surgical procedures required in this study based on the clinical judgment of the implanting physician and if applicable per the local regulations
11. An adult (≥ 18 years of age) at time of enrollment
12. Evaluated at the investigational site at least once prior to screen for the pain condition related to the study
13. Willing and capable of giving written informed consent prior to any investigational related procedure (if not able to write consent will happen through legal or personal representative)
14. Willing and able to comply with study-related requirements, assessments and visits
15. Capable of subjective evaluation, able to read and understand written questionnaires, and are able to read, understand and sign the written informed consent (see Inclusion criterion 13, legal /personal representative)
16. Adequate cognitive ability and sufficient support (e.g. caregiver) to use a patient external trial stimulator, recharger and patient remote as determined by the Investigator

Participant type(s)

Patient

Age group

Adult

Lower age limit

18 Years

Sex

Both

Target number of participants

10 patients with a permanent device

Total final enrolment

21

Key exclusion criteria

1. Evidence of an active disruptive psychological or psychiatric disorder or other known condition significant enough to impact perception of pain, compliance of intervention and/or ability to evaluate treatment outcome, as determined by the investigator in consultation with a clinical psychologist

2. A current diagnosis of a progressive neurological disease such as multiple sclerosis, inflammatory, infective, vascular, demyelinating polyneuropathy, rapidly progressive arachnoiditis, rapidly progressive diabetic peripheral neuropathy, brain or spinal cord tumor
3. An invalid AIS (e.g. ASIA motor exam not obtainable)
4. A current diagnosis or condition such as a coagulation disorder, bleeding diathesis, platelet dysfunction, progressive peripheral vascular disease or uncontrolled diabetes mellitus that presents excess risk for performing the procedure as determined clinically by the investigator
5. A diagnosis that precludes lead placement (e.g. severe scoliosis)
6. Radiographic evidence of spinal instability requiring fusion as determined by the Investigator
7. Previous and/or current experience with drug pump and/or neurostimulator or another active implantable device such as a pacemaker
8. A condition currently requiring or likely to require the use of MRI of the trunk
9. Metastatic malignant disease or active local malignant disease
10. A life expectancy of less than 1 year
11. An active systemic or local infection
12. Pregnant (if female and sexually active, subject must be using a reliable form of birth control, be surgically sterile or be at least 2 years post-menopausal)
13. Within 6 months of enrollment a significant untreated addiction to dependency producing medications or have been a substance abuser (including alcohol and illicit drugs)
14. Benefitting within 30 days prior to enrollment from an interventional procedure and/or surgery to treat the targeted pain area
15. Concomitantly participating in another clinical study, or planned to be enrolled in another clinical study
16. Involved in an injury claim under current litigation
17. A pending worker's compensation claim as determined by the Investigator

Date of first enrolment

01/12/2016

Date of final enrolment

31/07/2019

Locations

Countries of recruitment

England

United Kingdom

Study participating centre

The James Cook University Hospital

Marton Road

Middlesbrough

United Kingdom

TS4 3BW

Sponsor information

Organisation

Nevro Corp

Sponsor details

1800 Bridge Parkway
Redwood City
United States of America
CA 94065

Sponsor type

Industry

ROR

<https://ror.org/02xcxe208>

Funder(s)

Funder type

Industry

Funder Name

Nevro Corp

Results and Publications

Publication and dissemination plan

1. Planned presentation of results to international congresses from the start of 2018
2. Planned publication in a peer-reviewed journal from the start of 2019

Intention to publish date

01/05/2021

Individual participant data (IPD) sharing plan

The current data sharing plans for the current study are unknown and will be made available at a later date.

IPD sharing plan summary

Data sharing statement to be made available at a later date

Study outputs

| Output type | Details | Date created | Date added | Peer reviewed? | Patient-facing? |
|--------------------------------------|---------|--------------|------------|----------------|-----------------|
| HRA research summary | | | 28/06/2023 | No | No |