

Improving diagnosis and treatment for patients with rectal cancer

Submission date 29/05/2025	Recruitment status Recruiting	<input type="checkbox"/> Prospectively registered <input type="checkbox"/> Protocol
Registration date 16/06/2025	Overall study status Ongoing	<input type="checkbox"/> Statistical analysis plan <input type="checkbox"/> Results
Last Edited 01/07/2025	Condition category Cancer	<input type="checkbox"/> Individual participant data <input checked="" type="checkbox"/> Record updated in last year

Plain English summary of protocol

Background and study aims

The purpose of staging is to provide a prognosis of the cancer, namely the risk to the patient's life and the risk of cancer returning.

The cancer stage information from scans guides pre-operative treatment and the type of surgery offered. We are studying whether a new Magnetic Resonance Imaging (MRI) staging method can improve the accuracy of prognosis for patients diagnosed with rectal cancer.

Who can participate?

All adult patients aged 16 years and over who have been diagnosed with rectal cancer

What does the study involve?

We will collect information about your diagnostic tests and treatment. We will ask you to share your experiences by filling in questionnaires at intervals during your patient journey and treatment when you visit the hospital for your doctor's appointments.

What are the possible benefits and risks of participating?

There are no disadvantages to taking part. You will continue to receive standard care, as guided by your local doctors, throughout the trial. We hope that the information from this trial will help us improve the way we classify rectal cancer in future and provide a better understanding of how treatments for rectal cancer impact on patient's lives. This could benefit other patients with the same condition as you in the future. There will be no direct benefit.

Where is the study run from?

Imperial College London (UK)

When is the study starting and how long is it expected to run for?

June 2025 to May 2031

Who is funding the study?

NHS England through RM Partners and Pelican Cancer Foundation

Who is the main contact?

Caroline Martin, giclinicaltrials@imperial.ac.uk

Plain English summary under review with external organisation

Contact information

Type(s)

Contact name

Miss Caroline Martin

Contact details

Imperial College London
Room BN1/2 | 1st Floor, Block B
Hammersmith Hospital Campus
Du Cane Road
London
United Kingdom
W12 0NN

-
c.martin1@imperial.ac.uk

Type(s)

Contact name

Prof Gina Brown

ORCID ID

<https://orcid.org/0000-0002-2336-622X>

Contact details

Imperial College London
Room BN1/2
1st Floor Block B
Hammersmith Hospital Campus
Du Cane Road
London
United Kingdom
W12 0NN
+44 (0)7917302097
gina.brown@imperial.ac.uk

Additional identifiers

Clinical Trials Information System (CTIS)

Nil known

Integrated Research Application System (IRAS)

348532

ClinicalTrials.gov (NCT)

Nil known

Protocol serial number

CPMS 64773

Study information

Scientific Title

Improving the prognostic accuracy of staging rectal cancer using magnetic resonance imaging (MRI) - detected tumour deposits and vascular invasion (mrTDV) instead of tumour nodal metastasis (mrTNM)

Acronym

MERCURY 3

Study objectives

A different staging system that assesses tumour deposits (TDs) and tumour spread into veins (mrTDV) will improve the quality of care of patients diagnosed with rectal cancer compared with the current practice of using tumour nodal metastasis (mrTNM).

Ethics approval required

Old ethics approval format

Ethics approval(s)

Approved 28/05/2025, East Midlands - Derby Research Ethics Committee (2 Redman Place, London, EC20 1JQ, UK; +44 (0)207 104 8154, +44 (0)207 104 8283, +44 (0)207 104 8146; derby.rec@hra.nhs.uk, ref: 25/EM/0105

Study design

Non-randomized

Primary study design

Interventional

Study type(s)

Diagnostic

Health condition(s) or problem(s) studied

Rectal cancer

Interventions

The training of radiologists to implement specialised MRI reporting using the TDV staging system.

Patients in the study will be recruited in two phases: control and intervention.

All eligible patients will be identified in the multidisciplinary meetings and will be registered on the trial. Patients will undergo their normal treatment as determined by their clinical team. For 6 months before training of the radiologists (this is the intervention), scan reports will be captured

and compared with histopathology. All scans performed in 2019 will also be captured and compared with histopathology. The results from both these sets of data will be shown to the radiologists as part of their training and discussed with the MDT. Scan reports will then be captured and compared with histopathology for 6 months after the training of the radiologists to compare. Long-term outcomes before and after the intervention will be compared.

In addition, clinical team members will approach patients to consent for quality of life and the shared decision-making process. The patient information sheet explains that we are providing consultant radiologists with the know-how to report MRI scans using a new method and comparing it with the existing method. We explain that this study will test this by comparing how accurately the old vs new method predicts the outcomes for patients.

The clinical team will follow up with the patients for 5 years at 1, 3 and 5 years to report on their long-term outcomes. Consented patients will also be asked to complete a quality of life questionnaire at their routine clinical follow-up appointments. They will not attend clinic for any research-specific reason.

Research staff will capture the number and type of hospital visits and investigations for patients in both the control and intervention phases at one year. This is to compare health resource use between the phases. This data is non-clinical observations about NHS resource use.

Intervention Type

Other

Phase

Phase II

Primary outcome(s)

Survival for mrTNM and mrTDV before and after the intervention (at 1 and 5 years)

Key secondary outcome(s)

1. Agreement between radiologists in mrTDV staging vs mrTNM: agreement in prognostic accuracy between radiology and histopathology using TNM versus TDV at 1 and 5 years
2. mrTDV and TNM compared with respective histopathology staging for prognosis: agreement in prognostic accuracy between radiology and histopathology using TNM versus TDV at 1 and 5 years
3. Impact of the introduction of mrTDV staging on MDT decision-making: MDT treatment policies before and after mrTDV intervention at 1 and 5 years
4. Changes in treatment strategy following MRI-TDV staging intervention: treatments given before and after mrTDV intervention at 6 months and 1 year
5. Oncological outcomes for mrTNM versus TDV: disease-free survival (DFS) and local recurrence rates before and after mrTDV intervention at 1 and 5 years
6. Quality of life measured using Qualitative EORTC QLQ-CR29 Questionnaire at 6 months, 1 and 5 years
7. Quality of life measured using Qualitative EORTC QLQ-CR30 Questionnaire at 6 months, 1 and 5 years
8. Bowel function measured using Low Anterior Resection Syndrome (LARS) score at 6 months, 1 and 5 years
9. Patient shared decision making (SDM) measured using SM-Q9 scores at 6 months, 1 and 5 years
10. Validation of an educational programme for radiologists and MDTs to improve MRI reporting with TDV staging: assessment of radiologists' prognostic accuracy and agreement using TNM

versus TDV at 6 months and 1 year

12. Comparison of inpatient costs between patients before and after intervention: comparison of relative % histopathological biomarkers screening panels between patients identified by the radiologist on the report before and after intervention at 18 and 36 months

13. Comparison of total cost of outpatient visits between patients based on individual pathways before and after intervention at 18 and 30 months

14. Number of patients without disease and/or without stoma before and after intervention: DFS and stoma-free survival in patients based on individual pathways before and after intervention at 18 and 30 months

15. Assessment of novel and existing histopathological biomarkers to improve prognostic and predictive markers: comparison of relative % histopathological biomarkers screening panels between patients identified by the radiologist on the report before and after intervention at 6, 12, 18 months and 3 and 5 years

Completion date

31/05/2031

Eligibility

Key inclusion criteria

1. Have a rectal cancer proven on biopsy or subsequent surgery
2. Sites able to submit anonymised MRI staging scans, pathology and imaging reports for central review
3. Aged 16 years or over

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Lower age limit

16 years

Sex

All

Key exclusion criteria

1. Have irresectable metastatic disease at time of initial staging
2. Undergoing palliative treatment for rectal cancer
3. Have a biopsy-proven rectal malignancy which is not adenocarcinoma
4. Are contraindicated for MRI staging

Date of first enrolment

01/06/2025

Date of final enrolment

31/05/2026

Locations

Countries of recruitment

United Kingdom

England

Study participating centre

Salisbury District Hospital

Salisbury District Hospital
Odstock Road
Salisbury
United Kingdom
SP2 8BJ

Study participating centre

Southampton

Southampton General Hospital
Tremona Road
Southampton
United Kingdom
SO16 6YD

Study participating centre

John Radcliffe Hospital

Headley Way
Headington
Oxford
United Kingdom
OX3 9DU

Study participating centre

Northwick Park Hospital

Watford Road
Harrow
United Kingdom
HA1 3UJ

Study participating centre

St Marys Hospital
Floyd Drive
Warrington
United Kingdom
WA2 8DB

Study participating centre
Chesterfield Royal Hospital
Chesterfield Road
Calow
Chesterfield
United Kingdom
S44 5BL

Study participating centre
Kings Mill Hospital
Mansfield Road
Sutton-in-ashfield
United Kingdom
NG17 4JL

Study participating centre
The Princess Alexandra Hospital
Hamstel Road
Harlow
United Kingdom
CM20 1QX

Study participating centre
Musgrove Park Hospital (taunton)
Musgrove Park Hospital
Taunton
United Kingdom
TA1 5DA

Study participating centre
Royal London Hospital
80 Newark Street
London
United Kingdom
E1 2ES

Study participating centre

East Surrey Hospital

Canada Avenue
Redhill
United Kingdom
RH1 5RH

Study participating centre

Worthing Hospital

Lyndhurst Road
Worthing
United Kingdom
BN11 2DH

Study participating centre

Health Protection Team (NHS Grampian)

Summerfield House
2 Eday Road
Aberdeen
United Kingdom
AB15 6RE

Study participating centre

Frimley Park Hospital

Frimley
Camberley
United Kingdom
GU16 7UJ

Study participating centre

Southmead Hospital

Southmead Road
Westbury-on-trym
Bristol
United Kingdom
BS10 5NB

Study participating centre

York District Hospital
Wigginton Road
York
United Kingdom
YO31 8HE

Study participating centre
Basingstoke and North Hampshire Hospital
Aldermaston Road
Basingstoke
United Kingdom
RG24 9NA

Sponsor information

Organisation
Imperial College London

ROR
<https://ror.org/041kmwe10>

Funder(s)

Funder type
Government

Funder Name
NHS England

Results and Publications

Individual participant data (IPD) sharing plan

The datasets generated during and/or analysed during the current study will be available upon request from Prof. Gina Brown (gina.brown@imperial.ac.uk)

IPD sharing plan summary

Available on request

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
-------------	---------	--------------	------------	----------------	-----------------

Participant information sheet	Participant information sheet	11/11/2025	11/11/2025	No	Yes
Study website	Study website	11/11/2025	11/11/2025	No	Yes