Evaluating the role of graduated compression stockings in the prevention of blood clots in patients who undergo short-stay surgery and who are assessed as being low-risk of developing blood clots

Submission date	Recruitment status No longer recruiting	[X] Prospectively registered		
25/03/2022		[X] Protocol		
Registration date	Overall study status	Statistical analysis plan		
29/03/2022	Ongoing Condition category	Results		
Last Edited		Individual participant data		
23/09/2025	Circulatory System	[X] Record updated in last year		

Plain English summary of protocol

Background and study aims

Hospital acquired thrombosis is a term used to describe blood clots that may form in the legs and lungs after someone is treated in hospital. A clot in the leg can cause swelling, pain and other long-term problems, such as a leg wound (ulcer). If a clot in the leg breaks off and travels to the lungs, it can cause problems with the lungs' ability to transfer oxygen from the air into the blood and may be life threatening. Having surgery increases a person's risk of developing blood clots. There are a number of reasons for this including being unwell, being unable to move during surgery, and moving around less after surgery. To reduce the chance of a blood clot developing, doctors can give blood-thinning medications and elastic stockings that squeeze the leg muscles.

People having short stay surgery are those who are able to go home the same day or those who stay overnight but go home shortly afterwards. These people are at much lower risk of developing a blood clot than those who stay in hospital for longer. These low-risk people are often given elastic stockings to reduce the chance of developing a blood clot. The risks of wearing the stockings are very low but wearing stockings can be uncomfortable. Occasionally some people with poor blood supply to their feet, can develop wounds on one or both of their feet after wearing elastic stockings, but this is rare.

In the UK, there are over a million short stay surgeries performed each year and most of these people are given elastic stockings to wear. Collectively, these elastic stockings cost the NHS a lot of money and it remains unknown if they benefit these people.

A recent study in a different group of people, who are at higher risk of developing a blood clot and are usually given blood-thinning medications, showed that elastic stockings offered no additional benefit compared to just having blood-thinning medications alone. There are

currently no up to date studies specifically in this group of people that look at whether these elastic stockings reduce the chance of developing a blood clot.

The purpose of this study is to investigate if it is worthwhile to continue using elastic stockings in people having surgery where the risk of developing blood clots is low.

Who can participate?

People enrolled in the study will be over the age of 18 and scheduled to undergo a surgical procedure with a hospital stay less than 48 hours. All participants will be checked for their risk of blood clots when they arrive in hospital for surgery. This study will only include people where the check shows a low risk of developing blood clots, which will be assessed using a nationally recognised tool.

What does the study involve?

At random, participants will be given elastic stockings to wear during their time in hospital or not given elastic stockings at all. The surgery itself and all other processes will continue as normal.

Participants will be contacted (by telephone, email or SMS) at 7 days and 90 days after their surgery to see how they are getting on and to see if they developed a blood clot. Participants will be provided with information on the signs and symptoms of blood clots, such as a swollen painful leg. They will be advised to attend the emergency department if they develop any of the signs and symptoms, and not wait for the follow-up to avoid delay. If the doctors and nurses suspect a participant has developed a blood clot, they will come to hospital for extra tests and treatment which is best practice if a blood clot is suspected.

What are the possible benefits and risks of participating?

Possible benefits: Participants will receive increased education around VTE prevention (i.e. via the 'Signs and Symptoms of a blood clot' leaflet). Both patients and the health service stand to benefit from evidence to support the safe rationalisation of the use of GCS as a health technology.

Possible risks: The risks associated with graduated compression (GCS) use are low, particularly in this patient cohort where the expectation is to wear the stockings for a short period of time (i.e. from the time of surgery until ambulant [which may be as short as a few hours and no longer than 48-hours]). GCS may cause skin irritation and itching. Patients will be advised to speak to their healthcare professional at any point prior to (and indeed after) discharge should they have any concerns. Individuals with a contraindication to wearing GCS will not be included. The relevant participants will also be followed up at 7-days post procedure and information about any adverse events associated with GCS will be captured. We do not expect participation to result in any additional burden on the participant. Participants will be followed-up remotely at 7 and 90-days post-surgical procedure. Data can be provided via online survey, SMS or telephone depending on patient preference. Minimal data collection will occur at these follow-ups (i.e. only self-reported VTE outcome data, the short 5-item EQ-5D questionnaire and information on adverse events associated with GCS [if applicable] is collected at 7-days. At 90-days, only self-reported VTE outcome, the EQ-5D and the resource use questionnaire data is collected).

Where is the study run from? Imperial College London (UK)

When is the study starting and how long is it expected to run for? March 2022 to June 2026

Who is funding the study? National Institute for Health Research (NIHR) (UK).

Who is the main contact?

- 1. Sarrah Peerbux (public contact), s.peerbux@imperial.ac.uk
- 2. Prof. Alun Davies (scientific contact), a.h.davies@imperial.ac.uk

Contact information

Type(s)

Principal investigator

Contact name

Prof Alun Davies

Contact details

Imperial College London, Academic Section of Vascular Surgery Room 3, 4th Floor East Wing, Charing Cross Hospital Fulham Palace Road London United Kingdom W6 8RF +44 (0)20 3311 7309 a.h.davies@imperial.ac.uk

Type(s)

Public

Contact name

Mrs Sarrah Peerbux

ORCID ID

https://orcid.org/0000-0001-5560-0749

Contact details

Imperial College London, Academic Section of Vascular Surgery Room 3E, 4th Floor East Wing, Charing Cross Hospital Fulham Palace Road London United Kingdom W6 8RF +44 (0)7866 767516 s.peerbux@imperial.ac.uk

Additional identifiers

Clinical Trials Information System (CTIS)

Nil known

Integrated Research Application System (IRAS)

ClinicalTrials.gov (NCT)

Nil known

Protocol serial number

IRAS 312752, NIHR133776

Study information

Scientific Title

Examining the benefit of graduated compression stockings in the Prevention of vEnous Thromboembolism in low-risk Surgical patients: a multicentre cluster randomised controlled trial (PETS Trial)

Acronym

PETS

Study objectives

The principal objective of this study is to evaluate the potential benefit of GCS in the prevention of VTE in patients undergoing short-stay surgical procedures, assessed as being at low-risk for VTE.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Approved 31/05/2022, London - Camden and King's Cross REC (Level 3, Block B, Whitefriars, Lewins Mead, Bristol, BS1 2NT, UK; +44 207 1048089; camdenandkingscross.rec@hra.nhs.uk), ref: 22/LO/0390

Study design

Multicentre cluster randomized controlled trial

Primary study design

Interventional

Study type(s)

Prevention

Health condition(s) or problem(s) studied

Prevention of venous thromboembolism (VTE) in patients who are deemed to be at low-risk of developing VTE and who undergo day-case/short-stay surgical procedures.

Interventions

This is a cluster-designed RCT in which study centres will either be randomised to intervention or control.

Centres randomised to the intervention arm, which is the current standard of care, will consist of participants receiving graduated compression stockings (GCS). Clinical staff (e.g. preassessment

or theatre support workers) will issue stockings to all patients who are scheduled to undergo short-stay surgery. Participants will be instructed to wear their stockings just before undergoing the surgical procedure and to remove the stockings as soon as they are ambulant (i.e. after the procedure).

In those centres randomised to the control arm, participants will not receive graduated compression stockings.

Intervention Type

Behavioural

Primary outcome(s)

Self-reported VTE within 90-days of short-stay surgical procedure.

Key secondary outcome(s))

- 1. Mortality measured using patient notes and SAE log review at 7 and 90-days
- 2. Cost-Effectiveness Ratio measured using the Incremental Cost-Effectiveness Ratio (ICER) at 90 days
- 3. Generic Quality of life (as measured by the EQ-5D) at 7 and 90-days
- 4. Adverse events with GCS (at 7-days, for participants enrolled in the site randomised to the 'stockings' cluster only) measured using patient records

Completion date

30/06/2026

Eligibility

Key inclusion criteria

- 1. Adults (18-59 years of age) scheduled to undergo a surgical procedure with a hospital stay <48 hours
- 2. Individuals assessed as being at low-risk of developing VTE as per the DHRA tool i.e. no assessed thrombosis risk factors / scoring 0

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Lower age limit

18 years

Upper age limit

59 years

Sex

All

Total final enrolment

11321

Key exclusion criteria

Current exclusion criteria as of 12/09/2024:

- 1. Individuals with a contraindication to GCS
- 2. Individuals assessed as being at moderate or high risk of VTE as per the DHRA tool
- 3. Individuals requiring therapeutic anticoagulation
- 4. Individuals requiring pharmacological prophylaxis
- 5. Individuals with thrombophilia/thrombogenic disorder
- 6. Individuals with a previous history of VTE
- 7. Individuals requiring intermittent pneumatic compression therapy beyond theatre and recovery
- 8. Female patients of childbearing age who have a positive pregnancy test
- 9. Individuals with lower limb immobilisation
- 10. Inability to provide informed consent

Previous exclusion criteria as of 14/08/2023 to 12/09/2024:

- 1. Individuals with a contraindication to GCS
- 2. Individuals assessed as being at moderate or high risk of VTE as per the DHRA tool
- 3. Individuals requiring therapeutic anticoagulation
- 4. Individuals with thrombophilia/thrombogenic disorder
- 5. Individuals with a previous history of VTE
- 6. Individuals requiring intermittent pneumatic compression therapy beyond theatre and recovery
- 7. Individuals requiring extended thromboprophylaxis beyond discharge
- 8. Female patients of childbearing age who have a positive pregnancy test
- 9. Individuals with lower limb immobilisation
- 10. Inability to provide informed consent
- 11. Individuals requiring pharmacological prophylaxis

Previous exclusion criteria:

- 1. Individuals with a contraindication to GCS
- 2. Individuals assessed as being at moderate or high-risk of VTE as per the DHRA tool
- 3. Individuals requiring therapeutic anticoagulation
- 4. Individuals with thrombophilia/thrombogenic disorder
- 5. Individuals with a previous history of VTE
- 6. Individuals requiring intermittent pneumatic compression therapy beyond theatre and recovery
- 7. Individuals requiring extended thromboprophylaxis beyond discharge
- 8. Female patients of childbearing age who have a positive pregnancy test
- 9. Individuals with lower limb immobilisation
- 10. Inability to provide informed consent.

Date of first enrolment

08/09/2022

Date of final enrolment

18/11/2024

Locations

Countries of recruitment

United Kingdom

England

Scotland

Wales

Study participating centre North Bristol NHS Trust

Southmead Hospital Southmead Road Westbury-on-trym Bristol United Kingdom BS10 5NB

Study participating centre Epsom and St Helier University Hospitals NHS Trust

St Helier Hospital Wrythe Lane Carshalton United Kingdom SM5 1AA

Study participating centre Hull University Teaching Hospitals NHS Trust

Hull Royal Infirmary Anlaby Road Hull United Kingdom HU3 2JZ

Study participating centre

Nottingham University Hospitals NHS Trust - Queen's Medical Centre Campus

Nottingham University Hospital Derby Road Nottingham United Kingdom NG7 2UH

Study participating centre Guy's and St Thomas' Hospitals

Trust Offices Guy's Hospital Great Maze Pond London United Kingdom SE1 9RT

Study participating centre University Hospitals of Leicester NHS Trust

Leicester Royal Infirmary Infirmary Square Leicester United Kingdom LE1 5WW

Study participating centre Mid and South Essex NHS Foundation Trust

Prittlewell Chase Westcliff-on-sea United Kingdom SSO ORY

Study participating centre
Cardiff & Vale University Health Board
United Kingdom
CF14 4XW

Study participating centre

Doncaster and Bassetlaw Teaching Hospitals NHS Foundation Trust

Doncaster Royal Infirmary Armthorpe Road Doncaster United Kingdom DN2 5LT

Portsmouth Hospitals University NHS Trust

United Kingdom PO6 3LY

Study participating centre Royal Free London NHS Foundation Trust

Royal Free Hospital Pond Street London United Kingdom NW3 2QG

Study participating centre University College London Hospitals NHS Foundation Trust

250 Euston Road London United Kingdom NW1 2PG

Study participating centre North West Anglia NHS Foundation Trust

Peterborough City Hospital
Bretton Gate
Bretton
Peterborough
United Kingdom
PE3 9GZ

Study participating centre Imperial College Healthcare NHS Trust

The Bays
St Marys Hospital
South Wharf Road
London
United Kingdom
W2 1BL

Study participating centre London North West University Hospitals Watford Road

Harrow

United Kingdom HA1 3UJ

Study participating centre Frimley Health NHS Foundation Trust

Portsmouth Road Frimley Camberley United Kingdom GU16 7UJ

Study participating centre Leeds Teaching Hospitals NHS Trust

St. James's University Hospital Beckett Street Leeds United Kingdom LS9 7TF

Study participating centre Sheffield Teaching Hospitals NHS Foundation Trust

Northern General Hospital Herries Road Sheffield United Kingdom S5 7AU

Study participating centre Somerset NHS Foundation Trust United Kingdom TA1 5DA

CV2 2DX

Study participating centre
University Hospitals Coventry and Warwickshire NHS Trust
Walsgrave General Hospital
Clifford Bridge Road
Coventry
United Kingdom

Study participating centre Hampshire Hospitals NHS Foundation Trust

Basingstoke and North Hampshire Hos Aldermaston Road Basingstoke United Kingdom RG24 9NA

Study participating centre Hywel Dda Health Board

Hafan Derwen St Davids Parc Job's Well Road Carmarthen United Kingdom SA31 3BB

Study participating centre

York and Scarborough Teaching Hospitals NHS Foundation Trust

York Hospital Wigginton Road York United Kingdom YO31 8HE

Study participating centre

North Tees and Hartlepool NHS Foundation Trust

University Hospital of Hartlepool Holdforth Road Hartlepool United Kingdom TS24 9AH

Study participating centre

University Hospital Southampton NHS Foundation Trust

Southampton General Hospital Tremona Road Southampton United Kingdom SO16 6YD

Study participating centre St George's University Hospitals NHS Foundation Trust United Kingdom SW17 0QT

Study participating centre Barts Health NHS Trust

The Royal London Hospital 80 Newark Street London United Kingdom E1 2ES

Study participating centre

Cambridge University Hospitals NHS Foundation Trust

Cambridge Biomedical Campus Hills Road Cambridge United Kingdom CB2 0QQ

Study participating centre

UB8 3NN

Chelsea and Westminster Hospital NHS Foundation Trust

Chelsea & Westminster Hospital 369 Fulham Road London United Kingdom SW10 9NH

Study participating centre
North Cumbria Integrated Care NHS Foundation Trust
United Kingdom
CA2 7HY

Study participating centre
The Hillingdon Hospitals NHS Foundation Trust
Pield Heath Road
Uxbridge
United Kingdom

Study participating centre

University Hospitals Dorset NHS Foundation Trust

Management Offices Poole Hospital Longfleet Road Poole United Kingdom BH15 2JB

Study participating centre

The Newcastle upon Tyne Hospitals NHS Foundation Trust

Freeman Hospital
Freeman Road
High Heaton
Newcastle upon Tyne
United Kingdom
NE7 7DN

Study participating centre

University Hospitals Birmingham NHS Foundation Trust

Queen Elizabeth Hospital Mindelsohn Way Edgbaston Birmingham United Kingdom B15 2GW

Study participating centre

Oxford University Hospitals NHS Foundation Trust

John Radcliffe Hospital Headley Way Headington Oxford United Kingdom OX3 9DU

Study participating centre

Swansea Bay University Local Health Board

One Talbot Gateway, Seaway Drive Seaway Parade Industrial Estate Baglan Port Talbot United Kingdom SA12 7BR

Study participating centre NHS Greater Glasgow and Clyde

J B Russell House Gartnavel Royal Hospital 1055 Great Western Road Glasgow Glasgow United Kingdom G12 0XH

Study participating centre South Tees Hospitals NHS Foundation Trust

James Cook University Hospital Marton Road Middlesbrough United Kingdom TS4 3BW

Study participating centre The Dudley Group NHS Foundation Trust

Russells Hall Hospital Pensnett Road Dudley United Kingdom DY1 2HQ

Study participating centre Barnsley Hospital NHS Foundation Trust

Gawber Road Barnsley United Kingdom S75 2EP

Study participating centre Airedale NHS Foundation Trust

Airedale General Hospital Skipton Road Steeton Keighley United Kingdom BD20 6TD

Study participating centre Sherwood Forest Hospitals NHS Foundation Trust

Kings Mill Hospital Mansfield Road Sutton-in-ashfield United Kingdom NG17 4JL

Study participating centre Queen Victoria Hospital NHS Foundation Trust

Holtye Road East Grinstead United Kingdom RH19 3DZ

Study participating centre Blackpool Teaching Hospitals NHS Foundation Trust

Blackpool Victoria Hospital Whinney Heys Road Blackpool United Kingdom FY3 8NR

Study participating centre Royal Cornwall Hospitals NHS Trust

Royal Cornwall Hospital Treliske Truro United Kingdom TR1 3LJ

Study participating centre Homerton University Hospital

Homerton Row London United Kingdom E9 6SR

Study participating centre University Hospital of North Durham

University Hospital of Durham Dryburn Hospital North Road Durham United Kingdom DH1 5TW

Study participating centre County Durham and Darlington NHS Foundation Trust

Darlington Memorial Hospital Hollyhurst Road Darlington United Kingdom DL3 6HX

Study participating centre Worcestershire Acute Hospitals NHS Trust

Worcestershire Royal Hospital Charles Hastings Way Worcester United Kingdom WR5 1DD

Study participating centre

Northumbria Healthcare NHS Foundation Trust

North Tyneside General Hospital Rake Lane North Shields United Kingdom NE29 8NH

Study participating centre University Hospitals Plymouth NHS Trust

Derriford Hospital Derriford Road Derriford Plymouth United Kingdom PL6 8DH

Study participating centre Wye Valley NHS Trust

County Hospital 27 Union Walk Hereford United Kingdom HR1 2ER

Study participating centre Northern Lincolnshire and Goole NHS Foundation Trust

Diana Princess of Wales Hospital Scartho Road Grimsby United Kingdom DN33 2BA

Study participating centre South Warwickshire University NHS Foundation Trust

Warwick Hospital Lakin Road Warwick United Kingdom CV34 5BW

Study participating centre The Princess Alexandra Hospital

Hamstel Road Harlow United Kingdom CM20 1QX

Study participating centre East Cheshire NHS Trust

Macclesfield District Hospital Victoria Road Macclesfield United Kingdom SK10 3BL

Study participating centre Chesterfield Royal Hospital NHS Foundation Trust

Chesterfield Road Calow Chesterfield United Kingdom S44 5BL

Study participating centre Countess of Chester Hospital NHS Foundation Trust

Countess of Chester Health Park Liverpool Road Chester United Kingdom CH2 1UL

Study participating centre Kettering General Hospital NHS Foundation Trust

Rothwell Road Kettering United Kingdom NN16 8UZ

Study participating centre Sandwell and West Birmingham Hospitals NHS Trust

City Hospital Dudley Road Birmingham United Kingdom B18 7QH

Study participating centre South Tyneside and Sunderland NHS Foundation Trust Sunderland Royal Hospital Kayll Road

Sunderland United Kingdom SR4 7TP

Study participating centre University Hospitals Bristol and Weston NHS Foundation Trust

Trust Headquarters Marlborough Street Bristol United Kingdom BS1 3NU

Study participating centre Wirral University Teaching Hospital NHS Foundation Trust

Arrowe Park Hospital Arrowe Park Road Upton Wirral United Kingdom CH49 5PE

Study participating centre Milton Keynes University Hospital NHS Foundation Trust

Standing Way Eaglestone Milton Keynes United Kingdom MK6 5LD

Study participating centre

Liverpool University Hospitals NHS Foundation Trust

Royal Liverpool University Hospital Prescot Street Liverpool United Kingdom L7 8XP

Study participating centre

Cleveland Clinic London

London United Kingdom

.

Study participating centre NHS Ayrshire and Arran

PO Box 13, Boswell House 10 Arthur Street Ayr United Kingdom KA7 1QJ

Study participating centre

James Paget University Hospitals NHS Foundation Trust

Lowestoft Road Gorleston Great Yarmouth United Kingdom NR31 6LA

Study participating centre University Hospitals Sussex NHS Foundation Trust

Worthing Hospital Lyndhurst Road Worthing United Kingdom BN11 2DH

Study participating centre

Mersey and West Lancashire Teaching Hospitals NHS Trust

Whiston Hospital Warrington Road Prescot United Kingdom L35 5DR

Study participating centre Manchester University NHS Foundation Trust Cobbett House

Oxford Road

Sponsor information

Organisation

Imperial College London

ROR

https://ror.org/041kmwe10

Funder(s)

Funder type

Government

Funder Name

National Institute for Health Research

Alternative Name(s)

National Institute for Health Research, NIHR Research, NIHRresearch, NIHR - National Institute for Health Research, NIHR (The National Institute for Health and Care Research), NIHR

Funding Body Type

Government organisation

Funding Body Subtype

National government

Location

United Kingdom

Results and Publications

Individual participant data (IPD) sharing plan

Data sharing statement to be made available at a later date.

IPD sharing plan summary

Data sharing statement to be made available at a later date

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
<u>Protocol article</u>		17/01/2023	19/01/2023	Yes	No
HRA research summary			28/06/2023	No	No
Participant information sheet	Participant information sheet	11/11/2025	11/11/2025	No	Yes
<u>Protocol file</u>	version 2.0	18/07/2022	13/10/2022	No	No
<u>Protocol file</u>	version 3.0	29/11/2022	14/08/2023	No	No
<u>Protocol file</u>	version 7.0	07/05/2024	12/09/2024	No	No
Study website	Study website	11/11/2025	11/11/2025	No	Yes