# Comparing remote and face-to-face delivery of eye movement desensitisation and reprocessing (EMDR) therapy for post-traumatic stress disorder in military veterans

Submission date	<b>Recruitment status</b> Stopped	[X] Prospectively registered		
17/08/2022		∐ Protocol		
Registration date	Overall study status Stopped	Statistical analysis plan		
30/09/2022		☐ Results		
Last Edited	Condition category  Mental and Behavioural Disorders	Individual participant data		
07/12/2023		[ ] Record updated in last year		

#### Plain English summary of protocol

Background and study aims

Eye movement desensitization and reprocessing (EMDR) is a type of therapy used for post-traumatic stress disorder (PTSD). By encouraging patients to focus on a traumatic memory while simultaneously receiving stimuli in a rhythmic left-right pattern, such as eye movements, the therapy has been associated with a reduction in traumatic stress symptoms. The main aim of the proposed research is to determine whether remotely delivered EMDR has the potential to reduce traumatic stress symptoms in British military veterans with combat-related PTSD.

#### Who can participate?

Adult patients who meet specific criteria for combat-related PTSD

#### What does the study involve?

This is an exploratory study to assess fidelity, adherence and factors that influence the outcome. All treatment will be delivered through Veterans' NHS Wales. Face-to-face treatment will occur in usual clinics; remote treatment will take place via Attend Anywhere. All recruitment and research interviews will be undertaken remotely.

The main aim of the proposed research is to determine whether remotely delivered EMDR has the potential to reduce traumatic stress symptoms in British military veterans with combat-related PTSD.

The main objective is to answer the following research questions:

- 1. For British military veterans with combat-related PTSD, does remotely delivered EMDR reduce symptoms of PTSD to a significantly greater degree than a waiting list?
- 2. For British military veterans with combat-related PTSD, does remotely delivered EMDR reduce symptoms of PTSD to a similar degree as face-to-face delivered EMDR?
- 3. For British military veterans with combat-related PTSD, what is the impact of remotely delivered EMDR on quality of life, functioning, symptoms of depression, symptoms of anxiety,

insomnia, alcohol and illicit substance use, and perceived social support?

- 4. Is remotely delivered EMDR acceptable to British military veterans with combat-related PTSD and those delivering the intervention?
- 5. What is the likely effect size of remotely delivered EMDR?
- 6. What factors may impact the effect and successful roll-out of remotely delivered EMDR for combat-related PTSD, if it is shown to be effective?
- 7. Can the results from this study be used in the planning of a phase III definitive trial?
- 8. Is a phase III study advisable and feasible?

What are the possible benefits and risks of participating? Benefits and risks not provided at time of registration

Where is the study run from? Cardiff University (United Kingdom)

When is the study starting and how long is it expected to run for? July 2021 to August 2024

Who is funding the study?

- 1. Health and Care Research Wales (United Kingdom)
- 2. TEC Cymru (United Kingdom)

Who is the main contact? Prof Jonathan Bisson (United Kingdom) bissonJI@cardiff.ac.uk

# Contact information

#### Type(s)

Principal investigator

#### Contact name

Prof Jonathan Bisson

#### ORCID ID

https://orcid.org/0000-0001-5170-1243

#### **Contact details**

Hadyn Ellis Building Maindy Road Cardiff United Kingdom CF24 4HQ +44 (0)29 2068 8486 bissonJI@cardiff.ac.uk

# Additional identifiers

Clinical Trials Information System (CTIS)

Nil known

#### Integrated Research Application System (IRAS)

301730

#### ClinicalTrials.gov (NCT)

Nil known

#### Protocol serial number

SPON1872-21, IRAS 301730, CPMS 54173

# Study information

#### Scientific Title

Feasibility randomised controlled trial of remotely delivered eye-movement desensitisation and reprocessing (EMDR) versus face-to-face EMDR for post-traumatic stress disorder (PTSD) in military veterans

#### **Study objectives**

The study proposes that remotely delivered eye-movement desensitisation and reprocessing (EMDR) has the potential to reduce traumatic stress symptoms in British military veterans with combat-related PTSD

#### Ethics approval required

Old ethics approval format

#### Ethics approval(s)

Approved 21/04/2022, Wales Research Ethics Committee 5 (Health and Care Research Wales, Castlebridge 4, 15-19 Cowbridge Road East, Cardiff, CF11 9AB, United Kingdom; +44 (0)1686 252101, +44 (0)2920 230457, +44 (0)7920 565664; Wales.REC5@wales.nhs.uk), ref: 22/WA/0062

#### Study design

Exploratory single-blind randomized parallel-group-assigned controlled trial

#### Primary study design

Interventional

#### Study type(s)

Treatment

#### Health condition(s) or problem(s) studied

Combat-related post-traumatic stress disorder (PTSD)

#### **Interventions**

Study design:

The study will be an exploratory single-blind randomised parallel group controlled trial with nested process evaluation to assess fidelity, adherence and factors that influence the outcome.

#### Setting:

All treatment will be delivered through Veterans' NHS Wales. Face-to-face treatment will occur in usual clinics; remote treatment will take place via Attend Anywhere. All recruitment and research interviews will be undertaken remotely.

#### Sample size:

A standard power calculation is not appropriate for a Phase II exploratory trial but, based on previous research, we believe that a sample size of 20 per group will be sufficient to allow us to achieve our objectives.

For the qualitative arm of the study, the sample size will be guided by preliminary analysis and constant comparison (comparing and contrasting themes from other interviews) during each data collection phase, until the research team is satisfied that there is data saturation and no new themes which are important to the research question arise.

However, it is helpful to have a guide to sample size for study planning. Based on previous research, we propose that interviews will be conducted with around 10 participants who receive treatment remotely, purposively sampled, and all therapists.

#### Groups:

- 1. Eye-movement desensitisation and reprocessing (EMDR) delivered remotely
- 2. Eye-movement desensitisation and reprocessing (EMDR) delivered face-to-face
- 3. Waiting list

#### **Intervention Type**

Behavioural

#### Primary outcome(s)

Diagnosis and severity of PTSD measured using the Clinician-Administered PTSD Scale for DSM-5 (CAPS-5) at baseline, 20 and 40 weeks after randomisation

#### Key secondary outcome(s))

- 1. Presence and severity of PTSD symptoms measured using the PTSD Checklist (PCL) at baseline, 20 and 40 weeks after randomisation
- 2. Core symptoms of PTSD and complex PTSD measured using the International Trauma Questionnaire (ITQ) at baseline, 20 and 40 weeks after randomisation
- 3. Impairment in functioning measured using the Work and Social Adjustment Scale (WSAS) at baseline, 20 and 40 weeks after randomisation
- 4. Severity of depression measured using the Patient Health Questionnaire (PHQ-9) at baseline, 20 and 40 weeks after randomisation
- 5. Severity of generalised anxiety disorder (GAD) measured using the GAD-7 assessment at baseline, 20 and 40 weeks after randomisation
- 6. Alcohol harm measured using the Alcohol Use Disorders Test (AUDIT-O) at baseline, 20 and 40 weeks after randomisation
- 7. Nature, severity, and impact of insomnia measured using the Insomnia Severity Index (ISI) at baseline, 20 and 40 weeks after randomisation
- 8. Health-related, quality of life measured using the EQ5D-5L at baseline, 20 and 40 weeks after randomisation
- 9. Digital skills measured using a Digital Ability questionnaire at baseline

# Completion date

29/08/2024

# Reason abandoned (if study stopped)

Lack of staff/facilities/resources

# **Eligibility**

#### Key inclusion criteria

- 1. Aged 18 years old and over
- 2. Informed consent
- 3. Meet DSM5 criteria for combat-related PTSD
- 4. Access to stable internet access in a private location

#### Participant type(s)

**Patient** 

#### Healthy volunteers allowed

No

#### Age group

Adult

#### Lower age limit

18 years

#### Sex

All

#### Key exclusion criteria

- 1. Psychosis
- 2. DSM5 severe major depressive episode
- 3. Substance dependence
- 4. Change in psychotropic medication within one month
- 5. Suicidal intent

#### Date of first enrolment

10/10/2022

#### Date of final enrolment

19/08/2024

# Locations

#### Countries of recruitment

**United Kingdom** 

Wales

# Study participating centre Cardiff & Vale University Health Board

University Hospital of Wales, Heath Park, Cardiff United Kingdom CF14 4XW

#### Study participating centre Swansea Bay University Local Health Board

One Talbot Gateway, Seaway Drive Seaway Parade Industrial Estate Baglan Port Talbot United Kingdom SA12 7BR

#### Study participating centre Cwm Taf Morgannwg University Local Health Board

Dewi Sant Hospital Albert Road Pontypridd United Kingdom CF37 1LB

## Study participating centre Betsi Cadwaladr University Lhb

Executive Offices, Ysbyty Gwynedd Penrhosgarnedd Bangor United Kingdom LL57 2PW

### Study participating centre Aneurin Bevan University Lhb

Headquarters - St Cadoc's Hospital Lodge Road Caerleon Newport United Kingdom NP18 3XQ

# Sponsor information

# Organisation

**Cardiff University** 

#### **ROR**

https://ror.org/03kk7td41

# Funder(s)

#### Funder type

Government

#### Funder Name

Health and Care Research Wales

#### Alternative Name(s)

Health & Care Research Wales, Health Care Research Wales, Ymchwil lechyd a Gofal Cymru, HCRW

## **Funding Body Type**

Government organisation

#### **Funding Body Subtype**

Research institutes and centers

#### Location

United Kingdom

#### **Funder Name**

Llywodraeth Cymru TEC Cymru

#### Alternative Name(s)

Welsh Government, The Welsh Government

#### **Funding Body Type**

Government organisation

#### **Funding Body Subtype**

Local government

#### Location

United Kingdom

# **Results and Publications**

Individual participant data (IPD) sharing plan

The datasets generated during and/or analysed during the current study are/will be available upon request from the National Centre for Mental Health (NCMH)

# IPD sharing plan summary

Available on request

# Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
HRA research summary			28/06/2023	No	No
Participant information sheet	Participant information sheet	11/11/2025	11/11/2025	No	Yes