

# Interventions for cardiovascular disease prevention in sites in Europe

<b>Submission date</b> 23/04/2019	<b>Recruitment status</b> No longer recruiting	<input type="checkbox"/> Prospectively registered <input type="checkbox"/> Protocol
<b>Registration date</b> 10/05/2019	<b>Overall study status</b> Completed	<input type="checkbox"/> Statistical analysis plan <input type="checkbox"/> Results
<b>Last Edited</b> 14/06/2023	<b>Condition category</b> Other	<input type="checkbox"/> Individual participant data <input type="checkbox"/> Record updated in last year

## Plain English summary of protocol

### Background and study aims

Cardiovascular diseases are the main cause of morbidity and mortality with an increasing economic burden in healthcare. One in three deaths is attributed to a cardiovascular disease. 90% of morbidity and mortality in cardiovascular disease is associated with preventable lifestyle-related risk factors, including poor diet, smoking and lack of exercise. Adults are less at risk of cardiovascular disease if they follow a healthy diet and increase their daily exercise. This confirms the importance of primary prevention measures. In practice, there is therefore a need for structured optimization of behavioral change to a healthy lifestyle. Moreover, the current evidence supports a link between inequalities in socio-economic status (SES) and CVD, CVD risk factors and unhealthy lifestyle, making people with a low SES more vulnerable to developing a CVD. To support the overburdened primary health care in systematically taking preventive tasks in the context of cardiovascular disease, care models such as interprofessional working in general practice with a nurse practitioner and engaging social workers in a community in working on health, can be solutions to meet current care needs in primary care. The context of Belgian primary health care is currently evolving from fragmented care to an integrated approach led by policymakers. This offers a solid input for the sustainability of this project. Current developments with regard to the integration of nursing competencies in general practice can be an important opportunity to optimize cardiovascular prevention in primary care. In addition, we have learned from our stakeholder meetings that welfare organizations are open to enable CVD profiling with existing community initiatives, in addition to reaching the part of our target population that is not yet registered with a general practice (proportional universalism perspective). It will be interesting to investigate these opportunities as a possible solution for improving the accessibility of preventive care for cardiovascular diseases.

### Purpose of the study:

The primary goal of this study is to investigate how a CVD primary prevention program, consisting of a profiling and multi-component behavioral change intervention, can be implemented in primary health care and welfare organizations in vulnerable (high proportion of people with low socio-economic status) Antwerp city districts in Belgium, to support people to be aware of their cardiovascular risk and change their risk behavior for the primary prevention of CVD.

The secondary objectives of this study are (1) monitoring the impact of the SPICES program on

individual behavioral outcomes (self-reported health behavior) in persons with moderately increased CVD risk and (2) monitoring the impact of the presence of a SPICES program in the target regions for “awareness” of CVD risk and the importance of a healthy lifestyle at a broader population level.

#### Who can participate?

Adults aged between 40-65 years in Deurne, Borgerhout or Wommelgem (Antwerp, Belgium) who give consent to participate and are at moderately increased risk of developing CVD based on the Interheart profiling tool score.

#### What does the study involve?

All participants will receive the same evidence-based intervention as stated below. Follow-up measures include pre-post evaluation with self-reported health behavior outcomes (questionnaires every 6 months).

##### 1. Profiling

The first step in behavioral change is to be aware of the individual risk for heart disease. With the help of the non-laboratory Interheart Risk Scoring tool, members of the population will be invited to participate through general practice or welfare organization. When participating, they are divided into 3 categories based on a number of questions: low, moderate, high risk of cardiovascular disease. Based on the score, the electronic interheart will automatically generate advice, which the profiler will transfer to the person using motivational interviewing techniques. The group with moderately increased risk is our target population within SPICES and will be referred to 2 behavioral change counseling interventions.

##### 2. Behavioral change counseling

Here too, work is being carried out on 2 levels. General practices wishing to participate in this study will be supported in their preventive consultation. The community level will also look at which initiatives regarding healthy lifestyle are already present in the neighborhood and the providers / organizers will also be supported in their program here. In this way, this project wants to link primary care and community to each other and familiarize all stakeholders with the range of available initiatives.

#### What are the possible benefits and risks of participating?

All participants including patients will benefit from the planned interventions which include profiling for CVD risk factors and primordial prevention guidance and referral to health facilities. It is hoped that the intervention will increase the knowledge of members on CVD, understand their CVD risk profiles and support them to adopt healthy lifestyles to improve CVD prevention and control. Moreover, those identified with high risk profiles are referred to benefit from strengthened services at primary healthcare facilities. At the health facility, practices benefit from improved availability of supplies to support management of CVD risk factors and staff receive training which boosts their confidence and competence in the management of CVD risks.

#### Where is the study run from?

University of Antwerp - Faculty of Medicine and Health Sciences Department of Primary and Interdisciplinary care

#### When is the study starting and how long is it expected to run for?

December 2018 to August 2021

#### Who is funding the study?

Horizon 2020, European commission

Who is the main contact?

Miss Naomi Aerts (scientific contact), [naomi.aerts@uantwerpen.be](mailto:naomi.aerts@uantwerpen.be)

### **Study website**

<https://www.uantwerpen.be/en/projects/spices/about-spices/>

## **Contact information**

### **Type(s)**

Scientific

### **Contact name**

Miss Naomi Aerts

### **ORCID ID**

<http://orcid.org/0000-0002-9338-1871>

### **Contact details**

University of Antwerp

Faculty of Medicine and Health Sciences

Department of Primary and Interdisciplinary care

Campus Drie Eiken - Gouverneur Kinsbergencentrum - Room 01.43

Doornstraat 331

Wilrijk (Antwerp)

Belgium

2610

+3232659113

[naomi.aerts@uantwerpen.be](mailto:naomi.aerts@uantwerpen.be)

## **Additional identifiers**

### **EudraCT/CTIS number**

Nil known

### **IRAS number**

### **ClinicalTrials.gov number**

Nil known

### **Secondary identifying numbers**

SPICES\_Belgium

## **Study information**

### **Scientific Title**

Scaling-up packages of interventions for cardiovascular disease prevention in selected sites in Europe and sub-Saharan Africa: an implementation research

## **Acronym**

SPICES

## **Study objectives**

General objectives

1. To implement, and evaluate the impact, of a comprehensive CVD prevention program in a population in a Belgian urban setting with a high number of 'vulnerable' inhabitants with low socio-economic status.
2. To identify the contextual barriers and facilitators that influence the scale-up of the comprehensive CVD prevention interventions and compare them across SPICES study sites.

## **Ethics approval required**

Old ethics approval format

## **Ethics approval(s)**

Approved 08/04/2019, Ethics committee of Antwerp University Hospital (Ethics committee UZA, UZA Wilrijkstraat 10, 2650 Edegem, Antwerp, Belgium; + 32 3 821 35 44; [ethisch.comite@uza.be](mailto:ethisch.comite@uza.be)) ref: B300201940009. Study tracking number: 19/13/171.

## **Study design**

Hybrid type III convergent parallel mixed method design

## **Primary study design**

Interventional

## **Secondary study design**

Non randomised study

## **Study setting(s)**

Community

## **Study type(s)**

Prevention

## **Participant information sheet**

Not available in web format nor in English, please use contact details to request a participant information sheet (in Dutch).

## **Health condition(s) or problem(s) studied**

Primary prevention of cardiovascular diseases (addressing CVD risk factors)

## **Interventions**

1. CVD profiling & risk communication

The identification of people who might be at risk for CVD (profiling), will be obtained by using the InterHeart tool; this choice is supported by a scoping literature review and consensus with consortium partners. This first intervention will be carried out on two levels, being GP practices and in the community.

GP practices: CVD risk profiling, amongst other preventive tasks, falls under the responsibility of general practitioners. However, in current practice we see that this does not happen in a systematic way, which makes this an opportunity for improvement through task shifting to the community?

Community: Lay people who are active in welfare organizations (depending on organization, e.g. social workers, volunteers) and who are familiar with interacting with our target vulnerable population, have an entry-point given their pre-existing trust-based relationship. Moreover, people who don't have a regular GP yet will be given the guidance towards primary health care when needed.

Based on the InterHeart score, people will be stratified based on their CVD risk in three categories: green (low risk), amber (medium risk), red (high risk). Regardless of risk category or setting, all profiled individuals will receive very brief advice and if necessary a referral appropriate to their risk, preferences and needs.

-Very brief advice: A very brief advice follows the communication of CVD risk, and together they are carried out in order to initiate patient activation and health seeking behavior for the amber and red scoring individuals. This knowledge transfer may be supported by educational materials (e.g. eHealth visualization of risk, leaflet). The green scoring individuals will receive a 'supportive communication': congratulation on successfully maintaining a healthy lifestyle, brief information on CVD risk factors, motivational message in sustaining healthy lifestyle in the future.

-Referral: Profiles people get an individualized referral appropriate to their health needs derived from their risk score.

1. Green category: will be made aware of pre-existing, community based, bottom-up initiatives in the neighborhood (or within the organization that supports the profiling) that support the target lifestyle behavior(s).

2. Amber category: will be made aware of pre-existing, community based, bottom-up initiatives in the neighborhood (or within the organization that supports the profiling) that support the target lifestyle behavior(s). In addition, for this amber population we will focus on the group offer on lifestyle behavior that is already available and which is "SPICES-approved" (screen that offer for if it to the evidence and if the people who offer it are competent-if not the organizers get the support they need e.g. training). The amber people that are registered with a GP practice with a practice nurse that collaborates with SPICES, be referred to make an appointment with the practice nurse for follow-up of their CVD risk and behavior change.

3. Red category: will be referred to usual care

## 2. Brief behavior change counseling

Behavioral counseling with the purpose of helping people change their unhealthy lifestyle, will be implemented in general practices, guided by the components as described in the 'Change4Health document'. During these counselling sessions, primary health care providers will be applying evidence-based behavioral change strategies, such as motivational interviewing, goal-setting, action-planning and problem-solving. These strategies imply a higher level of patient engagement, thanks to the focus on the patient's perspective. Based on the recommendations found in international guidelines, follow-up of the behavior change will be pursued for at least one year.

## Intervention Type

Behavioural

## Primary outcome measure

Current primary outcome measure as of 27/01/2020:

The primary outcomes of this study are implementation outcomes. In order to achieve the aims of our process evaluation we use the RE-AIM framework for evaluating our mixed method implementation study and use it as a preliminary guide and adapt it to our study setting to formulate the key areas to evaluate. RE-AIM is the acronym for five evaluation components: reach, effectiveness, adoption, implementation, and maintenance.

1. Reach

The reachability of the intervention package will be assessed in terms of the absolute number, the proportion, and representativeness of sites who are willing to participate in the SPICES intervention. The number, the proportion, and representativeness of the individuals (staff, patients, community,...) from each site who take part in the SPICES intervention.

## 2. Effectiveness/efficacy

The positive or negative effects which the implementation of a SPICES program will be evaluated through mixed methods

- a. The population survey will be used to evaluate the effectiveness of the intervention in improving participant knowledge, perception and change in risk behavior.
- b. Behavior change outcomes (pre-post)
- c. Notes from records kept from engagement meetings with staff.
- d. Recorded contacts made from contacts with sites and all relevant stakeholders

## 3. Adoption

The absolute number, the proportion, and representativeness of sites and the stakeholders who are willing to initiate the SPICES program 3.1 Notes from records kept from engagement meetings with staff.

- a. Recorded contacts made from contacts with sites and all relevant stakeholders

## 4. Implementation

SPICES program agents' fidelity to the various elements of the SPICES protocol—includes consistency of delivery and time and cost of intervention.

- a. Records of costs of training, material, etc. of each component of the SPICES program
- b. Notes from records kept from engagement meetings with staff.
- c. Recorded contacts made from contacts with sites and all relevant stakeholders
- d. Fidelity checklists for all components of the SPICES program

## 5. Maintenance

The extent to which the SPICES program (and the action plans that emerge from this) become institutionalized or part of routine organizational practices.

Previous primary outcome measure:

The primary outcomes of this study are implementation outcomes. In order to achieve the aims of our process evaluation we use the RE-AIM framework for evaluating our mixed method implementation study and use it as a preliminary guide and adapt it to our study setting to formulate the key areas to evaluate. RE-AIM is the acronym for five evaluation components: reach, effectiveness, adoption, implementation, and maintenance.

## 1. Reach

The absolute number, the proportion, and representativeness of sites who are willing to participate in the SPICES intervention. The number, the proportion, and representativeness of the individuals (staff, patients, community,...) from each site who take part in the SPICES intervention.

## 2. Effectiveness/efficacy

The positive or negative effects which the implementation of a SPICES program

### 2.1 Population survey

### 2.2 Behavior change outcomes (pre-post)

### 2.3 Notes from records kept from engagement meetings with staff.

### 2.4 Recorded contacts made from contacts with sites and all relevant stakeholders

## 3. Adoption

The absolute number, the proportion, and representativeness of sites and the stakeholders who are willing to initiate the SPICES program 3.1 Notes from records kept from engagement meetings with staff.

### 3.2 Recorded contacts made from contacts with sites and all relevant stakeholders

## 4. Implementation

SPICES program agents' fidelity to the various elements of the SPICES protocol—includes

consistency of delivery and time and cost of intervention.

4.1 Records of costs of training, material, etc. of each component of the SPICES program

4.2 Notes from records kept from engagement meetings with staff.

4.3 Recorded contacts made from contacts with sites and all relevant stakeholders

4.4 Fidelity checklists for all components of the SPICES program

5. Maintenance

The extent to which the SPICES program (and the action plans that emerge from this) become institutionalized or part of routine organizational practices.

## **Secondary outcome measures**

Current secondary outcome measures as of 27/01/2020:

Pre-post (Intermediate Risk cohort)

1. InterHeart risk score (translated to Dutch).

2. CVD risk awareness: ABCD questionnaire (validated in English, translated to Dutch)

3. Quality of life: WHOQOL bref (validated in Dutch)

4. Smoking level (Reduction of smokers/ reduction of number of cigarettes per smoker)

5. Improvement of diet (fruits/ vegetables consumption): Dash-Q (translated to Dutch and adapted to Belgian context), Feel4Diabetes diet questionnaire (validated in Dutch).

6. Activity level using the shortened version of the International Physical Activity questionnaire: short IPAQ (validated in Dutch)

7. Alcohol consumption (weekly declarative dose of alcohol)

8. The change in CVD knowledge, risk perception, intention to change, and physical activity behavior will be assessed using a population survey at baseline and 12 months.

Previous secondary outcome measures:

Pre – post (Intermediate Risk cohort)

1. InterHeart risk score (translated to Dutch).

2. CVD risk awareness: ABCD questionnaire (validated in English, translated to Dutch)

3. Quality of life: WHOQOL bref (validated in Dutch)

4. Smoking level (Reduction of smokers/ reduction of number of cigarettes per smoker)

5. Improvement of diet (fruits/ vegetables consumption): Dash-Q (translated to Dutch and adapted to Belgian context), Feel4Diabetes diet questionnaire (validated in Dutch).

6. Activity level using the shortened version of the International Physical Activity questionnaire: short IPAQ (validated in Dutch)

7. Alcohol consumption (weekly declarative dose of alcohol)

## **Overall study start date**

02/10/2018

## **Completion date**

31/12/2021

# **Eligibility**

## **Key inclusion criteria**

Current participant inclusion criteria as of 27/01/2020:

To be included to the cohort;

1. Both male and female

2. Aged 40-65 years

3. Consent to participate in the study

4. At moderate risk for CVD based on Interheart profiling score

For population survey:

1. Age  $\geq 18$  years
2. Consent to participate in the study

Previous participant inclusion criteria:

1. Both male and female
2. Aged 40-65 years
3. Consent to participate in the study
4. At moderate risk for CVD based on Interheart profiling score

### **Participant type(s)**

Mixed

### **Age group**

Adult

### **Lower age limit**

18 Years

### **Sex**

Both

### **Target number of participants**

Depending on number of settings that will participate. Clinical and community setting The study will be multicentered since multiple clinical and community settings will be involved in implementing the SPICES program. Two categories of settings will be involved in the study: 1. On a primary health care level, clinical settings will be participating, being local community health centers and general practices in particular. These settings will be selected based on the composition of their professional team. An inclusion criterion is having a practice nurse in their workforce. No other particular in- or exclusion criteria will be applied to the preselection. By working together with the practice nurse on CVD profiling and prevention, efforts are made to reduce the burden on GPs. Group practices with a practice nurse often have a larger capacity to take on this task. a. Although the focus of this research will be on general practices with interprofessional collaboration with a practice nurse, a spill over to practices without practice nurse is an expected possibility. In the constant feedback of state of progress of this project to the primary care stakeholders, we will therefore make sure that all possible stakeholders are up to date so that in a later phase of the project they can also be involved to some level. 2. At community level, there will be a collaboration with local welfare organizations and their lay members (not medically trained) who are active in the given organization. The types of organizations that are targeted can differ from mission and vision, political background, societal position and current initiatives' themes ('health' doesn't necessarily need to be a working topic). However, inclusion criteria that will be applied are: organizations need to be non-profit, have a clear social engagement, actively involved in working with our target population (people with a vulnerable societal position due to low socio-economic status) and being able to facilitate reaching the target population in the interest of this project. We hereby describe the purposive sampling strategy that will be followed in identifying, mapping, contacting and including partnering clinical and community settings: In a first step, simultaneous to phased approach of this project, eligible general practices and welfare organizations will be identified in each target region and will then contacted by e-mail and phone, first presenting them the SPICES project (based on an informative A4, see Appendix 3) and inviting them to participate. Identification of possible partners will be conducted using our information from key stakeholders (Appendix 2

for overview) who are familiar with the region and our research topic, snowballing strategies, using the platforms of professional networks or associations and use pre-existing structures, such as Welzijnsoverleg, to get in touch with stakeholders in the work field, to promote the project,. As an additional strategy for the primary care settings in particular, key stakeholders that are associated to the postgraduate training for nurses in general practices (VIHP Verpleegkundige in de Huisartspraktijk) at the University of Antwerp, will be consulted in order to situate where the students are working and/or doing their internship. General practices who work with these nurses will be potentially strong partners, since the 'VIHPs' get training around motivational interviewing and primary prevention interventions, which we aim to integrate in our interventions. Since Deurne will be the first region we will start implementation, a preliminary exploration of the work field lead to the mapping of eligible partners as presented in Table 3 . In the following phases where the project will be up-scaled to Borgerhout and Wommelgem, a similar and improved mapping strategy will be carried out subsequently. Table 3 Preliminary mapping of eligible community and clinical setting partnership Welfare organizations General practices / community health centers • Wijkteam (Centrum Algemeen Welzijnswerk) • Buurtwerk 'Dinamo' (Samenlevingsopbouw) • Sociaal adviseurs (Vormingplus Antwerpen) • Seniorenconsulten • Stadsmakers • Zorg Samen Straten (Antwerpen aan het Woord) • Open Huis • Buurtsport • Bewegen op Verwijzing VIHP: • Praktijk Deurne, dr. Karen Scheers • 'De Bres' - Geneeskunde voor het Volk, dr. Susan Van der Wielen Huisartsenkring Antwerpen Oost: <http://www.hakao.be/> For each target region, all GP practices are listed on the website. Based on this list, we will contact all practices to identify each practice that has a practice nurse.

### **Key exclusion criteria**

1. Mentally ill
2. Non-consenting adults
3. At low or high risk for CVD based on Interheart profiling score

### **Date of first enrolment**

01/12/2018

### **Date of final enrolment**

30/08/2021

## **Locations**

### **Countries of recruitment**

Belgium

### **Study participating centre**

**University of Antwerp - Faculty of Medicine and Health Sciences Department of Primary and Interdisciplinary care**

Campus Drie Eiken

Gouverneur Kinsbergencentrum

Doornstraat 331

Wilrijk (Antwerp)

Belgium

2610

# Sponsor information

## Organisation

University of Antwerp

## Sponsor details

Faculty of Medicine and Health Sciences  
Department of Primary and Interdisciplinary care  
Campus Drie Eiken - Gouverneur Kinsbergencentrum  
Doornstraat 331  
Wilrijk (Antwerp)  
Belgium  
2610  
+32 3 265 18 25  
hilde.bastiaens@uantwerpen.be

## Sponsor type

University/education

## Website

<https://www.uantwerpen.be/en/>

## ROR

<https://ror.org/008x57b05>

# Funder(s)

## Funder type

Government

## Funder Name

Horizon 2020

## Alternative Name(s)

EU Framework Programme for Research and Innovation, Horizon 2020 - Research and Innovation Framework Programme, European Union Framework Programme for Research and Innovation

## Funding Body Type

Government organisation

## Funding Body Subtype

National government

## Location

# Results and Publications

## Publication and dissemination plan

The project will utilize both the Green Open Access and Gold Open Access model to disseminate and publish research data. Dissemination workshops and meetings will be organized at the local, national and international platforms.

## Intention to publish date

30/12/2021

## Individual participant data (IPD) sharing plan

The datasets generated during and/or analysed during the current study will be stored in a repository. Access can be requested from the PI a year after completion of the study.

## IPD sharing plan summary

Stored in repository

## Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
<a href="#">Other publications</a>	Qualitative process evaluation study	08/03/2023	14/06/2023	Yes	No