Radical cure of vivax malaria

Submission date	Recruitment status No longer recruiting	Prospectively registered		
12/11/2011		☐ Protocol		
Registration date	Overall study status	Statistical analysis plan		
16/11/2011	Completed	[X] Results		
Last Edited	Condition category	[] Individual participant data		

Plain English summary of protocol

Background and study aims

Malaria is a serious tropical disease spread by mosquitoes. It can be prevented and treated using antimalarial medication, but it often comes back again after treatment. These relapses can be prevented only by the drug primaquine, but there is uncertainty about how long primaquine should be given for. The aim of this study is to compare two widely recommended ways of giving primaquine, a short course and a long course, to see which is better at preventing relapse.

Who can participate?
Patients age over 3 with malaria

What does the study involve?

Participants are randomly allocated to one of three groups. The first group is treated with chloroquine only for 3 days. The second group is treated with chloroquine followed by primaquine for 5 days. The third group is treated with chloroquine followed by primaquine for 14 days. Malaria relapse rate and side effects are assessed in all three groups.

What are the possible benefits and risks of participating? Not provided at time of registration

Where is the study run from? Mahidol University (Thailand)

When is the study starting and how long is it expected to run for? April 2003 to September 2004

Who is funding the study? Wellcome Trust (UK)

Who is the main contact? Prof. Nicholas White nickw@tropmedres.ac

Contact information

Type(s)

Scientific

Contact name

Prof Nicholas White

Contact details

MORU
Faculty of Tropical Medicine
Mahidol University
Bangkok
Thailand
10400
+66 (0)2 203 6301
nickw@tropmedres.ac

Additional identifiers

EudraCT/CTIS number

IRAS number

ClinicalTrials.gov number

Secondary identifying numbers

CP1

Study information

Scientific Title

Open label comparison of Chloroquine (CQ) alone versus CQ plus 5 days unobserved Primaquine or CQ plus 14 days unobserved primaquine

Acronym

CqPq

Study objectives

Radical cure of vivax malaria requires 14 days primaquine. However, a 5-day regimen has been widely recommended. This trial compares the two radical regimens versus no primaquine.

Ethics approval required

Old ethics approval format

Ethics approval(s)

- 1. Calcultta School of Tropical Medicine, 2003
- 2. Faculty of Tropical Medicne, Mahidol University, 08/12/2005, ref: TM-IRB056/2005

Study design

Open-label randomised comparison

Primary study design

Interventional

Secondary study design

Randomised controlled trial

Study setting(s)

Other

Study type(s)

Treatment

Participant information sheet

Not available in web format, please use the contact details to request a patient information sheet

Health condition(s) or problem(s) studied

Vivax malaria

Interventions

- 1. Chloroquine (25mg base/kg total) only ; 10mg/kg on day 1, 10mg/kg on day 2 then 5mg/kg on day 3
- 2. Chloroquine (25mg base/kg total as above) followed by primaquine 0.25mg base/kg/day for 5 days-total dose 1.25mg base/kg (75mg in an adult)
- 3. Chloroquine (25mg base/kg total) followed by primaquine 0.25mg base/kg/ day for 14 days total dose 3.5mg base/kg (210mg in an adult)

Intervention Type

Drug

Phase

Not Applicable

Drug/device/biological/vaccine name(s)

Chloroquine, primaquine

Primary outcome measure

Relapse rate

Secondary outcome measures

Adverse effects

Overall study start date

01/04/2003

Completion date

01/09/2004

Eligibility

Key inclusion criteria

- 1. Age > 3 years
- 2. Fully informed consent to long follow-up
- 3. Acute uncomplicated vivax malaria
- 4. Not pregnant

Participant type(s)

Patient

Age group

Mixed

Sex

Both

Target number of participants

150

Key exclusion criteria

- 1. < 3 years
- 2. Pregnancy
- 3. Severe disease

Date of first enrolment

01/04/2003

Date of final enrolment

01/09/2004

Locations

Countries of recruitment

India

Thailand

Study participating centre Mahidol University

Bangkok Thailand 10400

Sponsor information

Organisation

Mahidol University (Thailand)

Sponsor details

Faculty of Tropical Medicine 420/6 Rajvithi Rd Bangkok Thailand 10400

Sponsor type

University/education

ROR

https://ror.org/01znkr924

Funder(s)

Funder type

Charity

Funder Name

Wellcome Trust (UK) (reference No. 066439/2/01/2)

Alternative Name(s)

Funding Body Type

Private sector organisation

Funding Body Subtype

International organizations

Location

United Kingdom

Results and Publications

Publication and dissemination plan

Not provided at time of registration

Intention to publish date

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article	results	01/05/2012		Yes	No