Early DETECTion of ColoRectal Cancer in Yorkshire (DETECT-CRC): Feasibility study assessing active case finding of colorectal cancer in socio-economically deprived areas.

Submission date	Recruitment status Recruiting	[X] Prospectively registered		
25/03/2024		Protocol		
Registration date	Overall study status	Statistical analysis plan		
02/04/2024	Ongoing Condition category	Results		
Last Edited		Individual participant data		
12/06/2025	Cancer	[X] Record updated in last yea		

Plain English summary of protocol

Background and study aims

Colorectal cancer (CRC) is the fourth most common cancer in the UK and the second leading cause of cancer deaths. Early detection is crucial, as it drastically increases the chances of successful treatment. However, people living in areas with higher poverty levels (socioeconomically deprived areas) often have lower rates of CRC screening and thus receive later diagnoses, leading to poorer outcomes.

High street pharmacists are easily accessible to most people. Nearly 90% of people in England live within a 20 minute walk of a pharmacy. About 84% of the UK population visits a pharmacy at least once a year. People in highly deprived areas have even better access to pharmacies (99.8%) than those in more affluent areas (90.2%). This shows that pharmacies are in a unique position to promote cancer awareness and early detection, especially in disadvantaged communities.

The main aim of the study is to assess the feasibility of active case finding (ACF) in high street pharmacies to identify patients with colorectal cancer.

Who can participate?

Pharmacies within South Yorkshire that fall into areas categorised as deciles 1 and 2 of the Index of Multiple deprivation.

What does the study involve?

People presenting at active case finding pharmacies who fulfil the at-risk criteria for bowel cancer will be offered a consultation with a trained pharmacist. Where applicable, they will be provided with a faecal immunochemical test (FIT) kit to perform at home and advised to return the sample by post. Patients will complete the FIT according to the instructions provided and post the sample to the central laboratory for processing. The laboratory will process the sample. Test results will be shared directly with the patient and their GP, and results recorded on currently adopted reporting systems. Positive results will be managed in accordance with the

hospital clinic under "consider further testing" (colonoscopy, CT colonography). The testing of the sample and any follow up care is as per routine practice.

Where is the study run from? University of Sheffield (UK)

When is the study starting and how long is it expected to run for? January 2024 to June 2026

Who is funding the study? Yorkshire Cancer Research (UK)

Who is the main contact?

Co-chief Investigator: Dr Matthew Kurien, matthew.kurien@nhs.net

https://www.cancerresearchuk.org/about-cancer/find-a-clinical-trial/a-study-looking-at-diagnosing-bowel-cancer-earlier-in-yorkshire-detect-crc

Contact information

Type(s)

Scientific, Principal investigator

Contact name

Dr Matthew Kurien

Contact details

Division of Clinical Medicine Medical School, University of Sheffield Sheffield United Kingdom S10 2RX +44 114 226 6288 (NHS Secretary) matthew.kurien@nhs.net

Type(s)

Public

Contact name

Miss Naseeb Ezaydi

ORCID ID

https://orcid.org/0000-0002-2642-1108

Contact details

Sheffield Centre for Health and Related Research (SCHARR) Division of Population Health, University of Sheffield Sheffield United Kingdom

Additional identifiers

Clinical Trials Information System (CTIS)

Nil known

Integrated Research Application System (IRAS)

339557

ClinicalTrials.gov (NCT)

Nil known

Protocol serial number

Funding reference: RA/2023/R2/108, Protocol number: 178543

Study information

Scientific Title

'Open-label', cluster randomised controlled trial, randomly allocating pharmacies in lower super output areas (LSOAs) to compare active case-finding of bowel cancer versus usual care alone with an equal allocation ratio.

Acronym

DETECT-CRC

Study objectives

To assess the feasibility of active case finding (ACF) in high street pharmacies to identify patients with colorectal cancer.

Ethics approval required

Ethics approval required

Ethics approval(s)

approved 20/08/2024, Yorkshire & The Humber - South Yorkshire Research Ethics Committee (NHSBT Newcastle Blood Donor Centre Holland Drive, Newcastle upon Tyne, NE2 4NQ, United Kingdom; +44 207 104 8021; southyorks.rec@hra.nhs.uk), ref: 24/YH/0144

Study design

Open-label parallel group cluster randomized controlled feasibility trial

Primary study design

Interventional

Study type(s)

Diagnostic

Health condition(s) or problem(s) studied

Colo-rectal cancer

Interventions

Open-label, parallel group, cluster randomised controlled feasibility trial, randomly allocating geographical areas defined by one or more adjacent lower super output areas (LSOAs) to compare active case-finding of bowel cancer facilitated by pharmacies versus usual care alone with an equal allocation ratio. The trial will take place in approximately 40 pharmacies located within these clusters in South Yorkshire LSOAs in Deciles 1 and 2 of Multiple Deprivation over a 12 month period. Each cluster contains one or more pharmacies. The trial aims to distribute 1000 FIT kits over a 12 month period.

For pharmacies randomised to the intervention arm, they will be trained in active case finding of colo-rectal cancer (CRC). People presenting at active case finding pharmacies who fulfil the atrisk criteria for bowel cancer will be offered a consultation with a trained pharmacist. Where applicable, they will be provided with a faecal immunochemical test (FIT) kit to perform at home and advised to return the sample by post. Patients will complete the FIT according to the instructions provided and post the sample to the central laboratory for processing. The laboratory will process the sample. Test results will be shared directly with the patient and their GP, and results recorded on currently adopted reporting systems. Positive results will be managed in accordance with the hospital clinic under "consider further testing" (colonoscopy, CT colonography). The testing of the sample and any follow up care is as per routine practice. For pharmacies randomised to the control arm, there will be no change to their practice.

Intervention Type

Other

Primary outcome(s)

Feasibility of recruitment to main trial: Number of people who were given a FIT kit from pharmacies delivering the active case finding service (measured using screening log data collected by participating pharmacies) over 12 months.

Key secondary outcome(s))

- 1. Intervention adherence defined objectively as the number of FIT samples performed after dissemination in pharmacy settings (measured using a unique identifier to enable tracking when the test is received by the central lab) over 12 months.
- 2. Patients' views on acceptability of research procedures and intervention measured using semi structured qualitative interviews after at least 3 months of ACF service being delivered.
- 3. Pharmacists' views on intervention/research protocol acceptability measured using semi structured qualitative interviews after at least 3 months of ACF service being delivered.
- 4. General Practitioners' views on intervention/research protocol acceptability measured using semi structured qualitative interviews after at least 3 months of ACF service being delivered.
- 5. Feasibility of recruiting community pharmacies measured using field notes to record problems with project approvals and set-up at participating pharmacy sites; target sites for the main trial.

Completion date

30/06/2026

Eligibility

Key inclusion criteria

Pharmacy inclusion criteria:

- 1. South Yorkshire pharmacies in LSOAs in Deciles 1 and 2 of the Index of Multiple Deprivation.
- 2. Willing to be randomised to active case finding or usual care.
- 3. Willing to distribute FIT kits to people attending pharmacy as per the details in protocol.
- 4. Have read the study-specific SOP and can follow all the elements laid out therein.
- 5. Have access to PharmOutcomes online system.
- 6. Have completed the required ACF training associated with the service.
- 7. Able to offer face to face consultations in a private room.

Participant type(s)

Other

Healthy volunteers allowed

No

Age group

Adult

Lower age limit

18 years

Upper age limit

90 years

Sex

All

Key exclusion criteria

Pharmacy exclusion criteria:

1. Unable to meet the trial requirements for storing and distributing FIT kits

Date of first enrolment

01/01/2025

Date of final enrolment

31/12/2025

Locations

Countries of recruitment

United Kingdom

England

Study participating centre Vantage Pharmacy

2 Ridgeway Road Manor Top Sheffield Study participating centre Wicker Pharmacy 55-67 Wicker Sheffield United Kingdom S3 8HT

Sponsor information

Organisation

University of Sheffield

ROR

https://ror.org/05krs5044

Funder(s)

Funder type

Charity

Funder Name

Yorkshire Cancer Research

Alternative Name(s)

YCR

Funding Body Type

Government organisation

Funding Body Subtype

Trusts, charities, foundations (both public and private)

Location

United Kingdom

Results and Publications

Individual participant data (IPD) sharing plan

The data-sharing plans for the current study are unknown and will be made available at a later date

IPD sharing plan summary

Data sharing statement to be made available at a later date

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Participant information sheet	Participant information sheet	11/11/2025	11/11/2025	No	Yes
Study website	Study website	11/11/2025	11/11/2025	No	Yes