Investigating the effect of vitamin K supplementation on markers of bone turnover and bone density in adolescents and adults with cystic fibrosis

Submission date	Recruitment status	Prospectively registered
02/04/2008	No longer recruiting	☐ Protocol
Registration date	Overall study status	Statistical analysis plan
09/05/2008	Completed	☐ Results
Last Edited	Condition category	Individual participant data
27/04/2016	Nutritional, Metabolic, Endocrine	Record updated in last year

Plain English summary of protocol

Not provided at time of registration

Contact information

Type(s)

Scientific

Contact name

Dr Lieske Kuitert

Contact details

Department of Respiratory Medicine London Chest Hospital Bonner Road London United Kingdom E2 9JX

Additional identifiers

Protocol serial number vit K 2006

Study information

Scientific Title

Investigating the effect of vitamin K supplementation on markers of bone turnover and bone density in adolescents and adults with cystic fibrosis

Study objectives

Vitamin K supplementation improves markers of bone turnover and bone density in adolescents and adults with cystic fibrosis (CF).

Ethics approval required

Old ethics approval format

Ethics approval(s)

Wandsworth Research Ethics Committee, 11/08/2006 (protocol v4), 18/05/2007 (amendments protocol v5) and 03/08/2007 (amendments protocol v6).

Study design

Randomised double-blind placebo-controlled study

Primary study design

Interventional

Study type(s)

Treatment

Health condition(s) or problem(s) studied

Bone health in cystic fibrosis

Interventions

- 1. 10 mg of menadiol phosphate (water soluble form of vitamin K) once daily (o.d.) orally for 12 months
- 2. Matching placebo for 12 months

Total duration of treatment and follow-up: 12 months for both arms.

Intervention Type

Supplement

Phase

Not Applicable

Drug/device/biological/vaccine name(s)

Vitamin K supplementation

Primary outcome(s)

The between-groups difference in the ratio of undercarboxylated osteocalcin to total osteocalcin, measured prior to supplementation starting and at the end of the 12 months supplementation.

Key secondary outcome(s))

The between-group differences in:

- 1. Total osteocalcin
- 2. Undercarboxylated osteocalcin

- 3. N Terminal X (marker of bone resorption)
- 4. Bone specific alkaline phosphatase
- 5. Serum vitamin D
- 6. Calcium
- 7. Dual energy x-ray absorptiometry (DEXA) scan z and t scores of lumbar spine and femoral neck (scores adjusted for age, height and sex)

Measured prior to supplementation starting and at the end of the 12 months supplementation.

Completion date

09/02/2009

Eligibility

Key inclusion criteria

- 1. Patients with a diagnosis of CF (positive sweat test or genotype testing)
- 2. Patients aged greater than 16 years (post pubertal-stage IV Tanner), either sex
- 3. Patients are pancreatic insufficient (i.e. with a positive faecal elastase test, and requiring pancreatic enzyme supplementation)
- 4. No evidence of overt liver disease (not on ursodeoxycholic acid)

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Sex

All

Key exclusion criteria

- 1. Patients already taking vitamin K supplementation
- 2. Patients with osteoporosis or osteopaenia and taking bisphosphonates
- 3. Patients with abnormally low vitamin D levels (less than 30 µg)
- 4. Patients on maintenance oral corticosteroids
- 5. Patients who are considered to have very sedentary lifestyle or follow a rigorous exercise training programme
- 6. Patients with overt liver disease
- 7. Patients who do not consent to participate
- 8. Patients with a life expectancy of less than 12 months
- 9. Patients who are non-compliant with maintenance therapies

Date of first enrolment

02/01/2007

Date of final enrolment

09/02/2009

Locations

Countries of recruitment

United Kingdom

England

Study participating centre
Department of Respiratory Medicine
London
United Kingdom
E2 9JX

Sponsor information

Organisation

Barts and the London NHS Trust (UK)

ROR

https://ror.org/00b31g692

Funder(s)

Funder type

Government

Funder Name

Barts and the London NHS Trust (UK) - Internally funded from Nursing, Midwifering and Allied Health Profession research grant

Results and Publications

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration

Study outputs

Output type

Details