

An investigation to explore the use of a type of MRI scan using an inhaled gas in identifying lung damage associated with long COVID sufferers

Submission date 06/04/2022	Recruitment status No longer recruiting	<input type="checkbox"/> Prospectively registered <input checked="" type="checkbox"/> Protocol
Registration date 20/05/2022	Overall study status Completed	<input type="checkbox"/> Statistical analysis plan <input type="checkbox"/> Results
Last Edited 12/12/2022	Condition category Infections and Infestations	<input type="checkbox"/> Individual participant data <input type="checkbox"/> Record updated in last year

Plain English summary of protocol

Background and study aims

Researchers wish to understand why some individuals with long COVID struggle with breathlessness on exertion (when active) and have a reduced ability to exercise. To do this, they will use MRI scanning and a special gas (hyperpolarised xenon) which is breathed in during the scan. The xenon gas is harmless in the quantity used. This technique shows the movement of xenon within the lungs and moving out of the lungs into the bloodstream, similar to how oxygen is absorbed. In patients hospitalised with COVID-19, xenon MRI scans several months after discharge showed lung damage, even when other tests were normal. Importantly, on follow-up imaging, some have remained abnormal. The aim of this study is to further the understanding of some of the factors that cause symptoms in long COVID and provide a much-needed explanation to individuals struggling with breathlessness. Learning more about the nature of damage within the lungs through xenon MRI may help with the future development of treatments, and provide a reliable way of measuring the treatment response over time.

Who can participate?

Adults aged 18 years and over with a past infection of COVID, diagnosis of long COVID or post-COVID syndrome

What does the study involve?

Participants must travel to one of the two main hospital sites in either Oxford or Sheffield. Assessments are carried out within one visit, and a small subset of participants will be asked to attend one or two follow up visits over the course of the study.

What are the possible benefits and risks of participating?

There are no direct benefits to participants.

Where is the study run from?

Oxford University (UK)

When is the study starting and how long is it expected to run for?
December 2021 to January 2024

Who is funding the study?
National Institute for Health and Care Research (NIHR) (UK)

Who is the main contact?
Fergus Gleeson
fergus.gleeson@ouh.nhs.uk

Contact information

Type(s)
Principal Investigator

Contact name
Prof Fergus Gleeson

ORCID ID
<http://orcid.org/0000-0002-5121-3917>

Contact details
University of Oxford
Oxford University Hospitals NHS Foundation Trust
Old Road Campus Research Building
Roosevelt Drive
Oxford
United Kingdom
OX3 7DQ
+44 (0)7717 846828
fergus.gleeson@ouh.nhs.uk

Additional identifiers

EudraCT/CTIS number
Nil known

IRAS number
305846

ClinicalTrials.gov number
Nil known

Secondary identifying numbers
CPMS 51331, IRAS 305846

Study information

Scientific Title

Hyperpolarised xenon magnetic resonance pulmonary imaging in patients with long COVID (EXPLAIN)

Acronym

EXPLAIN

Study objectives

Primary Objective:

To evaluate whether unexplained exertional dyspnoea in non-hospitalised long COVID (NHLC) is due to lung damage using hyperpolarised xenon magnetic resonance pulmonary imaging (HPX-pMRI).

Secondary Objective:

To determine if there are cardiac abnormalities associated with HPX-pMRI abnormalities or present alone as a cause for NHLC patient breathlessness.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Approved 15/12/2021, South Central – Oxford C REC (Health Research Authority [Bristol], Ground Floor, Temple Quay House, 2 The Square, BS1 6PN, UK), ref: 21/SC/0398

Study design

Observational; Design type: Cohort study

Primary study design

Observational

Secondary study design

Cohort study

Study setting(s)

Hospital

Study type(s)

Diagnostic

Participant information sheet

Not available in web format, please use the contact details to request a patient information sheet

Health condition(s) or problem(s) studied

Long COVID

Interventions

This is a multi-centre prospective, observational, cohort study comprising six patient groups. Cohort A consists of participants who were hospitalised with COVID-19, Cohort B consists of participants who had COVID-19 but were not hospitalised and Cohort C will be control participants. The study will recruit patients in Cohort A & B through hospital-based Long-COVID clinics and Cohort C will be recruited via advertising.

The participants will be invited to undertake their baseline study visit at one of the four recruiting centres, Oxford, Sheffield, Cardiff or Manchester. At the baseline visit participants provide consent (unless obtained prior to baseline visit), and their demographics, past medical history and smoking history will be collected. They will have their heart rate, blood pressure and oxygen saturations recorded. They will undertake lung function testing (unless testing has been performed within 6 weeks prior to baseline scan), a 6-minute walk test or a 1-minute sit to stand test, a low dose CT scan and HPX-pMRI Chest. They will also be asked to complete a set of questionnaires.

Following their baseline visit, all participants will be asked to complete up to two additional follow-up visits (from 3-12 months after their baseline visit). If an abnormality (a result outside the normal range) was found on the HPX-pMRI Chest scan at baseline the participant will be invited to have a repeat HPX-pMRI Chest and repeat all other study assessments. If no abnormality is found on the baseline HPX-pMRI Chest scan, participants will not be asked to repeat study assessments and will instead complete the follow-up visit remotely where they will be asked to repeat only the study questionnaires electronically.

Intervention Type

Other

Primary outcome measure

1. Diffusion and or perfusion defects detected using HPX-pMRI at baseline and if abnormal at 3 and 12 months
2. The determination of whether detected abnormalities correlate with symptoms of breathlessness measured using lung function tests and questionnaires at baseline and if the HPX-pMRI scans are abnormal at baseline, 3 and 12 months
3. The degree of pulmonary damage and change detected on follow up HPX-pMRI scanning at 3 and 12 months

Secondary outcome measures

Cardiac MRI abnormalities detected using a single cardiac MRI sequence at baseline, 3 and 12 months

Overall study start date

15/12/2021

Completion date

01/01/2024

Eligibility

Key inclusion criteria

1. Participant is willing and able to give informed consent for participation in the study
2. Aged 18 years or above
3. One of the following criteria:
 - 3.1. Microbiological evidence of COVID-19 infection OR
 - 3.2. Diagnosis of long COVID or 'post-COVID syndrome' (as defined by NICE 2020) made through specialised assessment at a designated long COVID clinic

Participant type(s)

Patient

Age group

Adult

Lower age limit

18 Years

Sex

Both

Target number of participants

Planned Sample Size: 400; UK Sample Size: 400

Key exclusion criteria

1. Participants who are pregnant, lactating or planning pregnancy during the course of the study
2. Known or identified chronic renal impairment, with EGFR below 60 ml/min – if necessary this renal function will be measured according to local hospital policy
3. Known prior contrast media reaction
4. Inability to lie flat for imaging
5. Contraindications to MRI examinations as locally determined
6. Any other reason, as determined by the study investigators, that renders the participant ineligible for the study

Date of first enrolment

15/04/2022

Date of final enrolment

13/08/2023

Locations

Countries of recruitment

England

United Kingdom

Wales

Study participating centre

University Hospital of Wales

Heath Park

Cardiff

United Kingdom

CF14 4XW

Study participating centre

Royal Hallamshire Hospital

Glossop Road
Sheffield
United Kingdom
S10 2JF

Study participating centre**Churchill Hospital**

Churchill Hospital
Old Road
Headington
Oxford
United Kingdom
OX3 7LE

Study participating centre**Wythenshawe Hospital**

Southmoor Road
Wythenshawe
Manchester
United Kingdom
M23 9LT

Sponsor information

Organisation

University of Oxford

Sponsor details

Research Governance Ethics & Assurance
Joint Research Office
1st Floor, Boundary Brook House
Churchill Drive
Headington
Oxford
England
United Kingdom
OX3 7GB
+44 (0)1865 616483
ctrq@admin.ox.ac.uk

Sponsor type

University/education

Website

<http://www.ox.ac.uk/>

ROR

<https://ror.org/052gg0110>

Funder(s)

Funder type

Government

Funder Name

National Institute for Health Research

Alternative Name(s)

National Institute for Health Research, NIHR Research, NIHRresearch, NIHR - National Institute for Health Research, NIHR (The National Institute for Health and Care Research), NIHR

Funding Body Type

Government organisation

Funding Body Subtype

National government

Location

United Kingdom

Funder Name

UK Research and Innovation

Alternative Name(s)

UKRI

Funding Body Type

Government organisation

Funding Body Subtype

National government

Location

United Kingdom

Results and Publications

Publication and dissemination plan

Planned publication in a high-impact peer-reviewed journal within 1 year of the end of the study.

Intention to publish date

01/01/2025

Individual participant data (IPD) sharing plan

The data-sharing plans for the current study are unknown and will be made available at a later date.

IPD sharing plan summary

Data sharing statement to be made available at a later date

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Protocol file	version 3.0	13/04/2022	12/12/2022	No	No
HRA research summary			28/06/2023	No	No