Efficacy of a psychoeducative intervention program to prevent or reduce the burden associated with caring for dementia patients

Submission date	Recruitment status	Prospectively registered		
18/02/2011	No longer recruiting	☐ Protocol		
Registration date	Overall study status	Statistical analysis plan		
10/03/2011	Completed	[X] Results		
Last Edited	Condition category	Individual participant data		
29/10/2013	Nervous System Diseases			

Plain English summary of protocol

Not provided at time of registration

Contact information

Type(s)

Scientific

Contact name

Dr Manuel Martín-Carrasco

Contact details

Egaña 10 Bilbao Spain E-48010 iip@fundacion-iip.org

Additional identifiers

EudraCT/CTIS number

IRAS number

ClinicalTrials.gov number

Secondary identifying numbers

PI08/90812

Study information

Scientific Title

Efficacy of a psychoeducative intervention program to prevent or reduce the burden associated with caring for dementia patients: a two arm single blind, multicentre, randomised controlled trial

Acronym

EDUCA-II

Study objectives

- 1. The caregivers allocated to the psychoeducative intervention program will present less burden at endpoint (4 months) than the caregivers allocated to the control condition.
- 2. The caregivers allocated to the psychoeducative intervention program will present better mental health at endpoint (4 months) than the caregivers allocated to the control condition.
- 3. The caregivers allocated to the psychoeducative intervention program will present better quality of life at endpoint (4 months) than the caregivers allocated to the control condition.

Ethics approval required

Old ethics approval format

Ethics approval(s)

The Ethical and Scientific Research Committe of Navarra, Spain, approved on August 5th 2008.

Study design

Two arm single blind multicentre randomised controlled trial

Primary study design

Interventional

Secondary study design

Randomised controlled trial

Study setting(s)

Hospital

Study type(s)

Treatment

Participant information sheet

Not available in web format, please use the contact details below to request a patient information sheet

Health condition(s) or problem(s) studied

Burden associated to dementia caregiving

Interventions

Control group: Caregivers allocated to this group received the usual support from the day center or memory clinic where the patients had a multifaceted /multiprofessional care which aimed at reducing the rate of cognitive decline (cognitive stimulation groups) and improve or maintain as

long as possible daily abilities (occupational therapy). The caregiver received periodical interviews and information about the situation and clinical course of the patient.

Intervention group: Caregivers allocated to this group were exposed to the same usual care the control group received plus a psychoeducative intervention program. This intervention was administered in 7 group sessions of 90 minutes each and the sessions were administered 2 weeks apart. The caregiver received standardised information about the clinical course of dementia and training on different cognitive and behavioural skills to increase her care abilities, communicative skills and relaxation.

Intervention Type

Other

Phase

Not Applicable

Primary outcome measure

Change since baseline to endpoint in the caregiver burden as assessed by the Zarit Burden Interview

Secondary outcome measures

- 1. Change since baseline to endpoint in the caregiver mental health as assessed by the General Health Questionnaire, 28 items
- 2. Change since baseline to endpoint in the caregiver quality of life as assessed by the SF-12

Overall study start date

01/09/2009

Completion date

30/09/2010

Eligibility

Key inclusion criteria

- 1. Males or females with age more than or equal to 18 years, giving care to a familiar person with a diagnosis of dementia according to Diagnostic and Statistical Manual of Mental Disorders, 4th Edition (DSM IV)-TR criteria
- 2. The caregiver was not profesionally paid for caregiving
- 3. The familiar diagnosed of dementia was receiving appropriate care as outpatient in a day center or memory clinic
- 4. The caregiver spend a minimum of 4 hours/day to care for the patient with dementia
- 5. The patient cared for had at least two instrumental activities impaired (a score of 0 in the Lawton & Brody scale) or one activity of daily life impaired (Katz index codes A or D)
- 6. Signed informed consent to participate in the trial

Participant type(s)

Patient

Age group

Adult

Lower age limit

18 Years

Sex

Both

Target number of participants

An anticipated number of 200 caregivers were estimated to attain 85% power. The trial recruited 238 caregivers (115 randomised to the intervention arm, 123 randomised to the control arm).

Key exclusion criteria

- 1. Caregivers without time to attend the psychoeducative intervention training
- 2. Caregivers receiving currently or recently (last year), any standardised psychoeducative intervention similar to the one administered in the trial

Date of first enrolment

01/09/2009

Date of final enrolment

30/09/2010

Locations

Countries of recruitment

Portugal

Spain

Study participating centre

Egaña 10

Bilbao

Spain

E-48010

Sponsor information

Organisation

Maria Josefa Recio Foundation - Institute of Psychiatric Research (Spain)

Sponsor details

Fundación Maria Josefa Recio - Instituto de Investigaciones Psiquiátricas Egaña 10 Bilbao

Spain

E-48010 iip@fundacion-iip.org

Sponsor type

Government

Funder(s)

Funder type

Government

Funder Name

Carlos III Institute of Health (Instituto de Salud Carlos III) (Spain) (ref:PI08/90812)

Results and Publications

Publication and dissemination plan

Not provided at time of registration

Intention to publish date

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article	results	01/01/2013		Yes	No