# Comparing how well Neutrocheck works in comparison to current blood tests in spotting infections in patients with low white blood cells

Submission date	<b>Recruitment status</b> Recruiting	<ul><li>Prospectively registered</li></ul>		
14/07/2025		☐ Protocol		
Registration date	Overall study status Ongoing Condition category	Statistical analysis plan		
18/07/2025		Results		
Last Edited		Individual participant data		
18/07/2025	Haematological Disorders	[X] Record updated in last year		

#### Plain English summary of protocol

Background and study aims

The aim of the NeutroD study is to assess the accuracy of a device - Neutrocheck – within a hospital setting, on patients with neutropenia. Neutropenia is a common side effect of chemotherapy and is characterised by low levels of neutrophils, which are a type of white blood cell. This increases the likelihood of a patient further developing neutropenic sepsis, a lifethreatening condition that causes approximately 800 deaths/year in England and Wales. Neutropenic sepsis is diagnosed via blood test which measures the levels of both neutrophils and a protein called Creactive protein (CRP). If the blood test shows low levels of neutrophils and high CRP, then a patient is at risk of getting neutropenic sepsis. The standard of care for such patients is to receive antibiotics intravenously. This means the antibiotics, medication used to fight off the infection, are administered directly into a vein in the arm whilst the patient awaits results (15min-2hrs) from the blood test. The Neutrocheck device will detect neutrophil and CRP levels using just a finger prick of blood. The patient will then review their results using a colour chart and app. If Neutrocheck is as accurate as hospital laboratory tests, this could lead to the possibility of patients doing the tests at home so they would come into the hospital only if it was necessary, and receive results much faster than current hospital result waiting times. This further ensures antibiotic treatment is only administered to patients who require it.

#### Who can participate?

Men and Women aged 18 years or over, at risk of neutropenia or neutropenic sepsis who fulfil all of the inclusion criteria and none of the exclusion criteria.

What does the study involve? After having a maximum of two venous blood samples taken from their arm, training on how to use the device and conduct the test will be provided. The training will consist of a video tutorial and access to the device manual. After familiarising themselves with the device, they will conduct the test under the guidance of a research clinician. The test consists of using a finger prick to extract a blood drop from the participants finger and transferring the blood drop onto the device. After a wait of 10 minutes, the results can be interpreted by comparing the two coloured lines that appear to an indicator chart. The participants will also be provided with a phone with an app on it, which will use the phones'

camera to interpret the coloured lines. The study research clinician will assist with this. The trial has been split into two phases, during the pilot phase venous bloods will be taken, equivalent to no more than 4 teaspoons. Thereafter during the main phase of the trial no more than 2 teaspoon of blood will be taken. The results will be read by the participant and recorded by the research clinician. The device and the contents kit are single use and will be taken away by the study research clinician for safe disposal. The participant will be asked to complete a usability questionnaire after they complete the test.

What are the possible benefits and risks of participating?

Risks: Discomfort at the time of the finger prick and for a few hours following. Sometimes the discomfort can last until the next day; bruising may occur at the site of the finger-prick; in an extremely rare circumstance, there may be excessive bleeding from the finger-prick site; the risk of infection happening is very low; some people feel uneasy at the sight of blood and this may lead them to feeling faint or having a fainting; some people develop a mild reaction at the site of the finger-prick, from the plaster.

Benefits: There will be no direct benefits to participants for taking part, however we hope the information we gain from the study will potentially help to assess the accuracy and reliability of the device. In the future, this will allow testing for neutropenic sepsis to be done at home in a simple and easy to use way without the need to attend hospital or receive unnecessary antibiotics.

Where is the study run from? Cambridge Clinical Trials Unit

When is the study starting and how long is it expected to run for? February 2022 to March 2027

Who is funding the study? Innovate UK and 52North

Who is the main contact?
Trial Coordinator (Glenn Harden), glenn.harden@nhs.net
Chief Investigator (Hugo Ford), hugoford@nhs.net

# Contact information

## Type(s)

Public, Scientific

#### Contact name

Mr Glenn Harden

#### Contact details

Cambridge University Hospitals NHS Trust Cambridge Clinical Trials Unit- Cancer Theme Addenbrooke's Hospital, S4, Box 279 Hills Road Cambridge United Kingdom CB2 0QQ +44 1223348091 glenn.harden@nhs.net

#### Type(s)

Principal investigator

#### Contact name

Dr Hugo Ford

#### Contact details

Cambridge University Hospitals, NHS Foundation Trust, Hills Road Cambridge United Kingdom CB2 0QQ +44 1223 348894 Ext: 348894

hugoford@nhs.net

# Additional identifiers

Clinical Trials Information System (CTIS)

Nil known

Integrated Research Application System (IRAS)

331579

ClinicalTrials.gov (NCT)

Nil known

Protocol serial number

CPMS 61264, Grant Codes: 10042629

# Study information

#### Scientific Title

Evaluation of the diagnostic performance of Neutrocheck® compared with standard-of-care neutrophil and CRP readings in patients at risk of neutropenic sepsis

#### **Acronym**

NeutroD

#### Study objectives

The aim of the NeutroD study is to assess the accuracy of a device - Neutrocheck – within a hospital setting, on patients with neutropenia. The Neutrocheck device will detect neutrophil and CRP levels using just a finger prick of blood. The patient will then review their results using a colour chart and app. If Neutrocheck is as accurate as hospital laboratory tests, this could lead to the possibility of patients doing the tests at home so they would come into the hospital only if it was necessary, and receive results much faster than current hospital result waiting times. This further ensures antibiotic treatment is only administered to patients who require it.

#### Ethics approval required

Ethics approval required

#### Ethics approval(s)

approved 05/11/2024, East of England - Cambridge Central Research Ethics Committee (2 Redman Place, Stratford, London, E20 1JQ, United Kingdom; +44 207 104 808; cambridgecentral. rec@hra.nhs.uk), ref: 24/EE/0195

#### Study design

Interventional non-randomized

#### Primary study design

Interventional

#### Study type(s)

Treatment

#### Health condition(s) or problem(s) studied

Neutropenic sepsis

#### **Interventions**

Neutrocheck is a single-use, portable device that accurately detects neutrophil and CRP levels using a blood finger-prick. The device uses lateral flow technology, with innovative housing enabling the measurement of a cell and solute. The device will be used by participants who will measure the line intensity using a visual score card and an automatic reader tool which is available via the companion Neutrocheck app.

The participant will watch a video tutorial on how to use the Neutrocheck device. Two research venous blood draws will then be taken. The participant will then use the Neutrocheck device. The participant will take a blood finger prick and insert the blood sample into the device. Once the results are available, the participant will interpret their result using the visual card and by using the companion app.

Participants will be asked to complete a questionnaire after using the Neutrocheck device.

Patients enrolled from the CAU will use the device once during their CAU visit only, unless they go on to being admitted into a ward, where they will follow the process below for ward patients. Patients enrolled from wards will use the Neutrocheck device daily until they either withdraw from the study, or are discharged home from the hospital.

Patients enrolled from routine clinics will use the Neutrocheck device in their regular clinics, which must be 2 weeks apart, for a maximum period of 6 months.

There are no follow up or end of trial visits. The NeutroD study is a single visit only study, and the total duration of participant involvement is from informed consent to using the device and completing a questionnaire. No treatment is administered as part of the study.

#### Intervention Type

Other

#### Phase

**Not Specified** 

#### Primary outcome(s)

C-reactive protein and Neutrophils are measured by inserting a drop of the patients blood into the Neutrocheck device and then comparing the intensity of the assay line to a visual score card. An app on a phone is also used to take a photo of the assay to produce an automated score. These are both done on the fist patient visit. There are no subsequent visits.

#### Key secondary outcome(s))

There are no secondary outcome measures

#### Completion date

18/03/2027

# Eligibility

#### Key inclusion criteria

- 1. Aged 18 years or over
- 2. At risk of neutropenia or neutropenic sepsis

#### Participant type(s)

Patient

#### Healthy volunteers allowed

No

#### Age group

Adult

#### Lower age limit

18 years

#### Sex

Αll

#### Key exclusion criteria

- 1. Evidence of end-organ dysfunction or too unwell to use the Neutrocheck device (e.g systolic blood pressure < 90mmHG)
- 2. Known HIV or an active Hep B or Hep C infection
- 3. Bleeding disorder in which a finger prick test is contraindicated
- 4. Acute Myeloid Leukaemia
- 5. Significant visual impairment or blindness
- 6. Participants with significant manual dexterity issues that would prevent them from completing the test

#### Date of first enrolment

18/03/2025

#### Date of final enrolment

18/03/2026

# Locations

#### Countries of recruitment

**United Kingdom** 

England

#### Study participating centre

# Cambridge University Hospitals NHS Foundation Trust

Cambridge Biomedical Campus Hills Road Cambridge United Kingdom CB2 0QQ

# Sponsor information

#### Organisation

Cambridge University Hospitals NHS Foundation Trust

#### **ROR**

https://ror.org/04v54gj93

# Funder(s)

## Funder type

Government

#### **Funder Name**

Innovate UK

#### Alternative Name(s)

UK Research and Innovation Innovate UK, innovateuk

#### **Funding Body Type**

Government organisation

### **Funding Body Subtype**

National government

#### Location

**United Kingdom** 

#### Funder Name

52North

# **Results and Publications**

# Individual participant data (IPD) sharing plan

All data generated or analysed during this study will be included in the subsequent results publication

## IPD sharing plan summary

Published as a supplement to the results publication

# **Study outputs**

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Participant information sheet	version 1.3	13/03/2025	18/07/2025	No	Yes
Participant information sheet	Participant information sheet	11/11/2025	11/11/2025	No	Yes