# WELCOME: improving WEight control and CO-Morbidities in children with obesity via Executive function training

Submission date	<b>Recruitment status</b> No longer recruiting	Prospectively registered		
10/05/2017		[X] Protocol		
Registration date 16/06/2017	Overall study status Completed	Statistical analysis plan		
		[X] Results		
Last Edited	Condition category	Individual participant data		
09/07/2025	Nutritional. Metabolic. Endocrine			

# Plain English summary of protocol

Background and study aims

As the prevalence and negative consequences of childhood obesity are severe, this problem needs to be tackled as soon as possible. The current treatments for obesity are successful but only moderately and in the short term. Improving executive functioning may be an answer to the question "why is it still so difficult for obese youngsters to lose weight and to control it on a long term?" Executive functioning is an umbrella term to represent brain processes that allow people to control themselves. This process can be crucial in the origins and maintenance of obesity. Obese youngsters often have more difficulty with self-control when confronted with unhealthy temptations. More specifically, they seem to have an inhibition and attention bias. Inhibition is the capacity to suppress the impulsive urge to react, in this case when tempted towards unhealthy food (i.e., not grasping food when seeing hamburger advertisements). Next, they also seem to have attentional biases. Attention is the capacity to (re)direct focus, in this case away from unhealthy food (i.e., not thinking about eating when seeing hamburger advertisements). Obese children and adults with obesity, in comparison to normal-weight persons, have more inhibition and attention problems, and are more impulsive and distracted when confronted with those temptations. There is a lot of evidence to support this. Unfortunately, there hasn't been a lot of evidence for youngsters, and these insights are not used in current treatment. The aim of this study is to find out whether executive function training results in better weight control and less illness.

Who can participate?

Obese youngsters aged 8 to 18 who are already receiving treatment

What does the study involve?

Participants are randomly allocated to receive one of two forms of executive function training on top of their usual treatment. One group receives the training tasks with all active components (inhibiting responses toward unhealthy food and refocusing attention away from unhealthy). The other group receives the same training tasks but without the 'active ingredients'

(stimuli are equally divided towards neutral or unhealthy food). This training lasts 14 weeks, and the participants are followed up until 6 months afterwards to measure their executive functioning, weight and eating behaviours.

What are the possible benefits and risks of participating?

Youngsters who receive the active elements of the training are expected to gain more self-control, lose more weight and have more healthy eating behaviour in comparison to the other group. If this extra treatment is found to work, the goal is to use this treatment in a larger group of treatment centres. There are no known risks from the brain fitness tasks. The data collection is carried out and supervised by trained medical personnel and has no extra health risks.

Where is the study run from?

- 1. Zeepreventorium (Belgium)
- 2. Jan Palfijn Hospital (Belgium)
- 3. University Hospital of Antwerp (Belgium)

When is the study starting and how long is it expected to run for? January 2017 to December 2020

Who is funding the study? Fonds Wetenschappelijk Onderzoek (Belgium)

Who is the main contact? Mrs Tiffany Naets Tiffany.Naets@UGent.be

# Contact information

# Type(s)

Scientific

#### Contact name

Mrs Tiffany Naets

#### ORCID ID

https://orcid.org/0000-0002-9560-5613

#### Contact details

Henri Dunantlaan 2 Gent Belgium 9000 +32 (0)9 264 91 08 Tiffany.Naets@UGent.be

# Additional identifiers

Protocol serial number 150179

# Study information

#### Scientific Title

Improving weight control and co-morbidities in children with obesity via executive function training: a randomised controlled trial

#### Acronym

**WELCOME** 

#### **Study objectives**

Active executive function (EF) training results in better weight control and less co-morbidities than active-control EF training.

#### Ethics approval required

Old ethics approval format

#### Ethics approval(s)

Pilot study: Commissie voor Medische Ethiek UGent/UZ Gent, 03/05/2017, ref: 2017/0305 Full study: approval pending

#### Study design

Interventional longitudinal multicentre blinded randomized controlled trial

#### Primary study design

Interventional

### Study type(s)

Treatment

# Health condition(s) or problem(s) studied

Childhood obesity

#### **Interventions**

Participants are randomized to either an experimental group or an active control group (50/50, 30/10 in pilot) via the OPEN CLINICA computer program. The executive function training consists of two tasks (Go-No-Go inhibition task and Dot-Probe attention task) on top of care as usual (Multidisciplinary Obesity Treatment [MOT]). Both groups do both tasks. The experimental group receives the tasks with all active components (inhibiting responses toward unhealthy food and refocusing attention away from unhealthy). The active control group receives the same tasks that last as long, but without the 'active ingredients' (equally divided stimuli towards neutral or unhealthy food). Participants are followed up at 2 and 6 months.

#### Intervention Type

Behavioural

### Primary outcome(s)

Weight index (BMI, adjusted, calibrated) measured at T0-T4

#### Timepoints:

T0 = baseline (at the intake in the treatment centre)

T1 = start training (in between there is approximately 4-6 months, depending on the treatment centre)

T2 = end of the intensive training (after 6 weeks intensive training and when the follow-up and booster starts)

T3 = after 2 months/8 weeks follow up and performing the tasks once a week in booster sessions T4 = after 6 months follow up

#### Key secondary outcome(s))

- 1. IQ, measured using Raven Progressive Matrices (task for the participant) at T0-T4, except for the outpatient centers that don't measure them at T1
- 2. Depression and anxiety, measured using ASEBA questionnaires: Youth Self Report (YSR) and Child Behavior Checklist (CBCL) and the Children Depression Inventory (CDI) self-report at T0-T4, except for the outpatient centers that don't measure them at T1
- 3. Self-worth, measured using CBSA and CBSK, translated version of Self-Perception Profile at T0-T4, except for the outpatient centers that don't measure them at T1
- 4. Executive functioning, measured using:
- 4.1. A questionnaire (Effortful Control Scale (ECS) self-report, BRIEF (Behavior Rating Inventory of Executive Function) = BRIEF-Parent version and BRIEF-teacher version [for the educators at the Zeepreventorium]) at all timepoints, with exclusion of the T1 measurements for the outpatient settings
- 4.2. Inhibition and attention measurements from the EF tasks (Go-No-Go and Dot Probe Task), errors and reaction times at T0, T1, T2, T3 and T4
- 5. Eating behaviors, measured using Ch-EDE-Q self-report and Dutch Eating Behavior Questionnaire ("NVE" in Dutch) at T0-T4, except for the outpatient centers that don't measure them at T1

# Added 21/06/2017:

#### Medical variables:

- 1. Waist and hip measurements at T1 + T3
- 2. Blood and pulse pressure, measured with automatic meters
- 3. Puberty status: clinical stages (Tanner)
- 4. Tonsillar hypertrophy: clinical stages (Brodsky)
- 5. Blood measurements (venipuncture)
- 6. Urine (urine sample)
- 7. Lung function, measured with spirometry and full body plethysmography
- 8. Vascular function, measured with ENDO-Pat
- 9. Sleep pattern, measured with ApneaLink and questionnaire
- 10. Body composition, measured with a Body Composition Monitor (BCM)

#### Timepoints:

T0 = baseline (at the intake in the treatment centre)

T1 = start training (in between there is approximately 4-6 months, depending on the treatment centre)

T2 = end of the intensive training (after 6 weeks intensive training and when the follow-up and booster starts)

T3 = after 2 months/8 weeks follow up and performing the tasks once a week in booster sessions T4 = after 6 months follow up

# Completion date

31/12/2020

# **Eligibility**

#### Key inclusion criteria

- 1. Obese youngsters ((a)BMI > 120)
- 2. Age 8 18
- 3. Both male and female
- 4. Following treatment (outpatient or inpatient)

# Participant type(s)

**Patient** 

### Healthy volunteers allowed

No

# Age group

Child

# Lower age limit

8 years

## Upper age limit

18 years

#### Sex

All

#### Total final enrolment

302

## Key exclusion criteria

Comorbid medical disorders that cause (a part of) the weight gain (i.e. serious thyroid problems)

#### Date of first enrolment

01/04/2017

#### Date of final enrolment

28/02/2020

# Locations

# Countries of recruitment

Belgium

# Study participating centre Zeepreventorium

Koninklijke Baan 5

De Haan Belgium 8420

# Study participating centre Jan Palfijn Hospital ("Jan Palfijn")

Watersportbaan 5 Ghent Belgium 9000

# Study participating centre University Hospital of Antwerp ("UZA")

Wilrijkstraat 10 Edegem Belgium 2650

# Sponsor information

# Organisation

**Ghent University** 

#### **ROR**

https://ror.org/00cv9y106

# Funder(s)

# Funder type

Government

#### **Funder Name**

Fonds Wetenschappelijk Onderzoek

#### Alternative Name(s)

Research Foundation Flanders, Flemish Research Foundation, The FWO, Het FWO, FWO

#### **Funding Body Type**

Government organisation

# Funding Body Subtype

Trusts, charities, foundations (both public and private)

#### Location

Belgium

# **Results and Publications**

# Individual participant data (IPD) sharing plan

The datasets generated during and/or analysed during the current study are/will be available upon request from Tiffany Naets (primary researcher), Dr Leentje Vervoort (co-promotor) and Prof. Dr Caroline Braet (promotor).

# IPD sharing plan summary

Available on request

## **Study outputs**

Output type	Details	Date created	Date added	Peer reviewed?	Patient- facing?
Results article		23/12 /2021	17/08 /2022	Yes	No
Results article		05/06 /2023	19/06 /2023	Yes	No
Results article		05/06 /2023	17/07 /2023	Yes	No
Results article	Risk factors for dropouts and treatment outcomes	13/06 /2022	09/07 /2025	Yes	No
<u>Protocol article</u>		29/08 /2018	23/08 /2022	Yes	No
Other publications	Adherence and barriers	01/01 /2020	17/08 /2022	Yes	No
Other publications	Reliability of the dot probe task using an obese subset from this study and a convenience non-obese subset	03/03 /2021	09/07 /2025	Yes	No
Participant information sheet	Participant information sheet	11/11 /2025	11/11 /2025	No	Yes