# The effective brush for patients with orthodontic appliances

Submission date	Recruitment status No longer recruiting Overall study status Completed	<ul><li>Prospectively registered</li></ul>		
03/04/2022		☐ Protocol		
Registration date		Statistical analysis plan		
09/04/2022		[X] Results		
<b>Last Edited</b> 12/06/2023	<b>Condition category</b> Oral Health	[] Individual participant data		

#### Plain English summary of protocol

Background and study aims

The use of manual toothbrushes plays a fundamental role in oral hygiene. However, controlling dental plaque accumulation for preventing gingivitis (gum disease), periodontitis (gum infection), and tooth decay is highly influenced by several individual and material-based factors. Among the individual factors, the presence of fixed orthodontic appliances on tooth surfaces such as brackets and bands creates difficulties in maintaining good oral hygiene, leading to the buildup of plaque. Although there is considerable evidence shwoing the superiority of powered, particularly oscillating rotating brushes when compared to manual brushes in patients with fixed orthodontic appliances, there is limited evidence regarding the effectiveness of advanced bristle designs (multilevel, criss-cross) of the manual toothbrush alone in removing plaque on patients undergoing orthodontic treatment, except for a few that have compared manual brushes with orthodontic brushes with conflicting reports of effectiveness. The aim of this study is to compare the effect of three types of manual toothbrushes (cross-action, flat trim and orthodontic brush) on plaque removal in patients with fixed orthodontic appliances.

### Who can participate?

Patients aged 18 to 25 years wearing fixed orthodontic appliances attending the Orthodontic Clinic at the Dental Centre, Ministry of National Guard - Health Affairs

## What does the study involve?

Participants will be randomly divided into three treatment sequences (ABC, BCA, CAB):

A: Toothbrush with flat bristles

B: Toothbrush with zigzag bristles

C: Toothbrush with crisscross bristles

Participants attend three clinic visits 1 week apart and at each visit they carry out a single 2-minute brushing exercise with the allocated brush. The clinician will check the participant's plaque before and after the brushing exercise.

## What are the possible benefits and risks of participating?

The risks and inconvenience will be very minimal limited to participants sparing some of their valuable time. There will be no direct benefit from participation in this study but it may help in the advancement of knowledge and health science progress.

Where is the study run from? King Saud bin Abdulaziz University for Health Sciences (KSAU-HS) (Saudi Arabia)

When is the study starting and how long is it expected to run for? November 2019 to May 2022

Who is funding the study? Investigator initiated and funded

Who is the main contact? Dr Fathima Fazrina Farook fazrinaf@ksau-hs.edu.sa

# Contact information

#### Type(s)

Principal investigator

#### Contact name

Dr Fathima Fazrina Farook

#### **ORCID ID**

https://orcid.org/0000-0002-2257-2662

#### Contact details

College of Dentistry
King Saud bin Abdulaziz University for Health Sciences (KSAU-HS)
Riyadh
Saudi Arabia
11426
+966 (0)531051380
fazrinaf@ksau-hs.edu.sa

# Additional identifiers

#### Clinical Trials Information System (CTIS)

Nil known

## ClinicalTrials.gov (NCT)

Nil known

#### Protocol serial number

Nil known

# Study information

#### Scientific Title

Efficacy of manual toothbrushes in patients with fixed orthodontic appliances: a randomized clinical trial

#### **Study objectives**

To clinically compare the effect of three types of manual toothbrushes (cross-action, flat trim, and orthodontic brush) on plaque removal when the modified Bass method of brushing is used in patients with fixed orthodontic appliances.

#### Ethics approval required

Old ethics approval format

#### Ethics approval(s)

Approved 11/12/2019, the King Abdullah International Medical Research Center Institutional Review Board (Ali Al Arini, Ar Rimayah, Riyadh 11481, Saudi Arabia; +966 (0)11 429 4444; irb@ngha.med.sa), ref: RC19/432/R

#### Study design

Randomized cross-over controlled trial

#### Primary study design

Interventional

#### Study type(s)

Prevention

#### Health condition(s) or problem(s) studied

Plague removal in patients with fixed orthodontic appliances

#### **Interventions**

The study subjects (n = 30) will be randomly divided into three treatment sequences using a computer-generated randomisation method (ABC, BCA, CAB) with approximately 10 subjects in each treatment sequence:

Group A: Toothbrush with flat bristles

Group B: Toothbrush with zigzag bristles

Group C: Toothbrush with crisscross bristles

Participants attend three clinic visits 1 week apart and at each visit they carry out a single 2-minute brushing exercise with the allocated brush. The clinician will check the plaque before and after the brushing exercise.

#### Intervention Type

Device

#### Phase

Not Applicable

#### Drug/device/biological/vaccine name(s)

-

## Primary outcome(s)

Plaque scored using the Turesky Modified Quigley-Hein Plaque Index at baseline and following a single brushing exercise

#### Key secondary outcome(s))

There are no secondary outcome measures

#### Completion date

01/05/2022

# Eligibility

#### Key inclusion criteria

- 1. Aged 18 to 25 years
- 2. In good general and oral health
- 3. Wearing fully bonded fixed orthodontic appliances
- 4. Good hand dexterity
- 5. Without any disabilities
- 6. A minimum of 25 natural teeth with facial and lingual scorable surfaces without any oral lesions
- 7. Periodontal pockets of 3 mm or loss of attachment/recession of 2 mm

#### Participant type(s)

Patient

#### Healthy volunteers allowed

No

#### Age group

Adult

#### Lower age limit

18 years

#### Sex

All

#### Total final enrolment

34

#### Key exclusion criteria

- 1. Evidence of mucogingival problems
- 2. Smoking
- 3. Pregnancy
- 4. Five or more carious lesions requiring restorative treatment
- 5. Heavy restorations
- 6. Wearing fixed or removable prostheses
- 7. Participation in any other elective dental procedure, including prophylaxis, during the study period
- 8. Evidence of any disease or condition that may interfere with the study procedures

#### Date of first enrolment

01/11/2020

## Date of final enrolment

01/06/2021

# Locations

#### Countries of recruitment

Saudi Arabia

Study participating centre King Saud bin Abdul Aziz University for Health Sciences

Arrimayah Riyadh Saudi Arabia 14611

# Sponsor information

#### Organisation

King Abdullah International Medical Research Center

#### **ROR**

https://ror.org/009p8zv69

# Funder(s)

## Funder type

Other

#### **Funder Name**

Investigator initiated and funded

# **Results and Publications**

#### Individual participant data (IPD) sharing plan

Dr Fathima Fazrina Farook (fazrinaf@ksau-hs.edu.sa) can be contacted for access to the datasets. Individual participant data that underlie the results reported in this article, after deidentification (text, tables, figures, and appendices), will be shared starting 3 months and ending 5 years following article publication for individual participant data meta-analysis.

# IPD sharing plan summary

# Available on request

# Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article		23/05/2023	12/06/2023	Yes	No
Participant information sheet	Participant information sheet	11/11/2025	11/11/2025	No	Yes