

Testing simvastatin and hyaluronic acid gel to help dental implants heal and enhance their stability

Submission date 13/05/2025	Recruitment status No longer recruiting	<input type="checkbox"/> Prospectively registered <input type="checkbox"/> Protocol
Registration date 16/05/2025	Overall study status Completed	<input type="checkbox"/> Statistical analysis plan <input type="checkbox"/> Results
Last Edited 08/12/2025	Condition category Oral Health	<input type="checkbox"/> Individual participant data <input checked="" type="checkbox"/> Record updated in last year

Plain English summary of protocol

Background and study aims

This study is looking at ways to help dental implants heal better and stay in place more securely. Researchers are testing whether applying hyaluronic acid gel (a substance naturally found in the body) and simvastatin (a common medicine used to lower cholesterol) at the implant site can improve healing and stability.

Who can participate?

People who need dental implants and meet certain health criteria may be able to take part. Some individuals, such as those with certain medical conditions or habits like smoking, may not be eligible.

What does the study involve? (for participants)

A total of 32 participants will be divided into four groups:

- One group will receive no special treatment (control group).
- One group will have hyaluronic acid gel applied to the implant site.
- One group will receive simvastatin.
- One group will get both hyaluronic acid and simvastatin.

Researchers will check how stable the implants are right after placement, then again at 40 days and 60 days.

What are the possible benefits and risks of participating?

Participants may benefit from improved healing of their dental implants. However, as with any medical study, there may be some risks, such as side effects or reactions to the treatments. All participants will be monitored closely.

Where is the study run from?

University of Suleimani (Iraq)

When is the study starting and how long is it expected to run for?

July 2024 to September 2025

Who is funding the study?
Investigator initiated and funded

Who is the main contact?
Dr Ahmed Mohammed, ahmed.darweesh@univsul.edu.iq

Contact information

Type(s)

Public, Scientific, Principal investigator

Contact name

Dr Ahmed Mohammed

ORCID ID

<https://orcid.org/0009-0008-2759-5610>

Contact details

Al-Shorja Street

Kirkuk

Iraq

36001

+964 7701688495

ahmed.darweesh@univsul.edu.iq

Additional identifiers

Clinical Trials Information System (CTIS)

Nil known

ClinicalTrials.gov (NCT)

Nil known

Protocol serial number

Nil known

Study information

Scientific Title

Evaluation of the effect of hyaluronic acid gel and simvastatin on dental implant stability

Study objectives

The null hypothesis to be tested is:

The application of hyaluronic acid gel and simvastatin does not result in a statistically significant improvement in bone regeneration and implant stability compared to the use of either agent alone or conventional methods.

Ethics approval required

Ethics approval required

Ethics approval(s)

approved 16/12/2024, Ethical Committee of the College of Dentistry, University of Sulaimani (College of Dentistry, University of Sulaimani, Madam Mitterrand street, As Sulaymaniyah, Iraq, Sulaymaniyah, 46001, Iraq; +964 7704522890; dentistry.ethics@univsul.edu.iq), ref: COD-EC-24-0048

Study design

Prospective interventional randomized controlled trial

Primary study design

Interventional

Study type(s)

Efficacy

Health condition(s) or problem(s) studied

Promoting dental implant stability in edentulous adults

Interventions

This is a randomized, controlled clinical trial including 32 dental implants placed in medically healthy adult patients (18–60 years old), divided equally into four groups (n = 8 implants/group).

Group 1 – Control Group

Treatment: No adjunctive material.

Administration: Standard implant placement following conventional osteotomy preparation.

Duration: Implant placed at baseline.

Follow-up: ISQ measured immediately post-op, at 40 days, and at 60 days.

Total Follow-up: 60 days.

Group 2 – Hyaluronic Acid (HA) Group

Treatment: Hyaluronic acid gel.

Dose: 0.1 ml of hyaluronic acid gel per osteotomy site.

Administration: HA gel is injected directly into the osteotomy site before implant placement.

Duration: Single administration at baseline.

Follow-up: ISQ measured at baseline, 40 days, and 60 days.

Total Follow-up: 60 days.

Group 3 – Simvastatin Gel Group

Treatment: Simvastatin prepared in gel form.

Dose: 0.1 ml of simvastatin gel per osteotomy site.

Administration: The gel is inserted into the osteotomy site just before implant placement.

Duration: Single administration at baseline.

Follow-up: ISQ measured at baseline, 40 days, and 60 days.

Total Follow-up: 60 days.

Group 4 – Combination Group (Simvastatin + Hyaluronic Acid)

Treatment: A mixture of simvastatin gel and hyaluronic acid gel.

Dose: 0.1 ml of the combined gel (containing both agents) per osteotomy site.

Administration: The mixture is inserted into the osteotomy site immediately before implant placement.

Duration: Single administration at baseline.

Follow-up: ISQ measured at baseline, 40 days, and 60 days.
Total Follow-up: 60 days.

Randomization Process

Patients are randomly allocated to one of the four groups using a sealed opaque envelope technique. Allocation is performed by an independent third party to ensure allocation concealment and reduce selection bias.

Intervention Type

Other

Primary outcome(s)

Implant Stability Quotient (ISQ) values measured at three time points (immediate, 40 days, and 60 days post-implantation) using resonance frequency analysis.

Key secondary outcome(s)

There are no secondary outcome measures

Completion date

18/09/2025

Eligibility

Key inclusion criteria

1. Patients aged 18–60 years with missing teeth.
2. Systemically healthy individuals.
3. Patients with bone density D3 at the site of implant placement.
4. Presence of adequate bone height minimum of 10 mm above the anatomical landmarks and adequate width, so that 1.5–2 mm of bone is present all around the implants after implant placement.
5. Bone crest healing period of more than 3 months before implant placement.
6. Good oral hygiene and compliance with follow-up appointments.
7. No known allergies to simvastatin or hyaluronic acid.

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Lower age limit

18 years

Upper age limit

60 years

Sex

All

Total final enrolment

32

Key exclusion criteria

1. Patients with uncontrolled systemic diseases.
2. Patients who are chronic smokers.
3. Pregnant and lactating women.
4. Patients with a history of chemotherapy or radiotherapy in the last 6 months.
5. Patients with blood dyscrasias.
6. Patients with parafunctional habits like bruxism.
7. Patients with poor oral hygiene and untreated periodontal disease.
8. Patients with a history of allergy to SMV or HA.
9. Alcoholic patients or alcohol users.
10. Patients with active liver disease and those on Warfarin and/or antifungal medication.

Date of first enrolment

10/01/2025

Date of final enrolment

20/07/2025

Locations

Countries of recruitment

Iraq

Study participating centre

University of Suleimani

College of Dentistry, Madam Mitterrand street

Sulaymaniyah

Iraq

46001

Sponsor information

Organisation

University of Sulaimani

ROR

<https://ror.org/00saanr69>

Funder(s)

Funder type

Other

Funder Name

Investigator initiated and funded

Results and Publications

Individual participant data (IPD) sharing plan

At the end of the study, anonymized individual participant data (IPD) may be shared upon reasonable request for research or academic purposes. Data will be de-identified to protect participant privacy and confidentiality. Requests must be submitted to the chief investigator and approved by the ethics committee. The data will only be shared under a data-sharing agreement that ensures proper use.

contact info;

Name: AHMED JAMEEL MOHAMMED DARWEESH

Email: ahmed.darweesh@univsul.edu.iq

IPD sharing plan summary

Available on request

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Participant information sheet	in Arabic		15/05/2025	No	Yes
Participant information sheet	in English		15/05/2025	No	Yes
Participant information sheet	in Kurdish		15/05/2025	No	Yes