

The effect of simvastatin on the cognitive deficits of children with neurofibromatosis I (NF1): a randomised, double-blind placebo-controlled study

Submission date 14/02/2006	Recruitment status No longer recruiting	<input type="checkbox"/> Prospectively registered
Registration date 14/02/2006	Overall study status Completed	<input type="checkbox"/> Protocol
Last Edited 25/07/2008	Condition category Nervous System Diseases	<input type="checkbox"/> Statistical analysis plan
		<input checked="" type="checkbox"/> Results
		<input type="checkbox"/> Individual participant data

Plain English summary of protocol

Not provided at time of registration

Contact information

Type(s)

Scientific

Contact name

Dr L.C. Krab

Contact details

Erasmus Medical Center
Department of Neurosciences (Ee 12.28)
P.O. Box 1738
Rotterdam
Netherlands
3000 DR
+31 (0)10 4087337
l.krab@erasmusmc.nl

Additional identifiers

EudraCT/CTIS number

IRAS number

ClinicalTrials.gov number

Secondary identifying numbers

NTR542

Study information

Scientific Title

Acronym

NF1 simvastatin trial

Study objectives

Statin-treatment has been shown to normalise the learning and attention deficits in NF1 +/- mice by decreasing Ras activity. The fact that statins are effective in NF1 mice, combined with their very good safety profile, makes them an ideal candidate drug to treat cognitive impairments associated with NF1 in human patients.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Ethics approval received from the local medical ethics committee.

Study design

Randomised, double-blind placebo-controlled study

Primary study design

Interventional

Secondary study design

Randomised controlled trial

Study setting(s)

Not specified

Study type(s)

Treatment

Participant information sheet

Health condition(s) or problem(s) studied

Neurofibromatosis type 1 (NF1)

Interventions

Simvastatin (10 mg/day for month 1, 20 mg/day month 2, 20 mg/day month 3 for children 8-12 years old or 40 mg/day month 3 for children 12-16 years old) or placebo once a day.

Intervention Type

Drug

Phase

Not Specified

Drug/device/biological/vaccine name(s)

Simvastatin

Primary outcome measure

1. Performance on neuropsychological tests on visuospatial memory and attention after 1 and 3 months (Rey Complex Figure test [recall], Bourdon Vos Test)
2. Performance on neurophysiological tests on adaptation of eye movements after 1 and 3 months (saccade-adaptation test, adaptation of eye-hand coordination)
3. Measurement of the size, number, localization and spectra of unidentified bright objects (UBOs), hyperintensities on T2 weighed magnetic resonance imaging (MRI) and 3D CSI 1H magnetic resonance spectroscopy (MRS) after 3 months

Secondary outcome measures

1. Score on the following neuropsychological tests after 1 and 3 months (after 1 month = under METC review as of 02 May 2006):
 - 1.1. Judgement of line orientation test
 - 1.2. Rey Complex Figure Test (copy)
 - 1.3. Beery VMI Test
2. Score on the following neuropsychological tests after 3 months:
 - 2.1. IQ-test: WISC-RN
 - 2.2. Verbal Fluency Test
 - 2.3. Trailmaking Test A&B
 - 2.4. Wisconsin Card Sorting Test
 - 2.5. Peabody Picture Vocabulary Test
 - 2.6. Boston Naming Test
 - 2.7. 15 Word-Test
 - 2.8. Stroop Color Word Test
3. Identification of facial emotions (ANT). Outcome of the following questionnaires after 3 months:
 - 3.1. Child Behavior Check List (CBCL parents)
 - 3.2. Teacher Report form (TRF)
 - 3.3. Child Behavior Check List (CBCL child)
 - 3.4. Quality of Life Questionnaire CHQ-CF87 Dutch edition (child) (under METC review as of 02 May 2006)
 - 3.5. Quality of Life Questionnaire CHQ-PF50 Dutch edition (parents) (under METC review as of 02 May 2006)
4. Performance on the following neurophysiological tests after 1 and 3 months:
 - 4.1. Basic saccade performance
 - 4.2. Smooth pursuit

Overall study start date

20/01/2006

Completion date

01/03/2007

Eligibility

Key inclusion criteria

1. Children aged between 8 and 16 years
2. NF1 diagnosis according to the criteria of the National Institutes of Health
3. Visiting the multidisciplinary NF1-outpatient clinic at the Erasmus MC-Sophia Children's Hospital
4. Informed consent

Participant type(s)

Patient

Age group

Child

Lower age limit

8 Years

Upper age limit

16 Years

Sex

Both

Target number of participants

60

Key exclusion criteria

1. Pathology of the central nervous system (CNS) (hydrocephalus, epilepsy, radiotherapy, neurosurgery etc.)
2. Deafness and/or severely impaired vision
3. Use of anti-epileptics and/or neuroleptics

Additional exclusion criteria (under METC review as of 2nd May 2006):

4. Insufficient cognitive abilities to obtain a reliable score on a verbal IQ test (WISC-RN)
5. Contra-indications for simvastatin-treatment
6. Planned hospitalisation within three months after planned date of inclusion

Date of first enrolment

20/01/2006

Date of final enrolment

01/03/2007

Locations**Countries of recruitment**

Netherlands

Study participating centre

Erasmus Medical Center

Rotterdam
Netherlands
3000 DR

Sponsor information

Organisation

Erasmus Medical Center (The Netherlands)

Sponsor details

Department of Neurosciences
P.O. Box 1738
Rotterdam
Netherlands
3000 DR

Sponsor type

Hospital/treatment centre

Website

<http://www.erasmusmc.nl/content/englishindex.htm>

ROR

<https://ror.org/018906e22>

Funder(s)

Funder type

Hospital/treatment centre

Funder Name

Sophia Children's Hospital Fund (The Netherlands)

Results and Publications

Publication and dissemination plan

Not provided at time of registration

Intention to publish date**Individual participant data (IPD) sharing plan**

IPD sharing plan summary

Not provided at time of registration

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article	Results	16/07/2008		Yes	No