Study of antimicrobial resistance in patients receiving outpatient parenteral antimicrobial therapy

Submission date	Recruitment status No longer recruiting	Prospectively registered		
18/02/2020		[X] Protocol		
Registration date	Overall study status	Statistical analysis plan		
20/02/2020	Completed	[X] Results		
Last Edited 20/06/2024	Condition category Infections and Infestations	[] Individual participant data		

Plain English summary of protocol

Background and study aims

Bacteria that are resistant to antibiotics are becoming an important problem in hospitals and much research has been carried out to try to reduce the rates. Unwell patients in hospital who have received long antibiotic courses have a high risk of developing infections with antibiotic-resistant bacteria. Patients who are in the community and have received long courses of antibiotics may be at risk but few studies have been done to explore this. Therefore, this study will help clinicians understand how gut bacteria changes, and may become more resistant, after a long course of antibiotics, in a community-based population. In the future this could help clinicians choose better antibiotics for each individual patient. It could help stop the spread of antibiotic-resistant bacteria in hospital by showing when clinicians need to use special infection control measures such as the use of gloves, aprons or gowns, or ensuring certain patients have their own toilet or room.

Who can participate?

Patients aged 18 or older who are expected to receive 2 or more weeks of IV antibiotics, and Infectious Diseases ward or clinic patients who have received no antimicrobial therapy within the last 3 months

What does the study involve?

This study explores how gut bacteria change and develop resistance in patients who have received long courses of intravenous antibiotics in the community. It compares bacteria in stool from participants who have received different intravenous antimicrobials (Outpatient Parenteral Antimicrobial Therapy (OPAT) patients) to participants who have not (a control group). Stool samples will be examined at enrolment, weekly during antimicrobial therapy, at 3 and 6 months. The OPAT group will provide a minimum of 4 stool samples and the control group will provide 3 stool samples. The OPAT group will provide more stool samples than the control group as they will have additional weekly stool samples collected at the time of their routine OPAT clinic visits. All stool samples will be self-collected by the participant and then handed to the study team. At the start of the study, the study team will collect the participant's clinical information from the medical records. This will include the following information: NHS number, date of birth, gender,

ethnicity, weight, smoking status, alcohol intake, dietary requirements, probiotic or prebiotic use, travel abroad, contact with hospital in the last year, medical/surgical history, antibiotic use, medication history and any relevant symptoms they may have (such as diarrhoea or vomiting.) The weekly face-to-face return visits to OPAT clinic are part of the usual care if the participant is receiving therapy. At return visits the participant will be asked about any relevant symptoms they may have (such as diarrhoea or vomiting,) any new hospital contact, infections or recent antibiotics they may have received since their last visit. The 3 and 6 month follow up visits may be completed face-to-face or remotely, via telephone consultation, with the study team member. At 3 and 6 month return visits the participant will be asked about any relevant symptoms they may have (such as diarrhoea or vomiting), any new hospital contact, infections or recent antibiotics they may have received since their last visit. The 6-month visit marks the end of the study period for each participant.

What are the possible benefits and risks of participating?

There are no direct benefits to participants for taking part in the study. However, the information that the study team obtain from the study may help future patients and enable doctors to reduce the spread of antibiotic-resistant gut bacteria. There are no direct risks to participants if they take part in this study. There may be some inconvenience associated with the donation of stool samples during the study, as they need to be dropped off at the clinic, at the 3 and 6 month follow up period, by the participant, friend or family member. If the participant is found to have antibiotic-resistant gut bacteria they will be informed and should not be concerned. This information will be recorded in their medical electronic records so that it can be used in the future to ensure they receive the right antibiotics and, if necessary, access to a private room.

Where is the study run from? Addenbrooke's Hospital, CUH NHS Foundation Trust (UK)

When is the study starting and how long is it expected to run for? September 2019 to August 2021

Who is funding the study?

- 1. Academy of Medical Sciences and the Health Foundation (UK)
- 2. National Institute for Health Research (UK)

Who is the main contact?

1. Dr Estee Torok
et317@cam.ac.uk

2. Dr Rachel Bousfield
rachel.bousfield@nhs.net

Contact information

Type(s)

Scientific

Contact name

Dr Estee Torok

Contact details

Principal Investigator
Department of Medicine, Box 157
Addenbrooke's Hospital
Hills Road
Cambridge
United Kingdom
CB2 0QQ
+44 (0)1223 336845
et317@cam.ac.uk

Type(s)

Public

Contact name

Dr Rachel Bousfield

Contact details

Department of Medicine, Box 157 Addenbrooke's Hospital Hills Road Cambridge United Kingdom CB2 0QQ +44 (0)1223 336845 rachel.bousfield@nhs.net

Additional identifiers

EudraCT/CTIS number

Nil known

IRAS number

273856

ClinicalTrials.gov number

Nil known

Secondary identifying numbers

A095421, IRAS 273856

Study information

Scientific Title

Evolution of antimicrobial resistance in patients receiving outpatient parenteral antimicrobial therapy

Acronym

Study of AMR in OPAT patients

Study objectives

- 1. How does the gut bacteria change, and does it become more resistant, after a long course of antibiotics in a community-based group of patients compared to those that have not received any antibiotics?
- 2. Specifically, are there differences that can be detected by testing for gut bacteria's antibiotic-resistance genes and does this difference affect the patient's health by increasing the chance of difficult-to-treat infections?
- 3. Also, are there differences we can detect by looking for the presence of resistant bacteria including multi-drug resistant organisms (MDRO) and does this difference affect the patient's health by increasing the chance of difficult to treat infections?

Ethics approval required

Old ethics approval format

Ethics approval(s)

Approved 23/01/2020, East Midlands - Derby Research Ethics Committee (The Old Chapel, Royal Standard Place, Nottingham, NG1 6FS, UK; Tel: +44 (0)2071048285; Email: NRESCommittee. EastMidlands-Derby@nhs.net), REC ref: 20/EM/0009

Study design

Prospective observational cohort study

Primary study design

Observational

Secondary study design

Cohort study

Study setting(s)

Hospital

Study type(s)

Diagnostic

Participant information sheet

Not available in web format, please use contact details to request a participant information sheet.

Health condition(s) or problem(s) studied

Antimicrobial resistance (AMR)

Interventions

This study involves 4 groups. Each group contains 10 patients:

Group 1: have not received intravenous antimicrobials

Group 2: have received the intravenous antimicrobial ceftriaxone

Group 3: have received the intravenous antimicrobial ertapenem

Group 4: have received the intravenous antimicrobial daptomycin

Eligible participants will have been approached by a study team member during routine clinical care, will have discussed the study, and been provided with written information: the Participant Information leaflet. Participants who decide to take part in the study will sign a Consent form at enrolment.

The study team will collect stool samples from participants at the start of the study and later at approximately 3 and 6 months. The Outpatient Parenteral Antimicrobial Therapy (OPAT) group will provide a minimum of 4 stool samples and the "control" group will provide 3 stool samples. The OPAT group will provide more stool samples than the control group as they will have additional weekly stool samples collected at the time of their routine OPAT clinic visits. All stool samples will be self-collected by the participant and then handed to the study team.

At the start of the study, the study team will collect the participant's clinical information from the medical records. This will include the following information: NHS number, date of birth, gender, ethnicity, weight, smoking status, alcohol intake, dietary requirements, probiotic or prebiotic use, travel abroad, contact with hospital in the last year, medical/surgical history, antibiotic use, medication history and any relevant symptoms they may have (such as diarrhoea or vomiting).

The weekly face-to-face return visits to OPAT clinic are part of the usual care if the participant is receiving therapy. At return visits the participant will be asked about any relevant symptoms they may have (such as diarrhoea or vomiting), any new hospital contact, infections or recent antibiotics they may have received since their last visit.

The 3 and 6 month follow up visits may be completed face-to-face or remotely, via telephone consultation, with the study team member. At 3 and 6 month return visits the participant will be asked about any relevant symptoms they may have (such as diarrhoea or vomiting,) any new hospital contact, infections or recent antibiotics they may have received since their last visit. The 6-month visit marks the end of the study period for each participant.

Intervention Type

Other

Primary outcome measure

- 1. Number of participants with stool carriage of specific Antimicrobial Resistance Genes (ARGs), measured using DNA/RNA extraction and testing using multiplex PCR for selected targets, at baseline, during antimicrobial therapy, and at 3 and 6 months
- 2. Number of participants with phenotypic evidence of Antimicrobial Resistance (AMR) organisms, measured using chromogenic agar for CPE, ESBL and VRE with resistant organisms undergoing identification using MALDI TOF MS (Bruker) and antimicrobial susceptibility testing using the Vitek-2 system (BioMerieux), at baseline, during antimicrobial therapy, and at 3 and 6 months
- 3. Number of participants with significant changes in the faecal microbiome diversity, measured using DNA library preparation and high-throughput microbial whole-genome sequencing, at selected timepoints including, for example, at baseline and 3 and 6 months

Secondary outcome measures

- 1. Risk factors for carriage of ARGs, measured using correlation between the presence of ARGs and the presence of certain clinical characteristics at baseline
- 2. Clinical outcomes of patients with AMR organisms (e.g. clinical deterioration or death), measured using correlation between the presence of AMR organisms and the presence of certain clinical characteristics, within the 6-month follow-up period

Overall study start date

16/09/2019

Completion date

18/08/2021

Eligibility

Key inclusion criteria

- 1. Adult (age 18 years older)
- 2. Male or female
- 3. Cases: patients expected to receive 2 or more weeks of IV antibiotics
- 4. Controls: an Infectious Diseases ward or clinic patient who has received no antimicrobial therapy within the last 3 months

Participant type(s)

Patient

Age group

Adult

Lower age limit

18 Years

Sex

Both

Target number of participants

40

Total final enrolment

40

Key exclusion criteria

- 1. Patients with known previous MDRO colonisation (e.g. ESBL, CPE, VRE)
- 2. Those known to be pregnant
- 3. Does not fulfil study inclusion criteria
- 4. Declines or are unable to consent

Date of first enrolment

19/02/2020

Date of final enrolment

21/04/2021

Locations

Countries of recruitment

England

United Kingdom

Study participating centre Addenbrooke's Hospital, CUH NHS Foundation Trust

Hills Road Cambridge United Kingdom CB2 0QQ

Sponsor information

Organisation

Cambridge University Hospitals NHS Foundation Trust

Sponsor details

Department of Medicine, Box 157
Addenbrooke's Hospital
Hills Road
Cambridge
England
United Kingdom
CB2 0QQ
+44 (0)1223 348468
lucy.bennett@addenbrookes.nhs.uk

Sponsor type

Hospital/treatment centre

Website

http://www.cuh.org.uk/

ROR

https://ror.org/04v54gj93

Organisation

University of Cambridge

Sponsor details

Department of Medicine, Box 157 Addenbrooke's Hospital Hills Road Cambridge England United Kingdom CB2 0QQ +44 (0)1223 336845 et317@cam.ac.uk

Sponsor type

University/education

Website

https://www.cam.ac.uk

ROR

https://ror.org/013meh722

Funder(s)

Funder type

Government

Funder Name

Academy of Medical Sciences and the Health Foundation

Funder Name

National Institute for Health Research

Alternative Name(s)

National Institute for Health Research, NIHR Research, NIHRresearch, NIHR - National Institute for Health Research, NIHR (The National Institute for Health and Care Research), NIHR

Funding Body Type

Government organisation

Funding Body Subtype

National government

Location

United Kingdom

Results and Publications

Publication and dissemination plan

Protocol not available in web format, please use contact details to request a copy of the protocol.

The study team plan to disseminate the results of the study using peer-reviewed scientific journals, internal reports and conference presentations.

It is recognised that the participants may be interested to hear how they contributed to Antimicrobial Resistance research. Therefore, the participants will be offered the opportunity to contact the study team (via the contact details on the participant information leaflet) 1 year after completion of the study. Those that do this, and give the relevant written permissions, can receive an email or posted printed summary of anonymised data.

Intention to publish date

01/07/2023

Individual participant data (IPD) sharing plan

The dataset will be held at Addenbrooke's Hospital, CUH NHS Foundation Trust, UK. It will not be made fully available as the dataset will contain patient identifiable information and clinical details regarding medical conditions and treatment outcomes.

IPD sharing plan summary

Not expected to be made available

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Protocol file	version 2.0	23/01/2020	16/09/2022	No	No
HRA research summary			28/06/2023	No	No
Other unpublished results			20/06/2024	No	No