

Reducing repeat pleural biopsies in suspected cancer

Submission date 07/02/2024	Recruitment status No longer recruiting	<input checked="" type="checkbox"/> Prospectively registered <input checked="" type="checkbox"/> Protocol
Registration date 16/02/2024	Overall study status Completed	<input type="checkbox"/> Statistical analysis plan <input type="checkbox"/> Results
Last Edited 08/07/2025	Condition category Cancer	<input type="checkbox"/> Individual participant data <input checked="" type="checkbox"/> Record updated in last year

Plain English summary of protocol

Background and study aims

Pleural mesothelioma is a cancer that affects the lung lining, caused by asbestos. Despite recent treatment advances, the prognosis is often poor. Prompt diagnosis is vital. A biopsy can diagnose mesothelioma, guide treatment and support compensation claims. However, some people need multiple biopsies, increasing the risk of biopsy-related complications and prolonging the time to diagnosis. Doing additional tests on initial biopsies may increase the chance of diagnosing mesothelioma and avoid repeat biopsies. This would allow anti-cancer treatment to be started sooner and improve survival. The extra tests are not genetic but look for genetic changes in the cancer that allow it to grow and spread. The genetic markers in mesothelioma are called BAP1, p16 and MTAP. If they have disappeared on biopsy mesothelioma is diagnosed. Another study was previously conducted on people with suspected mesothelioma who required further biopsies as their first biopsy did not give a diagnosis (TARGET: <https://www.isrctn.com/ISRCTN14024829>). It took place in eight UK centres and recruited 59 patients. This study aims to perform these additional tests on their biopsy samples to see whether this would have made the diagnosis sooner and removed the need for further biopsies. It will investigate how many biopsies could have been avoided, how much time would have been saved, how this may have impacted survival and what cost-savings this would have offered the NHS.

Who can participate?

This study includes the 59 participants in the original TARGET study who were recruited between September 2015 and September 2018. No additional participants will be recruited. Should any participants of the original TARGET trial wish to opt-out, they can contact the main contact below.

What does the study involve?

Biopsy samples taken as part of the participants' routine clinical care will be tested for the markers of genetic change in mesothelioma (BAP1, MTAP and p16). The ability to make a diagnosis using these tests will be compared with the original diagnostic pathway, which was before the use of these tests.

What are the possible benefits and risks of participating?

The benefits of enrolling are to future patients, whose diagnostic process could be improved, with no additional requirements of TARGET participants. As there are no additional interventions required of participants and this will not impact management, there are no risks identified.

Where is the study run from?

North Bristol NHS Trust (UK)

When is the study starting and how long is it expected to run for?

October 2022 to September 2025

Who is funding the study?

Southmead Hospital Charity

Who is the main contact?

Geraldine Lynch, Geraldine.lynch@nbt.nhs.uk

Contact information

Type(s)

Principal investigator

Contact name

Prof Nick A Maskell

ORCID ID

<https://orcid.org/0000-0002-1276-6500>

Contact details

Learning & Research (Level 3), Southmead Hospital
Westbury-On-Trym Bristol, Bristol
United Kingdom
BS10 5NB
+44 (0)1174149330
nick.maskell@bristol.ac.uk

Type(s)

Principal investigator

Contact name

Dr Anna Bibby

ORCID ID

<https://orcid.org/0000-0001-7386-7754>

Contact details

2nd Floor Learning & Research Building
Southmead Hospital
Bristol
United Kingdom

BS10 5NB
+44 (0)1174146479
anna.bibby@bristol.ac.uk

Type(s)

Public, Scientific

Contact name

Dr Geraldine Lynch

ORCID ID

<https://orcid.org/0009-0007-6591-2720>

Contact details

North Bristol NHS Trust
Bristol
United Kingdom
BS3 4PB
+44 (0)1174148049
geraldine.lynch@nbt.nhs.uk

Additional identifiers

Clinical Trials Information System (CTIS)

Nil known

Integrated Research Application System (IRAS)

329574

ClinicalTrials.gov (NCT)

Nil known

Protocol serial number

V1.0, IRAS 329574

Study information

Scientific Title

Reducing repeat pleural biopsies in suspected cancer – a study of the TARGET trial cohort comparing the diagnostic yield of standard histology vs additional tests in suspected pleural malignancy

Acronym

REPLICA

Study objectives

Testing for BAP1, P16 FISH and MTAP IHC could remove the need for further invasive procedures in patients with suspected pleural malignancy and an initial non-diagnostic biopsy

Ethics approval required

Ethics approval required

Ethics approval(s)

approved 28/03/2024, East Midlands - Leicester South Research Ethics Committee (3 Piccadilly Place, London Road, Manchester, M1 3BN, United Kingdom; +44 (0)207 104 8079; Leicestersouth.rec@hra.nhs.uk), ref: 24/EM/0042

Study design

Observational study using historical data and stored samples

Primary study design

Observational

Study type(s)

Diagnostic

Health condition(s) or problem(s) studied

Improving diagnosis in pleural mesothelioma

Interventions

Current interventions as of 06/06/2025:

This is an observational study using historical data and stored samples from a multi-centre randomised controlled trial (TARGET; <https://www.isrctn.com/ISRCTN14024829>), where each participant will act as a case (additional tests applied to stored samples) and internal control (initial outcomes using standard testing only).

Pleural biopsies of patients with a final diagnosis of mesothelioma will be tested for BAP1 and MTAP using immunohistochemistry (IHC) and in some samples for P16 using fluorescent in-situ hybridisation (FISH).

Previous interventions:

This is an observational study using historical data and stored samples from a multi-centre randomised controlled trial (TARGET; <https://www.isrctn.com/ISRCTN14024829>), where each participant will act as a case (additional tests applied to stored samples) and internal control (initial outcomes using standard testing only).

Pleural biopsies will be tested for BAP1 and MTAP using immunohistochemistry (IHC) and in some samples for P16 using fluorescent in-situ hybridisation (FISH).

Intervention Type

Other

Primary outcome(s)

Identification of malignancy on biopsy measured using immunohistochemistry (IHC) and fluorescent in-situ hybridisation (FISH) in the laboratory at one timepoint

Key secondary outcome(s)

The total number of biopsies required, time to diagnosis, stage at diagnosis, number of multi-disciplinary team (MDT) discussions, biopsy-associated costs, biopsy-related adverse events and survival measured using data recorded in medical records at one timepoint

Completion date

30/09/2025

Eligibility

Key inclusion criteria

All patients who were included in the TARGET trial (ISRCTN14024829).

TARGET eligibility required all of the following to apply:

1. Pleural thickening on CT suspicious for pleural malignancy
2. Have had any form of pleural biopsy in the last 12 months (either by thoracoscopy or under radiological guidance) which was non-diagnostic for cancer
3. Lung cancer/mesothelioma MDT decision to perform further CT-guided biopsy to pursue a diagnosis

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Lower age limit

18 years

Sex

All

Total final enrolment

59

Key exclusion criteria

Not eligible if not recruited to the TARGET trial

Date of first enrolment

29/04/2024

Date of final enrolment

30/09/2025

Locations

Countries of recruitment

United Kingdom

England

Scotland

Wales

Study participating centre

North Bristol NHS Trust

Southmead Hospital

Southmead Road

Westbury-on-trym

Bristol

United Kingdom

BS10 5NB

Study participating centre

Gloucestershire Royal Hospital

Great Western Road

Gloucester

United Kingdom

GL1 3NN

Study participating centre

Norfolk & Norwich University Hospital

Colney Lane

Colney

Norwich

United Kingdom

NR4 7UY

Study participating centre

Northern General Hospital

Northern General Hospital NHS Trust

C Floor, Huntsman Building

Herries Road

Sheffield

United Kingdom

S5 7AU

Study participating centre

Royal Stoke University Hospital

Newcastle Road

Stoke-on-trent

United Kingdom

ST4 6QG

Study participating centre
Oxford University Hospitals
John Radcliffe Hospital
Headley Way
Headington
Oxford
United Kingdom
OX3 9DU

Study participating centre
Royal Gwent Hospital
Cardiff Road
Newport
United Kingdom
NP20 2UB

Study participating centre
Queen Elizabeth University Hospital
1345 Govan Road
Glasgow
United Kingdom
G51 4TF

Sponsor information

Organisation
North Bristol NHS Trust

ROR
<https://ror.org/036x6gt55>

Funder(s)

Funder type
Charity

Funder Name
Southmead Hospital Charity

Results and Publications

Individual participant data (IPD) sharing plan

Deidentified data from this study will be made available by secure transfer from the corresponding author upon reasonable request from a qualified academic investigator for the sole purpose of replicating results presented in the article, under conditions of appropriate ethical oversight, upon investigator approval and execution of a data use agreement.

IPD sharing plan summary

Available on request

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Protocol file	version 1.0	16/01/2024	07/02/2024	No	No
Study website	Study website	11/11/2025	11/11/2025	No	Yes