

How changing diet by cutting out specific foods affects the symptoms and gut bacteria in people dealing with ulcerative colitis

Submission date 27/12/2023	Recruitment status No longer recruiting	<input type="checkbox"/> Prospectively registered <input checked="" type="checkbox"/> Protocol
Registration date 11/03/2024	Overall study status Completed	<input type="checkbox"/> Statistical analysis plan <input type="checkbox"/> Results
Last Edited 14/08/2024	Condition category Digestive System	<input type="checkbox"/> Individual participant data <input checked="" type="checkbox"/> Record updated in last year

Plain English summary of protocol

Background and study aims

Ulcerative colitis is becoming a common disease in India. The disease occurs in the large intestine of patients and the common symptoms of this disease are diarrhea and bleeding per rectum. The disease is treated by a variety of oral or intravenous medications depending upon the disease severity. The currently available agents are costly and not all patients respond to them. So there is a need to develop efficacious and cost-effective therapies for this disease. Dietary manipulation through microbiome modification could be a physiological approach to counter the disease-associated inflammation and cause clinical improvement. The study aims to compare the dietary modification with standard of care in patients with mild to moderate UC.

Who can participate?

All adult patients (18 – 65 years of age) with ulcerative colitis who had active disease (mild to moderate) were included in the study.

What does the study involve?

The study involves a comparison of dietary manipulation with standard of care in patients with mild to moderate ulcerative colitis in causing clinical improvement. The therapies we used in this research were partial enteral nutrition (PEN) and exclusion diet(ED). Partial enteral nutrition (PEN) is a soya-based powdered formula which contains nutrients like protein, fats carbohydrates, minerals and vitamins. Patients in one group were given the 50% calorie requirement in the form of PEN, along with diet modifications and the second group was given standard treatment for ulcerative colitis.

What are the possible benefits and risks of participating?

The Patients may benefit as disease activity may improve. If proven to be effective it may be useful as an effective and safe alternative for all patients with mild to moderate ulcerative colitis.

There was no risk observed during clinical assessment or blood or stool sample collection.

Where is the study run from?

The study was conducted in IBD Clinic, Department of Gastroenterology and Human Nutrition, All India Institute of Medical Sciences, New Delhi, India.

When is the study starting and how long is it expected to run for?

February 2021 to January 2022

Who is funding the study?

This study is funded by The Indian Council of Medical Research (ICMR), Govt. of India.

Who is the main contact?

Dr. Vineet Ahuja, Professor

vineet.aiims@gmail.com

Contact information

Type(s)

Public, Scientific, Principal Investigator

Contact name

Prof Vineet Ahuja

ORCID ID

<https://orcid.org/0000-0002-1577-0118>

Contact details

Department of Gastroenterology and Human Nutrition, All India

Institute of Medical Sciences

New Delhi

India

110029

+91 9868397206

vineet@aiims.edu

Additional identifiers

EudraCT/CTIS number

Nil known

IRAS number

ClinicalTrials.gov number

Nil known

Secondary identifying numbers

R/IEC-61/8.01.2021

Study information

Scientific Title

A study to evaluate efficacy and tolerability of partial enteral nutrition with exclusion diet and its effect on microbiome change in patients with mild to moderate ulcerative colitis: a quasi-experimental study

Study objectives

The proposed study will try to overcome the current challenges associated with the treatment of inflammatory bowel disease (IBD)- limitations of immune based therapies: primarily limited efficacy, cost and adverse effects. Dietary manipulation is efficacious and safe alternative for treatment of IBD. By targeting the proposed pathogenesis of IBD, microbial manipulation is also expected to alter the disease course of IBD, thereby improving outcomes in the long-term.

Ethics approval required

Ethics approval required

Ethics approval(s)

Approved 13/02/2021, Institute Ethics Committee for postgraduate residents (AIIMS, Room no. 102, 1st floor, Old OT block, Ansari Nagar, New Delhi, 110029, India; +90 11-26594579; ethicscommitteeaiims@aiims.ac.in), ref: IEC-61/08.01.2001

Study design

Single-center open-label quasi-experimental trial

Primary study design

Interventional

Secondary study design

Non randomised study

Study setting(s)

Hospital

Study type(s)

Efficacy

Participant information sheet

See study outputs table

Health condition(s) or problem(s) studied

Ulcerative colitis

Interventions

The study is single center, open label, quasi experimental trial of partial enteral nutrition (PEN) and exclusion diet in comparison to standard medical therapy in adult patients with mild to moderate ulcerative colitis. Included patients will undergo a uniform baseline evaluation which will include a clinical evaluation, and laboratory assessment. Neither the patient nor the investigator can be blinded to the treatment. However, the investigator analyzing the data will be blinded to the treatment details.

Intervention: Patients with active disease will either receive PEN and exclusion diet (experimental arm) or standard medical therapy (SMT, control arm). Patients in both groups will continue the ongoing treatment prior to inclusion in study and local therapy will be optimized before up gradation to higher immunosuppressants.

Experimental arm: Patients will be asked to strictly adhere to the PEN along with exclusion diet for 4 weeks. PEN is a soya based powdered polymeric nutrition supplement formula (REMATIN, Waterley) which contains nutrients like calories, protein, carbohydrates and fat along with vitamins and minerals which provides 1kcal/ml energy. Patients will be administered 50% of caloric requirement in the form of PEN and exclusion diet (table 1), which would be rich in dietary constituents that expand T-regulatory cells, promote healthy microbiota and improve the intestinal barrier, and will be poor in dietary constituents that cause dysbiosis or have negative effect on intestinal barrier. Patients will be given a diet chart accordingly and will be counseled to adhere to the diet protocol. Regular telephonic interviews will be done to ensure compliance with the diet. PEN and exclusion diet will be continued for 4 weeks.

Control arm: Patients will be given standard medical therapy (SMT-continuation of baseline medications), along with optimizing the dose of 5-ASA and/or addition of topical therapy.

Follow-up: Patients will be followed at weeks 2 and 4. Clinical disease activity (SCCAI) will be assessed at all visits, and dietary adherence in the experimental arm will be assessed at weeks 2 and 4. Stool sample for microbiome analysis and fecal calprotectin will be collected at baseline and 4 weeks. The stool samples will be stored at -80 for microbiome analysis. Microbiome analysis will be done only in intervention arm and compared with baseline analysis.

Clinical and laboratory evaluation: Detailed history will be taken regarding demographic information, onset and duration of symptoms, and clinical features. Disease activity will be assessed at baseline using SCCAI and partial Mayo score. Laboratory investigation Hemogram, liver function test, renal function test, and serum C-reactive protein will be done in all patients. Stool samples will also be collected in a sterile airtight container for microbiota assessment and fecal calprotectin.

Intervention Type

Supplement

Primary outcome measure

Composite of clinical remission (assessed by simple clinical colitis activity index (SCCAI) ≤ 2) and faecal calprotectin $< 150 \mu\text{g/gm}$ at 4 weeks

Secondary outcome measures

1. Change in microbiome at 4 weeks after partial enteral nutrition (PEN) and exclusion diet in the intervention arm
2. Proportion of patients with rectal bleeding score of 0 and stool frequency score of ≤ 1 at 4 weeks
3. Tolerability of PEN + exclusion diet at 4 weeks

Overall study start date

13/02/2021

Completion date

10/02/2022

Eligibility

Key inclusion criteria

1. Patients who are confirmed cases of mild to moderate ulcerative colitis
2. Age: 18 – 70 years of either gender
3. Patients on stable dose of mesalamine for past 4 weeks
4. Patients on stable dose of azathioprine/6-mercaptopurine for past 6 months
5. Patients on stable doses of topical therapy for past 2 weeks
6. Patients who are willing to participate

Participant type(s)

Patient

Age group

Adult

Lower age limit

18 Years

Upper age limit

70 Years

Sex

Both

Target number of participants

114

Total final enrolment

60

Key exclusion criteria

1. Received oral steroids in the past 4 weeks
2. Received oral antibiotics within past 2 weeks
3. Patients with severe disease activity
4. Patients with fulminant colitis requiring hospitalization
5. Patients who have had surgery
6. Patients with concomitant GI infection
7. Patients with significant hepatic, renal, endocrine, respiratory, neurologic, or cardiovascular diseases will also be excluded
8. Pregnant, lactating females

Date of first enrolment

15/02/2021

Date of final enrolment

10/09/2021

Locations

Countries of recruitment

India

Study participating centre

All India Institute of Medical Sciences, New Delhi

Third Floor, Teaching Block

All India Institute of Medical Sciences

New Delhi

India

110029

Sponsor information**Organisation**

All India Institute of Medical Sciences

Sponsor details

Ansari nagar

New Delhi

India

110029

+91-11-26594615

deanresearchaiims@gmail.com

Sponsor type

Research organisation

Website

<http://www.aiims.edu/en.html>

ROR

<https://ror.org/02dwcqs71>

Funder(s)**Funder type**

Government

Funder Name

Indian Council of Medical Research

Alternative Name(s)

Indian Council of Medical Research, Government of India, Indian Council of Medical Research (ICMR), New Delhi, ICMROrganisation, , Indian Council of Medical Research, New Delhi, ICMR, ICMRDELHI, ...

Funding Body Type
Government organisation

Funding Body Subtype
National government

Location
India

Results and Publications

Publication and dissemination plan
Planned publication in a peer reviewed high impact journal.

Intention to publish date
28/10/2024

Individual participant data (IPD) sharing plan
The datasets generated during and/or analysed during the current study are available from the corresponding author on reasonable request
vineet.aiims@gmail.com

IPD sharing plan summary
Available on request

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Participant information sheet			08/01/2024	No	Yes
Protocol file			08/01/2024	No	No