

Contrast sensitivity measurement validation testing program

Submission date 29/07/2025	Recruitment status Recruiting	<input type="checkbox"/> Prospectively registered <input type="checkbox"/> Protocol
Registration date 29/07/2025	Overall study status Ongoing	<input type="checkbox"/> Statistical analysis plan <input type="checkbox"/> Results
Last Edited 29/07/2025	Condition category Eye Diseases	<input type="checkbox"/> Individual participant data <input checked="" type="checkbox"/> Record updated in last year

Plain English summary of protocol

Background and study aims

Presbyopia is the gradual loss of the eye's ability to focus on nearby objects due to natural aging. Visual performance measurement is traditionally based upon visual acuity measurement and occasionally on the measurement of contrast sensitivity. The latter method, considered to be more sensitive at detecting differences in performance between different optical designs than visual acuity, uses linear or circular sinusoidal contrast target.

The study aim is to determine the sensitivity of two contrast sensitivity tests in detecting changes in contrast sensitivity associated with refractive defocus.

Who can participate?

Presbyopes aged between 40 to 50 years old.

What does the study involve?

Part 1 involves attending the clinic for nine study visits.

Part 2 involves attending the clinic for five study visits

What are the possible benefits and risks?

The study results will contribute to collect additional information about visual performance variability under different contrast conditions.

Where is the study running from?

Ocular Technology Group - International (OTG-i) (UK)

When is the study starting and how long is it expected to run for?

July 2025 to October 2025

Who is funding the study?

Alcon Research, LLC (Switzerland)

Who is the main contact?

Deborah Moore, dmoore@otg.co.uk

Contact information

Type(s)

Public

Contact name

Miss Deborah Moore

Contact details

66 Buckingham Gate
London
United Kingdom
SW1E 6AU
+44 2072224224
dmoore@otg.co.uk

Type(s)

Scientific, Principal Investigator

Contact name

Dr Michel Guillon

Contact details

66 Buckingham Gate
London
United Kingdom
SW1E 6AU
+44 2072224224
mguillon@otg.co.uk

Additional identifiers

EudraCT/CTIS number

Nil known

IRAS number

359150

ClinicalTrials.gov number

Nil known

Secondary identifying numbers

Nil known

Study information

Scientific Title

Contrast sensitivity measurement validation testing program - phase 1 - test resolution determination

Study objectives

Part 1: determination of the sensitivity of the test in detecting change in contrast sensitivity associated with refractive defocus.

Part 2: determination of the test ability to measure binocular summation via the measurement of contrast sensitivity through focus curve.

Ethics approval required

Ethics approval required

Ethics approval(s)

Approved 10/07/2025, North of Scotland Research Ethics Committee (Summerfield House, 2 Eday Road, Aberdeen, AB15 6RE, United Kingdom; +44 1224558458; gram.nosres@nhs.scot), ref: 25/NS/0063

Study design

Part 1: Exploratory part following a clinic based prospective randomized cross-over study design

Part 2: Clinic based prospective single group study design

Primary study design

Interventional

Secondary study design

Part 1: Prospective randomized cross over; Part 2: Prospective single group

Study setting(s)

Other

Study type(s)

Efficacy

Participant information sheet

Not available in web format, please use contact details to request a participant information sheet

Health condition(s) or problem(s) studied

Presbyopia

Interventions

Part 1 will be an exploratory part following a clinic based, prospective, randomized cross-over study design testing the sensitivity to defocus of both linear sinusoidal contrast sensitivity and letter contrast sensitivity. Part 1 will involve 9 study visits.

The rationale for including sinusoidal contrast sensitivity measurements only in this part is that the repeatability of the technique has been shown to be poorer than the repeatability of letter contrast sensitivity, therefore it is not anticipated that sensitivity to refractive blur will be as good which trend should be demonstrated with only a small study population. The objective of the two part approach is minimizing participants burden due to the large difference in the repeatability of the two methods.

Part 2 will follow a clinic based, prospective single group study design testing only letter contrast sensitivity. Part 2 will involve 5 visits.

Intervention Type

Other

Primary outcome measure

Measurement of Contrast sensitivity at photopic (85cd/m²) and mesopic (3cd/m²) luminance using timed controlled contrast sensitivity visual acuity with the OTGi vision suite and M&S Technology between four and nine times during the study visit

Secondary outcome measures

Measurement of high contrast timed logMAR visual acuity at photopic (85 cd/m²) luminance using timed controlled visual acuity using OTGi vision suite 9 times during the first study visit

Overall study start date

01/05/2025

Completion date

30/10/2025

Eligibility**Key inclusion criteria**

1. Age 40 to 50 years
2. Spectacle refraction:
Distance: Sphere: -6.00D to + 2.00D
Astigmatism: 0.00D to -0.75D
Near Add +0.50 to +2.50D
3. Spectacles or soft contact lenses habitual vision correction
4. Best corrected visual acuity of at least 20/25 in each eye

Participant type(s)

Healthy volunteer

Age group

Adult

Lower age limit

40 Years

Upper age limit

50 Years

Sex

Both

Target number of participants

Part 1: 10 & Part 2: 25

Key exclusion criteria

1. Any history of eye disease, injury or abnormality that affects any part of the eye that affects vision

2. Any active eye disease that affects any part of the eye that affects vision
3. Corneal hypoesthesia (reduced corneal sensitivity), if not aphakic
4. Newly prescribed (within the past 30 days) use of some systemic medications (such as antihistamines, decongestants, diuretics, muscle relaxants, tranquilizers, stimulants, anti-depressants, anti-psychotics, oral contraceptives) or ocular medication that may affect vision and its stability as determined by the investigator
5. Enrolment of the family members of the investigator, family members of the investigator's staff, or individuals living in the households of these individuals

Date of first enrolment

17/05/2025

Date of final enrolment

30/10/2025

Locations

Countries of recruitment

England

United Kingdom

Study participating centre

Ocular Technology Group International

66 Buckingham Gate

London

United Kingdom

SW1E 6AU

Sponsor information

Organisation

Optometric Technology Group Ltd

Sponsor details

66 Buckingham Gate

London

United Kingdom

SW1E 6AU

+44 2072224224

dmoore@otg.co.uk

Sponsor type

Research organisation

Funder(s)

Funder type

Industry

Funder Name

Alcon Research LLC

Results and Publications

Publication and dissemination plan

There are no plans at this stage for publication or dissemination.

Intention to publish date

Individual participant data (IPD) sharing plan

Not expected to be made available

IPD sharing plan summary

Not expected to be made available