

Influence of a vibrating therapeutic couch on pain level in healthy adults with back pain

Submission date 25/02/2023	Recruitment status No longer recruiting	<input type="checkbox"/> Prospectively registered <input type="checkbox"/> Protocol
Registration date 07/07/2023	Overall study status Completed	<input type="checkbox"/> Statistical analysis plan <input type="checkbox"/> Results
Last Edited 07/07/2023	Condition category Musculoskeletal Diseases	<input type="checkbox"/> Individual participant data <input type="checkbox"/> Record updated in last year

Plain English summary of protocol

Background and study aims

One speaks of non-specific back pain when no cause can be found with simple clinical means that can easily explain the regional back pain. A possible form of physical therapy is vibration, which has an effect on the vascular system by increasing arterial blood flow, reducing vascular resistance, and expanding capillaries. Vibration affects the muscles and skin like strains during a massage. A high vibration intensity (frequency and amplitude) also affects peripheral blood circulation, metabolism and muscular regeneration. This study aimed to test the extent to which vibration, in addition to heat therapy, has an effect on non-specific back pain.

Who can participate?

Healthy adults aged between 18-80 years old with moderate to strong low back pain

What does the study involve?

The participant will visit the trial site on day one and after signing the patient information, the physician will gather general health information to confirm the patient's suitability for the study. After enrolling the patient into the study, baseline parameters will be captured followed by the study intervention. During the intervention period, the patient lies on a cushioned vibrating plate for about 10 minutes. After this procedure, the first post-intervention parameters are taken. On the following day, a check-up call is undertaken including pain reporting.

What are the possible benefits and risks of participating?

Possible benefits are regular health checks accompanied by a physician within a non-placebo-controlled study. Possible side effects include heat or vibration, and reflective irritation of the skin associated with slight redness and/or a slight itching of the skin. In very rare cases, slight but temporary nausea (vegetative dysregulation).

Where is the study run from?

Dr Hartard Physio Vibbing (Physiotherapy and MPG-Study Site) (Germany)

When is the study starting and how long is it expected to run for?

May 2014 to March 2016

Who is funding the study?
Kurperle GmbH, Bad Füssing (Germany)

Who is the main contact?
Principal Investigator, Dr. Dr. Med. Univ. Manfred Hartard, m.hartard@cdg-muenchen.de

Contact information

Type(s)

Principal Investigator

Contact name

Dr Manfred Hartard

Contact details

Helene-Mayer-Ring 14/EE
Munich
Germany
80809
+498935747125
m.hartard@cdg-muenchen.de

Type(s)

Scientific

Contact name

Dr Study Clinic (Studienambulanz) Team

Contact details

Helene-Mayer-Ring 14/EE
München
Germany
80809
+498935819977
studienambulanz@cdg-muenchen.de

Type(s)

Public

Contact name

Dr Study Clinic (Studienambulanz) Team

Contact details

Helene-Mayer-Ring 14/EE
München
Germany
80809
+498935819977
studienambulanz@cdg-muenchen.de

Additional identifiers

EudraCT/CTIS number

Nil known

IRAS number

ClinicalTrials.gov number

Nil known

Secondary identifying numbers

VAS-OXY-BIGESTA SPINTRAC MEDICAL

Study information

Scientific Title

Influence of resting on a vibrating or heating plate on pain level and peripheral oxygen saturation in patients aged 18 to 80 with nonspecific back pain

Acronym

BIGESTA

Study objectives

Resting on a vibrating or heating plate will reduce low back pain and increase oxygen saturation

Ethics approval required

Old ethics approval format

Ethics approval(s)

Approved 18/03/2015, Ludwig-Maximilians-University Munich Ethics Committee (Pettenkoferstr. 8a, Munich, 80336, Germany; +49 (0)89 4400 55191; ethikkommission@med.uni-muenchen.de), ref: 472-14

Study design

Monocenter interventional open-label randomized controlled trial

Primary study design

Interventional

Secondary study design

Randomised controlled trial

Study setting(s)

Fitness/sport facility, GP practice

Study type(s)

Treatment

Participant information sheet

Not available in web format, please use the contact details to request a participant information sheet

Health condition(s) or problem(s) studied

Decreasing low back pain in healthy adults

Interventions

The treatment was carried out on a Spintrac couch from the manufacturer Kurperle GmbH, Bad Füssing. The treatment time was 10 minutes. The therapy was carried out according to the manufacturer's operating instructions. Participants will be randomly assigned to either an infrared/heat group (heat group), a vibration group (VIB group) or a combination group (COMBI group) using a simple randomisation method. In the infrared/heat group, the therapy is carried out using only the heat generated under infrared light (near-infrared range) with a wavelength of 780-1000 nm. In the vibration group, the therapy takes place only by means of vibration (clockwise rotating horizontal oscillation with a frequency of 20 Hz and an oscillation of 1 cm). In the combination group, the therapy is carried out in a combination of the previously described intervention using infrared light and the previously described clockwise horizontal vibration. Blinding was not possible, so this is an open-label intervention.

Intervention Type

Device

Phase

Not Applicable

Drug/device/biological/vaccine name(s)

Spintrac couch

Primary outcome measure

Pain measured using a visual analogue scale (VAS) at baseline, post-intervention, and 24h post-intervention

Secondary outcome measures

1. Blood oxygen saturation measured using a pulse oximeter at baseline and post-intervention
2. Blood perfusion index measured using a pulse oximeter at baseline and post-intervention

Overall study start date

28/05/2014

Completion date

01/03/2016

Eligibility

Key inclusion criteria

1. People between the ages of 18 and 80 years old
2. Non-specific back pain in the last 24 hours determined using the VAS scale
3. Greater than 30 mm and less than 90 mm (pain at rest and/or on movement) on the VAS scale at randomization
4. Written informed consent dated and signed by the patient

Participant type(s)

Healthy volunteer

Age group

Adult

Sex

Both

Target number of participants

60

Total final enrolment

60

Key exclusion criteria

1. Specific back pain
2. Acute inflammatory disease

Date of first enrolment

20/07/2015

Date of final enrolment

29/02/2016

Locations

Countries of recruitment

Germany

Study participating centre

Dr. Hartard Physio Vibbing

Helene-Mayer-Ring 14 ee

Munich

Germany

80809

Sponsor information

Organisation

Kurperle GmbH

Sponsor details

Klosterstraße 17

Aigen

Germany
94072
+49853791104
info@kurperle.de

Sponsor type
Industry

Funder(s)

Funder type
Industry

Funder Name
Kurperle GmbH

Results and Publications

Publication and dissemination plan
Planned publication in a high-impact peer-reviewed journal

Intention to publish date
31/12/2023

Individual participant data (IPD) sharing plan

The datasets analysed during the current study are available upon request from Dr Manfred Hartard, m.hartard@cdg-muenchen.de.

- The type of data that will be shared: Raw study data
- Timing for availability: Upon request
- Whether consent from participants was required and obtained: All ICFs were required and obtained
- Comments on data anonymization: Patients are only identifiable by their patient ID within the study
- Any ethical or legal restrictions: No

IPD sharing plan summary
Available on request