

Investigating the effect of bilateral quadriceps NeuroMuscular Electrical Stimulation (NMES) on exercise capacity in patients with severe chronic obstructive pulmonary disease

Submission date	Recruitment status	<input type="checkbox"/> Prospectively registered
31/05/2012	No longer recruiting	<input type="checkbox"/> Protocol
Registration date	Overall study status	<input type="checkbox"/> Statistical analysis plan
31/05/2012	Completed	<input checked="" type="checkbox"/> Results
Last Edited	Condition category	<input type="checkbox"/> Individual participant data
01/12/2016	Respiratory	

Plain English summary of protocol

Background and study aims

People with chronic obstructive pulmonary disease (COPD) often experience a reduced ability to exercise, which affects their independence and quality of life. Several factors contribute to this including leg muscle weakness. Exercise can help but even simple forms, e.g. walking, can be difficult when out of breath. An alternative is neuromuscular electrical stimulation (NMES) which uses a small battery-operated stimulator and pads placed over each thigh to produce a comfortable contraction and relaxation of the underlying muscles. Several small studies have found 4–6 week programmes to benefit patients but larger studies are required to confirm these findings.

Who can participate?

People diagnosed with COPD, attending clinics at the Kings College Hospital NHS Foundation Trust may be invited to take part by their usual clinical team.

What does the study involve?

In this study 52 people with severe COPD will be allocated to receive either active or sham (dummy) NMES to the thigh muscles. Both programmes will consist of 30 minutes of daily stimulation for 6 weeks, but the level will be set to either allow muscle contraction (active) or provide sensation only (dummy). Before and after the programme participants ability to exercise, thigh muscle strength and size, physical activity level and quality of life will be assessed.

What are the possible benefits and risks of participating?

We hope that using NMES will help keep participants leg muscles strong and the information we get from this study should help us provide better care for people with COPD and will help confirm if NMES can benefit people with COPD unable to complete traditional forms of exercise. If successful, this may help this group maintain their independence for longer. It is however possible some participants will not gain any benefits from using NMES. NMES has been used in a wide range of medical conditions and there should be no serious side effects. People sometimes

feel slight muscle soreness after first using NMES because it is a form of exercise, but this generally settles after a day or two.

Where is the study run from?

The study will run from Kings College Hospital NHS Foundation Trust.

When is study starting and how long is it expected to run for?

The study start in June 2012 and run approximately two years.

Who is funding the study?

National Institute for Health Research (NIHR)

Who is the main contact?

Dr Matthew Maddocks

matthew.maddocks@kcl.ac.uk

Contact information

Type(s)

Scientific

Contact name

Dr Matthew Maddocks

Contact details

Cicely Saunders Institute

Bessemer Road

Denmark Hill

London

United Kingdom

SE5 9PJ

+44 207 848 5242

matthew.maddocks@kcl.ac.uk

Additional identifiers

Protocol serial number

12017

Study information

Scientific Title

A randomised placebo-controlled trial investigating the effect of bilateral quadriceps NeuroMuscular Electrical Stimulation (NMES) on exercise capacity in patients with severe chronic obstructive pulmonary disease

Acronym

NMES

Study objectives

People with chronic obstructive pulmonary disease (COPD) often experience a reduced ability to exercise, which affects their independence and quality of life. Several factors contribute to this including leg muscle weakness.

Exercise can help but even simple forms, e.g. walking, can be difficult when out of breath. An alternative is neuromuscular electrical stimulation (NMES) which uses a small battery-operated stimulator and pads placed over each thigh to produce a comfortable contraction and relaxation of the underlying muscles. Several small studies have found 4-6 week programmes to benefit patients but larger studies are required to confirm these findings.

Fifty-two people with severe COPD will be allocated to receive either active or sham NMES to the thigh muscles. Both programmes will consist of 30 minutes of daily stimulation for 6 weeks, but the level will be set to either allow muscle contraction (active) or provide sensation only (placebo). Before and after the programme participants ability to exercise, thigh muscle strength and size, physical activity level and quality of life will be assessed. Findings will confirm if NMES can benefit people with COPD unable to complete traditional forms of exercise. If successful, this may help this group maintain their independence for longer.

Ethics approval required

Old ethics approval format

Ethics approval(s)

London Camberwell St Giles NRES Committee, ref:12/LO/0263

Study design

Randomised; Interventional; Design type: Treatment

Primary study design

Interventional

Study type(s)

Treatment

Health condition(s) or problem(s) studied

Chronic obstructive pulmonary disease

Interventions

Active, NMES to the quadriceps for 30min daily for 6 weeks (frequency 50Hz, pulse width 350 μ s, duty cycle 11-50%, amplitude 0-120mA over 1000O). The proportion of the treatment duration which is active, i.e. the stimulation phase of the duty cycle, will increase on a weekly basis from 11% to 25% to 50%, remaining constant thereafter.

Control, Placebo NMES to the quadriceps for 30min daily for 6 weeks using levels of stimulation detectable by the patient but not able to elicit a tetanic muscle contraction (frequency 50Hz, pulse width 350 μ s, duty cycle 11-50%, amplitude 0-20mA).

Intervention Type

Other

Phase

Not Applicable

Primary outcome(s)

Six-minute walk test (6MWT) at baseline, 6 and 12 weeks

Key secondary outcome(s)

1. Quadriceps function and size; assessed by quadriceps maximum voluntary contraction and twitch with femoral nerve stimulation, time for twitch to decline to 70% of maximum with repetitive transcutaneous stimulation, rectus femoris cross sectional area with ultrasonography and fat free mass by bioimpedance (kg).
2. Exercise capacity: assessed by 6MWT distance (m) at 12 weeks
3. Physical activity level: mean daily step count, up/down transitions and time spent upright
4. Health-related quality of life; overall health on EQ5D visual analogue scale (0–100), St Georges
5. Respiratory Questionnaire and Chronic Respiratory Disease Questionnaire
6. Service utilisation; formal and informal care 12 weeks assessed by Client Service Receipt Inventory
7. Patients' experiences: semi-structured interviews in a sub-group of patients at 6 weeks

Completion date

17/05/2014

Eligibility

Key inclusion criteria

1. ≥ 18 years of age
2. Diagnosis of COPD [forced expiratory volume in the first one second to the forced vital capacity of the lungs (FEV1: FVC ratio $\leq 70\%$)]
3. Severe respiratory impairment (GOLD stage III/IV; FEV1 $\leq 50\%$ predicted)
4. Incapacitating breathlessness (MRC dyspnoea score 4/5)
5. Able to provide written informed consent

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Lower age limit

18 years

Sex

All

Key exclusion criteria

1. Cardiac pacemaker
2. Co-existing neurological condition
3. Change in medication or exacerbation requiring admission in preceding 4 weeks

4. Recent systemic corticosteroids (>=5 consecutive days in last 4 weeks)
5. Current regular exerciser (structured training >=3 times/week within last month)
6. Adults unable to consent for themselves

Date of first enrolment

17/05/2012

Date of final enrolment

17/05/2014

Locations

Countries of recruitment

United Kingdom

England

Study participating centre

Cicely Saunders Institute

London

United Kingdom

SE5 9PJ

Sponsor information

Organisation

King College Hospital (UK)

ROR

<https://ror.org/044nptt90>

Funder(s)

Funder type

Government

Funder Name

National Institute for Health Research (NIHR) (UK) - Doctoral Research Fellowship

Results and Publications

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article	results	01/01/2016		Yes	No
Participant information sheet	Participant information sheet	11/11/2025	11/11/2025	No	Yes