# Use of a supplement called Memovigor-2 in tinnitus (a condition where a person hears a ringing or buzzing sound in their ears)

| Submission date   | Recruitment status No longer recruiting | Prospectively registered       |  |  |
|-------------------|---|--------------------------------|--|--|
| 20/03/2023        |   | [X] Protocol                   |  |  |
| Registration date | Overall study status                    | Statistical analysis plan      |  |  |
| 05/04/2023        | Completed                               | [X] Results                    |  |  |
| Last Edited       | Condition category                      | [] Individual participant data |  |  |
| 20/02/2024        | Ear. Nose and Throat                    |                                |  |  |

## Plain English summary of protocol

Background and study aims

Tinnitus is a common condition where people hear sounds like ringing or whistling in their ears, even when there is no external noise present. It affects 15-20% of people, especially older adults. Most people have a mild form of tinnitus in quiet rooms, but it can be a problem if it's bothersome or affects hearing. It's usually associated with hearing loss, but it can happen to anyone. We don't know exactly what causes tinnitus, so it's hard to treat. A new drug called Memovigor2, made from natural ingredients, has been suggested as a treatment for recentonset tinnitus. This type of tinnitus may be easier to treat because the brain is more adaptable. The aim of this study is to see if Memovigor2 can help treat tinnitus.

#### Who can participate?

Adults aged 18-70 years who suffer from recent-onset tinnitus.

#### What does the study involve?

Participants are asked to join this study when they come to our Audiology & Neurotology Department suffering from tinnitus that began during the last 12 months. Participants are randomly allocated to one of two groups. Those in the first group are given Memovigor-2 tablets, one daily, for 3 months. Those in the second group are given dummy tablets, also 1 tablet daily for 3 months. Participants of both groups complete questionnaires and objective audiological tests at the beginning and after 3 months of treatment. The study lasts until testing 80 patients of each group. The study is randomized double-blind, because participants are randomly allocated to one of the two groups, and they don't know if they are given the drug or the dummy. Also, the examiner does not know to which group belongs each patient.

#### What are the possible benefits and risks of participating?

By taking part in this study there are no risks of physical injury or harm. The only known adverse reaction of the drug is a small effect on blood coagulation, which can present as bruises, or bleeding that does not stop easily with pressure. However, patients with blood coagulation disorders or using anticoagulants are excluded from the study. For the participants taking the drug, the benefit is a possible improvement of their tinnitus. Participants in the second group, if

the drug is proven useful, may gain by taking the drug after the end of the study. Also, many patients with recent-onset tinnitus may benefit from the results of this study.

Where is the study run from?

Audiology & Neurotology Department, Tzaneio General Hospital, Piraeus, Greece

When is the study starting and how long is it expected to run for? December 2019 to September 2023

Who is funding the study?

The study is self-funded. However, the pharmaceutical company Bionat has provided the drug and the dummies.

Who is the main contact? Dimitrios Balatsouras, dbalats@hotmail.com

# Contact information

### Type(s)

Public

#### Contact name

Dr Dimitrios Balatsouras

#### **ORCID ID**

https://orcid.org/0000-0001-9064-0201

#### Contact details

Audiology & Neurotology Department Tzaneio General Hospital of Piraeus 1 Afentouli Str. Piraeus Greece 18536 +30 2104592644 hospital@tzaneio.gr

# Type(s)

Scientific

#### Contact name

Dr Dimitrios Balatsouras

#### Contact details

Audiology & Neurotology Department Tzaneio General Hospital of Piraeus 1 Afentouli Str. Pireaus Greece 18536 +30 2104592644 grpros@tzaneio.gov.gr

### Type(s)

Principal investigator

#### Contact name

Dr Dimitrios Balatsouras

#### Contact details

Audiology & Neurotology Department Tzaneio General Hospital of Piraeus 1 Afentouli Str. Pireaus Greece 18536 +30 2104592644 dbalats@hotmail.com

# Additional identifiers

#### Clinical Trials Information System (CTIS)

Nil known

### ClinicalTrials.gov (NCT)

Nil known

#### Protocol serial number

14549-18/11/2019

# Study information

#### Scientific Title

Memovigor-2 improves tinnitus in patients with recent onset disease: A randomized placebocontrolled study

# **Study objectives**

To assess improvement of tinnitus using Memovigor-2 in patients with tinnitus of recent onset

### Ethics approval required

Ethics approval required

# Ethics approval(s)

approved 05/12/2019, Institutional Review Board of Tzaneio General Hospital of Piraeus (1 Afentouli, Piraeus, 18536, Greece; +30 2132081000; epistimonico.symvulio@tzaneio.gov.gr), ref: 14549/05-12-2019

# Study design

Single-centre randomized controlled clinical trial

#### Primary study design

Interventional

### Study type(s)

**Treatment** 

### Health condition(s) or problem(s) studied

**Tinnitus** 

#### **Interventions**

Patients participating in the research group (50%) are given 1 tablet 900 mg of Memovigor 2 (Bionat, Athens, Greece) daily for 3 months. Similar use of placebo is used in the remaining 50%, the control group. A sealed envelope with either drug or placebo is provided to the subjects of the study for the randomisation process.

#### Intervention Type

Supplement

#### Primary outcome(s)

Tinnitus change is measured using Tinnitus Handicap Inventory questionnaire (THI) at baseline and 3 months

#### Key secondary outcome(s))

Current secondary outcome measures as of 04/07/2023:

- 1. Tinnitus severity is measured using Mini Tinnitus Questionnaire at baseline and 3 months
- 2. Evaluation of perceptional quality of tinnitus using specific measures of tinnitus perception (tinnitus loudness matching, tinnitus pitch matching, tinnitus minimum masking level, residual inhibition of tinnitus) at baseline and 3 months
- 3. Evaluation of hearing is measured using audiometry at baseline and 3 months
- 4. Perception of tinnitus change due to intervention measured using the Patient's Global Impression of Change (PGIC) at baseline and 3 months

# Previous secondary outcome measures:

- 1. Tinnitus severity is measured using Mini Tinnitus Questionnaire at baseline and 3 months
- 2. Objective tinnitus evaluation is measured using objective tinnitus measurement tests (tinnitus loudness matching, tinnitus pitch matching, tinnitus minimum masking level, residual inhibition of tinnitus) at baseline and 3 months
- 3. Evaluation of hearing is measured using audiometry at baseline and 3 months.

# Completion date

06/06/2023

# **Eligibility**

# Key inclusion criteria

- 1. Age 18 70 years
- 2. Suffering from tinnitus
- 3. Recent onset disease ≤12 months

# Participant type(s)

#### **Patient**

# Healthy volunteers allowed

No

#### Age group

Mixed

# Lower age limit

17 years

#### Upper age limit

70 years

#### Sex

All

#### Total final enrolment

204

#### Key exclusion criteria

- 1. Patients with otosclerosis
- 2. Chronic otitis media
- 3. Hypo- or hyperthyroidism
- 4. Diabetes mellitus
- 5. Uncontrolled hypertension
- 6. Hypercholesterolemia
- 7. Coagulation disorders
- 8. Use of anticoagulants

### Date of first enrolment

09/12/2019

#### Date of final enrolment

31/03/2023

# Locations

#### Countries of recruitment

Greece

18536

# Study participating centre Tzaneio General Hospital

Audiology & Neurotology Department

1 Afentouli Str

Piraeus

Greece

# Sponsor information

# Organisation

Tzaneio General Hospital of Piraeus

# Funder(s)

## Funder type

Other

#### Funder Name

Investigator initiated and funded

# **Results and Publications**

#### Individual participant data (IPD) sharing plan

The datasets generated during and analysed during the current study will be available upon request from Dimitrios Balatsouras, dbalats@hotmail.com, participant level raw data, after publication for 5 years. The data will be anonymous and will be shared by E-mail to members of the Biomedical Community for scientific analysis. The data will be anonymous and no patient consent is required.

### IPD sharing plan summary

Available on request

# **Study outputs**

| Output type                   | Details                       | Date created | Date added | Peer reviewed? | Patient-facing? |
|-------------------------------|-------------------------------|--------------|------------|----------------|-----------------|
| Results article               |                               | 24/01/2024   | 09/02/2024 | Yes            | No              |
| Participant information sheet | Participant information sheet | 11/11/2025   | 11/11/2025 | No             | Yes             |
| Protocol file                 |                               |              | 04/07/2023 | No             | No              |