

# Can mindfulness and lifestyle interventions improve the memory and mental function in people who are starting to notice a decline in their memory and thinking abilities?

<b>Submission date</b> 26/01/2019	<b>Recruitment status</b> No longer recruiting	<input type="checkbox"/> Prospectively registered
		<input type="checkbox"/> Protocol
<b>Registration date</b> 21/02/2019	<b>Overall study status</b> Completed	<input type="checkbox"/> Statistical analysis plan
		<input type="checkbox"/> Results
<b>Last Edited</b> 21/02/2019	<b>Condition category</b> Mental and Behavioural Disorders	<input type="checkbox"/> Individual participant data
		<input type="checkbox"/> Record updated in last year

## Plain English summary of protocol

### Background and study aims

At present there is little to offer to people who are concerned about their memory and thinking abilities, in terms of support or treatment. This is because these people do not have serious problems with daily living and do not have any formal diagnosis. Even if they visit a specialist, they will usually be discharged without any further recommendations. However, this lack of support might leave them feeling confused and anxious. The aim of this study is to develop a new online course and test it against already available courses to examine whether these would be effective interventions for people who are worried about their memory. We also aim to describe the characteristics of these people and assess how these characteristics might be related to the risk of future memory problems.

### Who can participate?

Adults over the age of 45 who are concerned about their memory.

### What does the study involve?

We are asking participants to attend three visits at Southmead Hospital, in Bristol (baseline, 6 weeks later and 6 months later). During these visits the examiners will give them some pen-and-paper tests to assess their memory and thinking abilities and their quality of life. The participants will be divided into three groups. Two of the groups involve an online course where participants are asked to watch some video presentations for 4 weeks. One of the courses aims to inform them about relaxation and stress relief techniques (mindfulness meditation) while the other one is about lifestyle factors that could make our brains healthier (like diet and exercise). The third is a control group where participants will just wait until the next visit. We are also asking participants to give an optional blood sample, but this is not a requirement for entering the study. The blood sample will help us see if some people are at higher risk of memory lapses.

### What are the possible benefits and risks of participating?

Through this study, participants will have the chance to participate in an educational course that

could possibly improve their quality of life. Regarding the risks, there is a potential for upset, because of the questionnaire's sensitive nature. In the unlikely event that someone feels uncomfortable with the tests, they can discuss this with the examiner and/or withdraw at any point without giving any reason. The study also involves an optional blood sample. The physical risks of giving this blood sample are the same as any blood sample taken from a vein. Participants may experience minor bruising or irritation.

Where is the study run from?

The DECODE study is part of a PhD degree (University of Bristol) and is taking place in Bristol. All visits are taking place at Southmead Hospital, North Bristol NHS Trust, where the researchers are based.

When is the study starting and how long is it expected to run for?

September 2015 to September 2019.

Who is funding the study?

The study is funded by BRACE, a regional charity that supports researchers in South West England and South Wales.

Who is the main contact?

Miss Chara Triantafyllou

Chara.Triantafyllou@bristol.ac.uk

## Contact information

### Type(s)

Public

### Contact name

Miss Chara Triantafyllou

### ORCID ID

<http://orcid.org/0000-0002-9348-6585>

### Contact details

Brain Centre, Elgar House

Southmead Hospital

Bristol

United Kingdom

BS10 5NB

+44 (0) 117 414 8182

chara.triantafyllou@bristol.ac.uk

## Additional identifiers

### EudraCT/CTIS number

Nil known

### IRAS number

201727

**ClinicalTrials.gov number**

Nil known

**Secondary identifying numbers**

2662, IRAS 201727

## **Study information**

**Scientific Title**

Development and evaluation of interventions in people with subjective cognitive decline

**Acronym**

DECODE

**Study objectives**

Two non-pharmacological interventions (Mindfulness course and Lifestyle factors intervention) will improve the memory/thinking abilities and well-being of people with memory concerns who do not have any diagnosis of dementia.

**Ethics approval required**

Old ethics approval format

**Ethics approval(s)**

Approved 09/01/2017, South West - Central Bristol Research Ethics Committee (Whitefriars Level 3, Block B, Lewin's Mead, Bristol, BS1 2NT; nrescommittee.southwest-bristol@nhs.net; +44 (0)207 104 8028), ref: 16/SW/0328

**Study design**

Randomised controlled trial

**Primary study design**

Interventional

**Secondary study design**

Randomised controlled trial

**Study setting(s)**

Hospital

**Study type(s)**

Treatment

**Participant information sheet**

Not available in web format, please use contact details to request a participant information sheet.

**Health condition(s) or problem(s) studied**

Subjective cognitive decline (SCD)

**Interventions**

At present there is little to offer to people with Subjective Cognitive Decline because most services focus on the treatment of people who have already received a diagnosis of dementia. In this study we aim to evaluate the effectiveness of two non-pharmacological interventions on people with Subjective Cognitive Decline. The first one is an online course of Mindfulness which is already commercially available, while the second one is a Lifestyle factors intervention that has been specifically designed for the purposes of this study.

The two interventions are going to be tested against a Control group and against each other. All participants will be randomly assigned to one of the three groups and the researcher who is doing the testing will be blinded to the participants' group.

The Mindfulness course is delivered online and has a duration of 4 weeks. Participants in this group are invited to learn the main techniques of mindfulness meditation and are encouraged to practice on a daily basis. The course includes audio and video presentations led by two qualified instructors. More information can be found on [www.bemindfulonline.com](http://www.bemindfulonline.com)

The Lifestyle factors intervention has been designed for the purposes of this research study and similarly to the Mindfulness course, lasts for 4 weeks and is delivered online. Each week the participants in this group are presented with a new factor (exercise, diet, mental stimulation and social engagement) that could possibly improve their brain health. The information is provided through video presentations and participants are encouraged to exercise, follow a healthy diet and engage in social and mentally stimulating activities. For more information and to get access to the website, please contact the researchers.

All participants are asked to attend three visits: baseline, visit 2 (right after the end of the intervention) and visit 3 (6 months after visit 2). During these visits participants go through (pen and paper) tests that measure their cognitive function and questionnaires that measure psychological factors. Most of the tests are repeated during all visits in order to examine any difference between the three groups over time.

Moreover, participants are asked to fill in a questionnaire about their daily habits (diet, exercise, activities), for 1 week before starting the intervention, one week after finishing it (or 4 weeks later for the control group) and finally, for 1 week before their last appointment.

## **Intervention Type**

Behavioural

## **Primary outcome measure**

1. Cognitive impairment assessed using the Montreal Cognitive Assessment (MoCA; Nasreddine et al., 2005) at baseline
2. Likelihood of memory malingering assessed using the Test of Memory Malingering (TOMM; Tombaugh, 1997) at baseline
3. Cognitive reserve assessed using the Cognitive Reserve Index Questionnaire (CRIq; Nucci, Mapelli, & Mondini, 2012) at baseline
4. Letter verbal fluency (retrieval ability, executive functioning and semantic knowledge) at baseline, 6 weeks and 6 months. Participants are given three different letters of the alphabet and are asked to generate as many words as they can that begin with these letters in 1 minute.
5. Semantic category verbal fluency (retrieval ability, executive functioning and semantic knowledge) at baseline, 6 weeks and 6 months. Participants are given a category (articles of clothing, animals, fruit and vegetables) and asked to say as many words as possible that belong to these categories in 1 minute.
6. short-term memory, learning, recognition and proactive interference assessed using the Rey

Auditory Verbal Learning Test (Lezak, 1976, 1983) with the alternate versions of Geffen (Geffen, Butterworth, & Geffen, 1994) and Majdan (Majdan, Sziklas, & Jones-Gotman, 1996) at baseline, 6 weeks and 6 months

7. Working memory assessed using the N-back test on a university laptop (based on Verhaeghen & Basak, 2005) at baseline, 6 weeks and 6 months

8. Mental flexibility, attention and task switching assessed using the Trail Making Test parts A and B (Reitan, 1955) at baseline, 6 weeks and 6 months

9. Functional memory assessed using the 10-item Functional Memory Disorder Questionnaire (Schmidtke & Metternich, 2009)

10. Health anxiety assessed using the Health Anxiety Inventory (Salkovskis, Rimes, Warwick, & Clark, 2002) at baseline, 6 weeks and 6 months

11. Mindfulness assessed using the Five Facets Mindfulness Questionnaire (Baer, Smith, Hopkins, Krietemeyer, & Toney, 2006) at baseline, 6 weeks and 6 months

12. Readiness to change assessed using questions based on Prochaska, Norcross, & DiClemente's change model (1994) at baseline, 6 weeks and 6 months

13. Mental health assessed using the Depression Anxiety and Stress Scale (DASS) 21-item version (Henry & Crawford, 2005; Norton, 2007) at baseline, 6 weeks and 6 months

14. Mental wellbeing assessed using the WHO Five Well-Being Index (Bech, Olsen Kjoller, & Rasmussen, 2003) at baseline, 6 weeks and 6 months

### **Secondary outcome measures**

1. Background information including age, gender, area of living, smoking (never, ex, current), alcohol use, physical activity level, height and weight, years of education, meditation, question about health concerns behaviour ("Have you sought help about your memory prior to coming here?" and "How many times have you seen your GP in the past year?"), medications (if any), family history of Alzheimer's or other form of dementia and medical history (depression/anxiety /cholesterol/diabetes/stroke/TIA/heart disease/other neurological condition/other psychiatric condition/any other medical condition) assessed using a questionnaire at baseline

2. Daily activities (including sleep, eating/drinking habits, exercise, meditation, alcohol use, smoking, mentally stimulating and socially engaging activities) assessed using questionnaires at baseline, 6 weeks and 6 months

3. ApoE genotype assessed using DNA analysis from a blood sample taken at baseline

### **Overall study start date**

01/09/2015

### **Completion date**

01/09/2019

## **Eligibility**

### **Key inclusion criteria**

1. Has expressed concern about cognitive decline (subjective cognitive decline) and has answered "yes" to the following question: "Are you concerned or worried that you are experiencing significant decline in your thinking abilities, more than just normal ageing?"

2. Aged over 45 years

3. In the opinion of the investigator, is capable of understanding and complying with protocol requirements

4. In the opinion of the investigator, is able to physically perform the cognitive tests and is fluent in the language that tests will be administered.

The study also includes a small sample of people with Functional Cognitive Disorder (FCD). These patients are recruited through our Memory Clinic and have already received this diagnosis.

**Participant type(s)**

Patient

**Age group**

Adult

**Sex**

Both

**Target number of participants**

90

**Key exclusion criteria**

1. Has a current diagnosis or history of any type of cognitive impairment or dementia, or has a current diagnosis of neurological/psychiatric disorder or any other diagnosis that significantly affects cognitive performance (including substance abuse)
2. Incapable of doing a brisk walk
3. Has been exposed to the cognitive tests performed in this study within 6 months prior to the baseline assessment
4. Score on MoCA test is <20. An individual with a MoCA score this low may have significant cognitive decline (Larner, 2012) and should be referred to their GP.
5. Knows his or her own ApoE genotype/phenotype
6. Cannot adequately understand verbal explanations or written information given in English

**Date of first enrolment**

24/01/2017

**Date of final enrolment**

01/09/2017

**Locations****Countries of recruitment**

England

United Kingdom

**Study participating centre****Southmead Hospital**

North Bristol NHS Trust

Southmead Road

Westbury-on-Trym

Bristol

United Kingdom

BS10 5NB

# Sponsor information

## Organisation

University of Bristol

## Sponsor details

University of Bristol  
Trinity Street, College Green  
One Cathedral Square  
Bristol  
England  
United Kingdom  
BS1 5DD

## Sponsor type

University/education

## ROR

<https://ror.org/0524sp257>

# Funder(s)

## Funder type

Charity

## Funder Name

BRACE

## Alternative Name(s)

Alzheimer's Brace, BRACE Alzheimer's Research, BRACE Dementia Research

## Funding Body Type

Government organisation

## Funding Body Subtype

Trusts, charities, foundations (both public and private)

## Location

United Kingdom

# Results and Publications

## Publication and dissemination plan

This study is conducted as part of a PhD programme. The deadline for thesis submission is September 2019. Soon after that date we plan to disseminate the results by submitting papers to journals like the "Journal of the International Neuropsychological Society" and "Aging, Neuropsychology and Cognition". Moreover, all participants will receive a report with a summary of the study findings.

## Intention to publish date

01/09/2019

## Individual participant data (IPD) sharing plan

The datasets generated and/or analysed during the current study will be included in the subsequent results publication.

## IPD sharing plan summary

Data sharing statement to be made available at a later date

## Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
<a href="#">HRA research summary</a>			28/06/2023	No	No