

# Screening for Chlamydia trachomatis (CT) with routine Pap smears in general practice: a randomized controlled trial

**Submission date**  
09/09/2005

**Recruitment status**  
No longer recruiting

☐ Prospectively registered

☐ Protocol

**Registration date**  
31/10/2005

**Overall study status**  
Completed

☐ Statistical analysis plan

☒ Results

**Last Edited**  
28/10/2021

**Condition category**  
Infections and Infestations

☐ Individual participant data

## Plain English summary of protocol

Not provided at time of registration

## Contact information

### Type(s)

Scientific

### Contact name

Prof Francis Bowden

### Contact details

The Canberra Hospital

P.O. Box 11

Woden

Australia

2606

+61 (0)2 6244 2063

frank.bowden@act.gov.au

## Additional identifiers

### Protocol serial number

268058

## Study information

Scientific Title

Screening for Chlamydia trachomatis (CT) with routine Pap smears in general practice: a randomized controlled trial

## **Acronym**

GPPaCTS

## **Study objectives**

General practices randomized to CT/Pap screening for women aged 16 to 39 years (intervention) will have an increased participation rate for chlamydia screening compared to those practices randomised to offer 'usual care' (control).

## **Ethics approval required**

Old ethics approval format

## **Ethics approval(s)**

Added as of 30/07/2007:

This study was approved by:

1. The ACT Health Human Research Ethics Committee (ETH.10/03)
2. The Australian National University Ethics Committee (ref: 2003/270)

## **Study design**

Randomised controlled trial

## **Primary study design**

Interventional

## **Study type(s)**

Screening

## **Health condition(s) or problem(s) studied**

Chlamydia trachomatis

## **Interventions**

Routine offering of testing for Chlamydia trachomatis at the time of regular Pap smear versus usual care.

## **Intervention Type**

Other

## **Phase**

Not Specified

## **Primary outcome(s)**

Participation rates in screening for Chlamydia trachomatis.

## **Key secondary outcome(s)**

Uptake of Pap smears in women in target age range.

## **Completion date**

01/03/2006

## Eligibility

### Key inclusion criteria

Women between the ages of 16 and 39 years who have ever been sexually active and who present to their general practitioner.

### Participant type(s)

Patient

### Healthy volunteers allowed

No

### Age group

Adult

### Sex

Female

### Key exclusion criteria

Women who have never been sexually active.

### Date of first enrolment

01/11/2004

### Date of final enrolment

01/03/2006

## Locations

### Countries of recruitment

Australia

### Study participating centre

The Canberra Hospital

Woden

Australia

2606

## Sponsor information

### Organisation

Australian National Health and Medical Research Council

ROR

<https://ror.org/011kf5r70>

## Funder(s)

### Funder type

Research council

### Funder Name

Australian National Health and Medical Research Council: 268058

## Results and Publications

### Individual participant data (IPD) sharing plan

Not provided at time of registration

### IPD sharing plan summary

Not provided at time of registration

### Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
<a href="#">Results article</a>		21/01/2008	28/10/2021	Yes	No