

Telemonitoring of patient administered score RAPID3 to deliver NICE compliant treatment in rheumatoid arthritis

Submission date 17/01/2019	Recruitment status Suspended	<input checked="" type="checkbox"/> Prospectively registered
		<input checked="" type="checkbox"/> Protocol
Registration date 12/02/2019	Overall study status Completed	<input type="checkbox"/> Statistical analysis plan
		<input type="checkbox"/> Results
Last Edited 08/07/2022	Condition category Musculoskeletal Diseases	<input type="checkbox"/> Individual participant data
		<input type="checkbox"/> Record updated in last year

Plain English summary of protocol

Background and study aims

Rheumatoid arthritis (RA) causes multiple joints pain, swelling and stiffness but truly can affect the whole body. It affects nearly half a million people in the UK and about 21,000 people in the country develop RA every year. With the dramatic advances in the drug treatment, most RA patients should be able to achieve remission. However, this unprecedented opportunity is lost in at least 50% of patients due to the nationwide shortfalls in implementing the NICE recommended treat-to-target management of RA. Poorly treated RA patients suffer joint damage, disability, shortened life span, are at high risk of losing employment and cost the UK economy £2.4b annually. This situation can be prevented by advising treatment modification based on telemonitored RAPID3, a patient-administered measure of RA activity, instead of the current gold standard DAS28, which is administered face-to-face by a clinician. There is a significant correlation between DAS28 and the routine assessment of patient index data 3 (RAPID3) which is self-administered by patients by completing a questionnaire about their pain, function and overall global health. Unlike DAS28, RAPID3 does not require joint counts or a laboratory test. RAPID3 is demonstrated to be reliable and able to differentiate well between active and inactive disease. The aim of this study is to find out whether telemonitored RAPID3 is equivalent to face-to-face DAS28 scoring in advising treatment modification towards achieving treat-to-target goal in RA.

Who can participate?

Newly diagnosed RA patients aged 18 or above seen in the rheumatology clinics at the Royal National Orthopaedic Hospital

What does the study involve?

Participants are randomly allocated to either telemonitored RAPID3 or clinic monitored DAS28. RA activity in both the groups is measured every 4 weeks to advise treatment escalation until remission is achieved. The patients are monitored every 4 weeks for the first 6 months and thereafter every 3 months for the next 6 months. The patients can access the web-based RAPID3 using the internet, which is supported by automated email reminders. The patients are educated on online completion of RAPID3 by the rheumatology team. Patients are asked to complete

online RAPID3 questionnaire every month. The patients also undertake pre-requested monthly CRP and other blood tests, the results of which are monitored by the rheumatology team. The team check the online RAPID3 score, blood results, discuss therapy changes with patients on the phone and forward an updated prescription to the hospital pharmacy for patients to collect at their convenience.

What are the possible benefits and risks of participating?

Use of telemonitoring of their self-assessed measure of RA activity will benefit patients by empowerment, convenience, and saving the time and costs of a face-to-face appointment. Implementation of treat-to-target strategy by telemonitoring will allow improvement in RA outcomes and reducing the adverse impact of RA on patients and wider society and economy. The patients are more likely to experience disease remission, reduction in disability, reduced working days lost, and decrease in requirements for future joint replacement surgeries. At the socio-economic level, there will be reduction in the need for carers, income benefits and overall long-term health costs.

Where is the study run from?

Royal National Orthopaedic Centre (UK)

When is the study starting and how long is it expected to run for?

January 2019 to June 2021

Who is funding the study?

Investigator initiated and funded

Who is the main contact?

Dr Gayatri Mittal
gayatri.mittal@nhs.net

Contact information

Type(s)

Scientific

Contact name

Dr Gayatri Mittal

ORCID ID

<https://orcid.org/0000-0002-8134-1266>

Contact details

Royal National Orthopaedic Hospital
Brockley Hill
Stanmore
United Kingdom
HA7 4LP
+44 (0)2083853040
gayatri.mittal@nhs.net

Additional identifiers

Protocol serial number

1/1

Study information

Scientific Title

Telemonitoring of patient administered index RAPID3 to deliver NICE compliant treat-to-target strategy in early rheumatoid arthritis

Acronym

TelemonitorRA

Study objectives

Telemonitored RAPID3 is a suitable surrogate for DAS28-CRP to implement T2T strategy in early active RA.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Approval pending, London Westminster (Health Research Authority, Skipton House, 80 London Road, London, SE1 6LH, UK; Email: nrescommittee.london-westminster@nhs.net), ref: 19/LO/0673

Study design

Single-centre randomised parallel group interventional study

Primary study design

Interventional

Study type(s)

Other

Health condition(s) or problem(s) studied

Rheumatoid arthritis

Interventions

The patients will be randomised in blocks of four to the study or control group to monitor disease activity remotely by using patient administered index RAPID3 or in clinic using clinician administered DAS28 CRP. The randomisation will be done using opaque envelopes. After informed consent, patients will undergo screening for the study and baseline assessment will be carried out at the same time. Thereafter, the patients will be assessed every 4 weeks for the first 6 months and every 3 months for the next 6 months either by telemonitoring of RAPID3 or face-to-face DAS assessment in clinic. Patients will be educated on online completion of RAPID3 by rheumatology team. Patients will be asked to complete online RAPID3 questionnaire every month. The patients will also undertake pre-requested monthly CRP and other blood tests, which will be monitored by rheumatology team. The team will check the online RAPID3 score, blood results, discuss therapy changes with the patients on phone and forward an updated prescription to hospital pharmacy for patients to collect at their convenience. The patients in the telemonitoring group will also be assessed in clinic at 3, 6 and 12 months of the treatment. The

patients will complete HAQ, ED-5D and WPAI questionnaires and undertake x-ray of hands and feet at the baseline and at 12 months. In addition, patients will have opportunity to be seen in clinic as ad-hoc in case of patient or clinician concern.

Intervention Type

Other

Primary outcome(s)

Number of patients fulfilling the definition of remission defined as DAS28 <2.6 or low disease activity (DAS28 2,6-3.2) at 12 months of the RA treatment

Key secondary outcome(s)

1. Time required to achieve remission or low disease activity , measured by DAS28 CRP assessment at 3, 6 and 12 months of the treatment
2. Patient experience of remote monitoring of RA, measured at 12 months of the treatment by using a questionnaire asking for their rating on 0-10 scale of ease of use, simplicity of use, of benefit to them, caused difficulty, satisfaction level with the telemonitoring
3. Feasibility of the study assessed at 6 and 12 months by determining the number of people who have continued to participate in the study with drop out no more than 20% and that the rheumatology team is able to conduct the study without onerous effects on their other commitments
4. Cost effectiveness of telemonitoring of RA to deliver NICE compliant treatment. The cost of individual patient treatment will be calculated at 12 months of the treatment using the trust financial data

Completion date

30/06/2021

Eligibility

Key inclusion criteria

1. Aged 18 or above
2. Newly diagnosed RA fulfilling ACR/EULAR 2010 criteria for the diagnosis

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Lower age limit

18 years

Sex

All

Key exclusion criteria

1. Age < 18 years
2. Unable or unwilling to give informed consent
3. Women pregnant, breast feeding or at risk of conceiving
4. Prior treatment with DMARDs
5. Contraindications to DMARD therapy such as recurrent infections, pancytopenia, LFT derangement
6. Mental incapacity to participate in research study, complete RAPID3 and other patient-based study assessments
7. Inability of patient to complete web-based RAPID3 due to the lack of internet facilities or knowledge required to use internet
8. Currently participating or recently participated in another interventional trial

Date of first enrolment

01/07/2019

Date of final enrolment

30/06/2020

Locations

Countries of recruitment

United Kingdom

England

Study participating centre

Royal National Orthopaedic Centre

Brockley Hill

Stanmore

United Kingdom

HA7 4LP

Sponsor information

Organisation

Royal National Orthopaedic Hospital

ROR

<https://ror.org/043j9bc42>

Funder(s)

Funder type

Other

Funder Name

Investigator initiated and funded

Results and Publications

Individual participant data (IPD) sharing plan

The datasets generated during and/or analysed during the current study are/will be available upon request from Iva Hauptmannova, Head of R&D, Research and Innovation Centre, Royal National Orthopaedic Centre, Stanmore, HA7 4LP. The identifiable data will be anonymised before sharing. All the data will be transferred using secure email. The participant information sheet includes the possibility of data sharing with appropriate regulatory bodies and informed written consent would be taken before the actual recruitment of the patient into the study.

IPD sharing plan summary

Available on request

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
HRA research summary			28/06/2023	No	No
Protocol file	version v1	15/01/2019	12/02/2019	No	No