

# The effects of fruit before meals on regulating fullness and changing body measurements

<b>Submission date</b> 20/02/2024	<b>Recruitment status</b> No longer recruiting	<input type="checkbox"/> Prospectively registered
<b>Registration date</b> 28/02/2024	<b>Overall study status</b> Completed	<input type="checkbox"/> Protocol
<b>Last Edited</b> 26/02/2024	<b>Condition category</b> Nutritional, Metabolic, Endocrine	<input type="checkbox"/> Statistical analysis plan
		<input type="checkbox"/> Results
		<input type="checkbox"/> Individual participant data
		<input type="checkbox"/> Record updated in last year

## Plain English summary of protocol

### Background and study aims

Overweight and obesity are impending major public health concerns. It is estimated that around 2.6 billion people were overweight or obese (body mass index [BMI] 25 kg/m<sup>2</sup> and over) in 2020, representing 38% of the world population. Currently, no definitive treatments are available and clinically recommended, even though overweight and obesity are the risk factors for multiple diseases. Here, the researchers aimed to conduct a study of the effects of fruit before meals and walking after meals in overweight and obese individuals.

### Who can participate?

Healthy adults aged 20-29 years old with a BMI over 23 kg/m<sup>2</sup>.

### What does the study involve?

Participants are randomly allocated into four groups. The first group is a placebo group that does not receive any treatment. The second group consumed fruit before meals (breakfast, lunch and dinner) whilst the third group performed a 10-minute walk after meals. The fourth group is the combination of fruit before a meal and a 10-minute walk after a meal. Before the intervention, laboratory assistants took blood samples to measure fasting blood glucose levels and DPP4 enzyme activity.

### What are the possible benefits and risks of participating?

All participants received free diet education and BMI, waist circumference, fasting blood glucose, and DPP4 enzyme activity measurements. The possible risks were allergy to fresh fruits and stomach and foot muscle cramps during walking after meals.

### Where is the study run from?

Universitas Sebelas Maret (Indonesia)

### When is the study starting, and how long is it expected to run for?

April 2020 to November 2021

### Who is funding the study?

Ministry of Education, Culture, Research, and Technology (Indonesia)

Who is the main contact?  
Dono Indarto, MD PhD, dono@staff.uns.ac.id

## Contact information

### Type(s)

Public, Scientific, Principal Investigator

### Contact name

Dr Dono Indarto

### ORCID ID

<https://orcid.org/0000-0001-7420-5816>

### Contact details

Biomedical Laboratory  
Faculty of Medicine  
Universitas Sebelas Maret  
Jl. Ir. Sutami 36A Ketingan  
Jebres  
Surakarta  
Indonesia  
57126  
+62 (0)85601579139  
dono@staff.uns.ac.id

## Additional identifiers

### EudraCT/CTIS number

Nil known

### IRAS number

### ClinicalTrials.gov number

Nil known

### Secondary identifying numbers

01/02/05/65/ID.33720112P211142020020600002

## Study information

### Scientific Title

Fruit before meals preserves satiety and affects anthropometric measurements in overweight and obese individuals: a randomized controlled trial of fruits before meals and physical exercise after meals

### Acronym

FBM

## **Study objectives**

Fruit meal sequence with or without combination of postprandial exercise (PE) preserve satiety and reduce anthropometric measurements in the overweight and obese individuals.

## **Ethics approval required**

Ethics approval required

## **Ethics approval(s)**

Approved 08/04/2020, Research Ethical Committee, Faculty of Medicine, Universitas Sebelas Maret (Jl. Ir. Sutami 36A Kentingan, Jebres, Surakarta, 57126, Indonesia; +62 (0)271664178; kepk@fk.uns.ac.id), ref: 042/UN27.06.6.1/KEPK/EC/2020

## **Study design**

Interventional randomized controlled trial

## **Primary study design**

Interventional

## **Secondary study design**

Randomised controlled trial

## **Study setting(s)**

Charity/Voluntary sector, Community

## **Study type(s)**

Prevention

## **Participant information sheet**

Not available in web format, please use the contact details to request a participant information sheet

## **Health condition(s) or problem(s) studied**

Obese and overweight

## **Interventions**

Participants were randomly allocated into four groups using folded paper. The first group is a placebo group that does not receive any treatment. The second group consumed fruit before meals (breakfast, lunch and dinner) whilst the third group performed a 10-minute walk after meals. The fourth group is the combination of fruit before a meal and a 10-minute walk after a meal.

A total of 500 g of mixed fruits per day were consumed by participants in groups two and four which consisted of orange, banana, fuji apple (Cripps Pink), green apple (Granny Smith), snakefruit, papaya, pear, apple guava, water guava, and dragon fruit.

The duration of the intervention was 30 days.

## **Intervention Type**

Mixed

## **Primary outcome measure**

1. Nutritional intake: The daily food intake of all selected participants was assessed using the 24-hour food recall questionnaire on days 0, 15, and 30 and converted into daily intake values of nutrients using the free NutriSurvey software (<https://www.nutrisurvey.de>), translated into Indonesian.
2. Anthropometric measurements: body weight (kg) was measured after the participants emptied the bladder and was done without shoes. Height (cm) was measured using a stadiometer to calculate the distance between the top of the head (vertex) and the bottom of the foot. Body mass index (BMI) was calculated by dividing the weight in kilograms by the square of the height in meters with the cut-off points from the World Health Organization (WHO) classification for the Asian population. The anthropometric measurements were assessed on days 0, 15, and 30.
3. Waist circumference: Participants stood up straight and breathed normally. The waist circumference of all selected participants was measured midway between the top of the hip bone and the bottom rib bone using a metline on days 0, 15, and 30.
4. Fasting blood glucose levels: All selected participants were fasting for 8 hours before taking venous blood samples in the morning on days 0, 15, and 30. Labelled blood samples were collected into coagulant tubes and then sent to the clinical laboratory to measure fasting blood glucose levels using a routine hexokinase method.
5. Food satiety (fullness) indexes: food satiety indexes were measured using Satiety Labelled Intensity Magnitude (SLIM). The SLIM was a 100-mm bidirectional hunger-fullness scale for assessing food satiety in individuals after a meal. The measurement was performed 30, 60, 90, 120, and 150 minutes after meals on days 0 and 30.

### **Secondary outcome measures**

Dipeptidyl peptidase (DPP4) activity assay: Serum blood samples were diluted with phosphate-buffered (PBS) pH 7.4. A DPP4 substrate, H-Gly-Prop-nitroanilide (Sigma-Aldrich, St. Louis, MO, USA) was dissolved with the PBS to achieve a 2 mM final concentration. Blood samples were mixed and homogenized with the substrate working solution in a 1:1 ratio. The DPP4 activity was read using a spectrophotometer at  $\lambda = 405$  nm at 25°C every 10 min for 60 min. The Beer-Lambert formula was used to calculate the DPP4 activity.

### **Overall study start date**

08/04/2020

### **Completion date**

24/11/2021

## **Eligibility**

### **Key inclusion criteria**

1. Aged 20-29 years
2. Body mass index (BMI) >23 kg/cm<sup>2</sup>

### **Participant type(s)**

Healthy volunteer

### **Age group**

Adult

### **Lower age limit**

20 Years

**Upper age limit**

29 Years

**Sex**

Both

**Target number of participants**

100

**Total final enrolment**

45

**Key exclusion criteria**

Individuals with chronic diseases such as heart, renal, and hepatic diseases

**Date of first enrolment**

01/12/2020

**Date of final enrolment**

10/02/2021

**Locations****Countries of recruitment**

Indonesia

**Study participating centre****Physiology Laboratory**

Level 2 Building C Faculty of Medicine, universitas Sebelas Maret

Jl. Ir. Sutami 36A Kentingan, Jebres

Surakarta

Indonesia

57126

**Sponsor information****Organisation**

Sebelas Maret University

**Sponsor details**

Jl. Ir. Sutami 36A Kentingan, Jebres

Surakarta

Indonesia

57126

+62 (0)271632916  
lppm@uns.ac.id

**Sponsor type**  
University/education

**Website**  
<https://www.lppm.uns.ac.id>

**ROR**  
<https://ror.org/021hq5q33>

## **Funder(s)**

**Funder type**  
Government

**Funder Name**  
Kementerian Pendidikan, Kebudayaan, Riset, dan Teknologi

**Alternative Name(s)**  
Ministry of Education, Culture, Research, and Technology, Ministry of Education, Culture, Research, and Technology, Republic of Indonesia, Kemdikbudristek, Kementerian Pendidikan, Kebudayaan, Riset, dan Teknologi, Republik Indonesia, Indonesia Ministry of Education, Culture, Research, and Technology, Indonesian Ministry of Education, Culture, Research, and Technology, Kementerian Pendidikan, Kebudayaan, Riset, dan Teknologi, MECRT, Kemdikbudristek

**Funding Body Type**  
Government organisation

**Funding Body Subtype**  
National government

**Location**  
Indonesia

## **Results and Publications**

**Publication and dissemination plan**  
The researchers plan to publish in an international peer-reviewed journal.

**Intention to publish date**  
31/12/2024

**Individual participant data (IPD) sharing plan**

The datasets generated during and/or analysed during the current study will be available upon request from Dono Indarto, MD PhD, dono@staff.uns.ac.id.

**IPD sharing plan summary**

Available on request