

Healthy Dads, Healthy Kids UK: delivering a culturally adapted lifestyle programme to a multi-ethnic population

Submission date 21/12/2016	Recruitment status No longer recruiting	<input type="checkbox"/> Prospectively registered <input checked="" type="checkbox"/> Protocol
Registration date 20/01/2017	Overall study status Completed	<input type="checkbox"/> Statistical analysis plan <input checked="" type="checkbox"/> Results
Last Edited 28/02/2024	Condition category Nutritional, Metabolic, Endocrine	<input type="checkbox"/> Individual participant data

Plain English summary of protocol

Background and aims:

Obesity is a growing problem worldwide, putting people at risk of serious medical conditions such as diabetes and heart disease. Studies have shown that when parents are overweight, their children can also become overweight. Healthy Dads, Healthy Kids is a weight management program developed in Australia. It was developed looking at families as a whole, so that changes in the men's health behaviours would positively impact on their children and the children help their 'father' to maintain his behaviour change. Whilst the program has been tested in Australia, it is unknown as to whether it would work in a multi-ethnic UK setting. The aim of Healthy Dads, Healthy Kids UK is to modify an existing weight management and healthy lifestyle program for fathers and their children (aged 4-11 years) so that it is culturally acceptable in a UK multi-ethnic population. The aim of this study is to find out if the Healthy Dads, Healthy Kids program can be acceptable in a UK setting.

Who can participate?

Obese men who are the fathers of primary school aged children (4-11 years) and their children.

What does the study involve?

This study involves two phases. In the first phase, 30 fathers and their children take part in the Healthy Dads, Healthy Kids program. This involves attending nine 90-minute sessions once a week for nine weeks. Mothers/partners are invited to attend one session, and fathers and children attend all nine sessions. The sessions involve discussion and family-based physical activity. Parents and the children are given interactive resources such as manuals, log books, playing cards and an activity chart to encourage learning. The family is given a family voucher to attend a leisure centre for swimming or other family activities will be provided free for one occasion. Before and after the program, fathers and their children are weighed and complete questionnaires about their diet and exercise habits.

In the second phase of the study, 90 fathers and their children are randomly allocated to one of two groups. Those in the first group take part in the Healthy Dads, Healthy Kids program in the same way as those in the first phase of the study. Those in the second group are provided with details about local opportunities for physical activity. Before the program and then after three

and six months, fathers and their children are weighed and complete questionnaires about their diet and exercise habits. In addition, the amount of families that take part and who stay in the study until the end are recorded.

What are the possible benefits and risks of participating?

Fathers who take part may benefit from losing weight. Families as a whole may benefit from improving their diets and getting more exercise, which is beneficial for health. There are no notable risks involved with participating in this study.

Where is this study run from?

1. Sandwell Metropolitan Borough Council (UK)
2. Wolverhampton City Council (UK)

When is this study starting and how long is it expected to run for?

May 2016 to September 2018

Who is funding the study?

National Institute of Health Research (UK)

Who is the main contact?

1. Professor Kate Jolly (scientific)
c.b.jolly@bham.ac.uk
2. Dr manbinder Sidhu (public)
m.s.sidhu@bham.ac.uk
3. Dr Tania Griffin (public)
t.l.griffin.1@bham.ac.uk

Contact information

Type(s)

Scientific

Contact name

Prof Kate Jolly

Contact details

Public Health Building
Institute of Applied Health Research
University of Birmingham
Edgbaston
Birmingham
United Kingdom
B15 2TT

Type(s)

Public

Contact name

Dr Manbinder Sidhu

Contact details

University of Birmingham,
Murray Learning Centre,
Institute of Applied Health Research,
Edgbaston
Birmingham
United Kingdom
B15 2TT
+44 1214 147895
m.s.sidhu@bham.ac.uk

Type(s)

Public

Contact name

Dr Tania Griffin

Contact details

University of Birmingham
Institute of Applied Health Research
Edgbaston
Birmingham
United Kingdom
B15 2TT
+44 (0)121 414 7895
t.l.griffin.1@bham.ac.uk

Additional identifiers

EudraCT/CTIS number

IRAS number

ClinicalTrials.gov number

Secondary identifying numbers

PHR Project: 14/185/13

Study information

Scientific Title

Healthy Dads, Healthy Kids UK: a cultural adaptation and feasibility study of a weight management programme for fathers of younger children

Acronym

Healthy Dads, Healthy Kids UK (HDHK)

Study objectives

The overall aim of this study is to modify an existing weight management and healthy lifestyle programme for fathers and their children (aged 4-11 years) so that it is culturally acceptable in a UK multi-ethnic population.

Ethics approval required

Old ethics approval format

Ethics approval(s)

University of Birmingham research governance department, 16/01/2017, ref: ERN_16-1323

Study design

Phase 1: Uncontrolled non-randomised study

Phase 2: Randomised controlled feasibility trial

Primary study design

Interventional

Secondary study design

Randomised controlled trial

Study setting(s)

School

Study type(s)

Treatment

Participant information sheet

Not available in web format, please use the contact details below to request a patient information sheet

Health condition(s) or problem(s) studied

Obesity

Interventions

Phase 1:

30 fathers and their children receive the HDHK intervention. This involves nine 90-minute sessions delivered at weekly intervals. Fathers and children will attend all nine sessions, with the mothers/partners being invited to attend one session. The sessions include topics such as appropriate portion sizes for family mealtimes, eating a healthy diet, better understanding of parenting, family orientated physical activities, reducing screen time, as well as tips for staying on track after the program finishes.

The nine sessions begin with fathers and children together (15 minutes) setting/reviewing weekly goals, then separate groups (30 minutes) to talk about healthy living, finishing with a physical activity session in family groups (45 minutes).

Follow up will be completed pre and post intervention.

Phase 2:

90 families (fathers and children) will be stratified by site and ethnicity in ratio 2:1 using block randomisation.

Usual care: Fathers are provided with information on local opportunities for physical activity and a free family entry to a leisure centre.

Intervention: Fathers and their children receive the HDHK intervention. This involves nine 90-minute sessions delivered at weekly intervals. Fathers and children will attend all nine sessions, with the mothers/partners being invited to attend one session. The sessions include topics such as appropriate portion sizes for family mealtimes, eating a healthy diet, better understanding of parenting, family orientated physical activities, reducing screen time, as well as tips for staying on track after the program finishes.

The nine sessions begin with fathers and children together (15 minutes) setting/reviewing weekly goals, then separate groups (30 minutes) to talk about healthy living, finishing with a physical activity session in family groups (45 minutes).

Follow up will be conducted at 3 and 6 months.

Intervention Type

Behavioural

Primary outcome measure

Feasibility outcomes:

1. Recruitment rate is measured using patient demographic data on reply slip at baseline
2. Attendance rate is measured using patient demographic data on attendance sheet at each week of intervention
3. Attrition rate is measured using patient demographic data on attendance sheets and questionnaires at the end of intervention and follow up
4. Acceptability of delivering the adapted intervention programme to a multi-ethnic population is measured using qualitative methods (interviews and observations) during and after intervention up to 6 month follow-up

Secondary outcome measures

Fathers:

1. Weight is measured using Tanita scales (Kg) at baseline and 6 months
2. % losing $\geq 5\%$ body mass is measured using Tanita scale at baseline and 6 months
3. Waist circumference (cm) measured at baseline and 6 months
4. % body fat is measured using Tanita scales at baseline and 6 months
5. Self-reported physical activity measured by the IPAQ-short at baseline, 3 and 6 months
6. Objectively measured physical activity measured by a GENEactiv accelerometer at baseline and 6 months
7. Self-reported dietary intake is measured using frequencies of indicator foods and eating behaviours at baseline, 3 and 6 months
8. Father involvement is measured using the Parent-Child Relationships Questionnaire at baseline, 3 and 6 months
9. Parenting for physical activity using the physical activity items from the 'Parenting Strategies for Eating and Activity Scale' at baseline, 3 and 6 months
10. General quality of life is measured by the EQ-5D-5L at baseline, 3 and 6 months
11. Health care utilisation is measured using the ICECAP at baseline, 3 and 6 months

Children:

1. Children's BMI z-score is calculated using weight and height measurements at baseline and 6 months
2. % body fat is measured using Tanita scales at baseline and 6 months
3. % categorised as overweight or obese is measured using Tanita scales at baseline and 6 months
4. Parent-reported dietary intake for eldest child in study is measured using frequencies of

indicator foods and eating behaviours at baseline, 3 and 6 months

5. Objectively measured physical activity (eldest child in study) is measured using Geneactive accelerometers at baseline and 6 months

6. The feasibility of collecting educational attainment will be explored at baseline and 6 months

7. Paediatric quality of life is measured using CHU-9D at baseline and 6 months

Overall study start date

01/05/2016

Completion date

30/09/2018

Eligibility

Key inclusion criteria

1. Obese men who are fathers/step-fathers/male role models (e.g. grandfather, uncle) of primary school aged children (4-11 years)

2. Men must be aged between 18-65 years with a BMI of 30-40kg/m² (27.5-40kg/m² for MEGs) and want to lose weight

3. Fathers may be co-resident or not resident with their children

Participant type(s)

Healthy volunteer

Age group

Mixed

Lower age limit

18 Years

Upper age limit

65 Years

Sex

Both

Target number of participants

120 fathers and their children

Total final enrolment

104

Key exclusion criteria

1. Fathers who suffer with angina or other cardiovascular disease, orthopaedic or joint problems that would be a barrier to vigorous physical activity

2. Fathers who have had a weight loss of 3kg or 7lbs in the last 3 months

3. Fathers who have answered a positive response to any question in the physical activity readiness questionnaire (PAR-Q)

4. A father, who is diabetic requiring treatment with insulin, who does not sign a health commitment statement taking personal responsibility for their condition and ability to self-manage their diabetes with increased exercise

Date of first enrolment

10/01/2017

Date of final enrolment

31/01/2018

Locations

Countries of recruitment

England

United Kingdom

Study participating centre

Sandwell Metropolitan Borough Council

Sandwell Council House

Freeth Street

Oldbury

United Kingdom

B69 3DE

Study participating centre

Wolverhampton City Council

Civic Centre St Peter's Square

Wolverhampton

United Kingdom

WV1 1SH

Sponsor information

Organisation

University of Birmingham

Sponsor details

Research Governance Department

Aston Webb Building

Edgbaston

Birmingham

England

United Kingdom
B15 2TT

Sponsor type
University/education

ROR
<https://ror.org/03angcq70>

Funder(s)

Funder type
Government

Funder Name
National Institute for Health Research

Alternative Name(s)
National Institute for Health Research, NIHR Research, NIHRresearch, NIHR - National Institute for Health Research, NIHR (The National Institute for Health and Care Research), NIHR

Funding Body Type
Government organisation

Funding Body Subtype
National government

Location
United Kingdom

Results and Publications

Publication and dissemination plan
Planned publication in a high-impact peer reviewed journal.

Intention to publish date
28/02/2019

Individual participant data (IPD) sharing plan
The datasets generated during and/or analysed during the current study are/will be available upon request from Professor Kate Jolly (c.b.jolly@bham.ac.uk) or Dr Manbinder Sidhu, (m.s.sidhu@bham.ac.uk).

IPD sharing plan summary
Available on request

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article	results	10/12/2019	12/12/2019	Yes	No
Protocol file	version 4.1	12/12/2017	05/10/2022	No	No
Results article		28/02/2020	28/02/2024	Yes	No