Reducing medication-related harm in older people

Submission date	Recruitment status No longer recruiting	[X] Prospectively registered		
01/05/2022		[X] Protocol		
Registration date	Overall study status Completed Condition category Other	[X] Statistical analysis plan		
20/05/2022		Results		
Last Edited		Individual participant data		
29/08/2025		[X] Record updated in last year		

Plain English summary of protocol

Background and study aims

Hospital discharge is a high-risk situation for experiencing medication-related harm (MRH). This may be due to side effects, consequences of not taking the medication, or medication errors. Older people at the point of discharge are at higher risk of medication-related harm (MRH). This is due to underlying health conditions, being on multiple medications, and changes in the way the body handles medication with older age. 1 in 3 adults aged 65 and over experience medication-related harm (MRH) in the 8 weeks after discharge, with half of these episodes being potentially preventable. A research team has developed a Risk Prediction Tool (RPT) which is the first objective approach to predict the absolute risk of an older adult experiencing MRH in the 8 weeks after discharge. This absolute risk is presented as a numerical score (percentage). NHS England acknowledged that risk-prediction tools can help in targeting appropriate interventions to those at the greatest risk of harm, and these high-risk groups are the ones most likely to benefit from such interventions. This study aims to reduce medication-related harm in older people after a hospital stay by improving the medicines information that a patient or their carer receives on discharge.

Who can participate?

Patients over the age of 65 years, admitted to an acute Elderly Care or General Medical Ward and likely to be discharged within 48 hours

What does the study involve?

Participants will have an equal chance of being allocated to the intervention group (additional information about their own risk and medications plus exchange of information between hospital pharmacists and community pharmacists) or to the usual care group (exchange of information between hospital pharmacists and community pharmacists). All study participants will have their risk related to their medicines calculated using the RPT. The study period is 8 weeks and will take place across multiple hospital sites. At the end of the 8 weeks, participants or their carers will be interviewed over the phone by the study pharmacist to identify if they have experienced MRH. If study participants were re-admitted to hospital in the 8-weeks period after joining the study, they will be assessed to check if the subsequent admission was due to MRH.

What are the possible benefits and risks of participating?

There are no foreseen risks to taking part in this study. Both groups will receive additional support in handling their medications in the 8-week period after leaving hospital through the NHS discharge medicines service. One group will receive additional medication information, support and advice just before discharge. Participants will be contributing to understanding how we can help protect patients from preventable harm.

Where is the study run from? University of Sussex (UK)

When is the study starting and how long is it expected to run for? April 2022 to December 2023

Who is funding the study?

Applied Research Collaboration Kent, Surrey, and Sussex (ARC KSS) (UK)

Who is the main contact? Dr Khalid Ali khalid.ali10@nhs.net

Contact information

Type(s)

Principal investigator

Contact name

Dr Khalid Ali

Contact details

Senior Lecturer in Geriatrics, BSMS
Brighton and Sussex Medical School
Audrey Emerton Building
Eastern Road
Brighton
United Kingdom
BN2 5BE
+44 (0)1273 523368
khalid.ali10@nhs.net

Additional identifiers

Clinical Trials Information System (CTIS)

Nil known

Integrated Research Application System (IRAS)

305313

ClinicalTrials.gov (NCT)

Nil known

Protocol serial number

IRAS 305313, CPMS 52514

Study information

Scientific Title

Implementation of a medicine management plan (MMP) to reduce medication-related harm (MRH) in older people post-hospital discharge: a randomised controlled trial

Acronym

PRIME-3

Study objectives

Current risk stratification in clinical practice for MRH in older adults is based on clinical judgement. Clinical judgement is not useful in predicting medication-related harm (MRH). MRH risk prediction tools are not routinely used in clinical practice, as existing tools have not been assessed for impact and implementation. The PRIME tool has been transparently developed and validated. To satisfy the next stage of risk-prediction model creation, the impact of the tool will be assessed on a new sample of individuals. Targeted interventions at high-risk individuals may be a clinically and cost-effective solution in reducing rates of MRH in older adults. The PRIME team in collaboration with AHSN-KSS will implement a risk-stratification approach linked with the NHS DMS. The study will recruit patients aged 65 and older discharged from four NHS trusts. The control arm will consist of NHS DMS care only. The intervention arm will consist of NHS DMS with a specific medicines management plan (MMP) develop by the team in consultation with patients and carers. The MMP will be made of:

- 1. A copy of the discharge summary
- 2. Specific education about possible medication-related harm from the discharge medications. Education will be delivered by the ward pharmacist and/or the ward doctor at the point of discharge.
- 3. Clear guidance on who to contact (their GP or their community pharmacist) if they experience any MRH.
- 4. The name and contact of the community pharmacist will be provided by the ward pharmacist.
- 5. A copy of the percentage/probability of harm from medication calculated using the PRIME study RPT, and presented as a visual analogue scale will be offered to patients and (if available) their carers. See Appendix for document.

Research Question:

Will a Medicines Management Plan linked to the NHS DMS be more effective than the NHS DMS alone in reducing rates of MRH?

Objectives:

- 1. To measure and compare the rates of MRH in the two groups.
- 2. To measure the costs of delivering the intervention and any associated MRH-related service use in the two groups across the 8-week study period. To perform modelling to provide national cost estimates.
- 3. To undertake a process evaluation.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Approved 22/03/2022, North West Haydock Research Ethics Committee (Barlow House, 3rd Floor, 4 Minshull Street, Manchester, M1 3DZ, UK; +44 (0)2071048211, +44 (0)2071048375, +44 (0)2071048248; haydock.rec@hra.nhs.uk), ref: 22/NW/0075

Study design

Multicenter interventional randomized controlled trial

Primary study design

Interventional

Study type(s)

Prevention

Health condition(s) or problem(s) studied

Reducing medication-related harm (MRH) in older adults within 8 weeks post-discharge from the hospital

Interventions

Participants will undergo simple randomization into the two arms: a control arm and an intervention arm.

Participants in the control arm will receive the existing NHS Discharge Medicines Service, where patients are given information based on the pharmacists' assessments of the discharge medications patients will be taking home.

The intervention arm will receive the MMP consisting of:

- 1. A copy of the discharge summary
- 2. Specific education about possible medication-related harm from the discharge medications. Education will be delivered by the ward pharmacist and/or the ward doctor at the point of discharge.
- 3. Clear guidance on who to contact (their GP or their community pharmacist) if they experience any MRH.
- 4. The name and contact of the community pharmacist will be provided by the ward pharmacist.
- 5. A copy of the percentage/probability of harm from medication calculated using the PRIME study RPT, and presented as a visual analogue scale will be offered to patients and (if available) their carers

Participants will be followed up for 8 weeks to find out how many had medication-related harm over the 8 weeks period post-discharge.

Intervention Type

Other

Primary outcome(s)

The number of participants that had medication-related harm who had only the NHS-discharge medicines services (DMS) and the number of participants with medication-related harm who had both the NHS-DMS with the medicines management plan (MMP), measured using a phone interview at the end of the 8-week period

Key secondary outcome(s))

- 1. The acceptability of the control and intervention arm among clinicians, service providers, researchers and other health workers involved in discharge planning assessed through focus group interviews during the study period
- 2. The cost-effectiveness of the intervention will be measured using economic analysis estimating the resources involved in delivering the intervention and treatment of medication-related harm within 8 weeks post-discharge

Completion date

31/12/2023

Eligibility

Key inclusion criteria

- 1. Patients must be over the age of 65 years at the time of recruitment, admitted to an acute Elderly Care or General Medical Ward
- 2. Patients to be identified when they are likely to be discharged within 48 hours
- 3. Patients need to be registered with a General Practitioner within the areas covered by the recruiting hospitals
- 4. Informed written consent must be provided from patients with capacity OR personal consultees acting on behalf of patients without capacity

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Senior

Lower age limit

65 years

Sex

All

Total final enrolment

682

Key exclusion criteria

- 1. Patients lacking capacity and have no consultee to advise
- 2. Patients that are transferred to other acute healthcare trusts (but excluding step down or intermediate care facilities)
- 3. Patients who have a short life expectancy, due to a terminal illness
- 4. Patients who are unable to read/speak/understand English

Date of first enrolment

17/06/2022

Date of final enrolment

01/06/2023

Locations

Countries of recruitment

United Kingdom

England

Study participating centre Royal Sussex County Hospital Laboratory

Royal Sussex County Hospital Eastern Road Brighton United Kingdom BN2 5BE

Study participating centre Royal Devon & Exeter Foundation Hospital

Barrack Road Exeter United Kingdom EX2 5DW

Study participating centre Royal Stoke University Hospital

Newcastle Road Stoke-on-trent United Kingdom ST4 6QG

Study participating centre Eastbourne District General Hospital

Kings Drive Eastbourne United Kingdom BN21 2UD

Study participating centre

Ormskirk & District General Hospital

Wigan Road Ormskirk United Kingdom L39 2JW

Study participating centre Princess Royal Hospital

Lewes Road Haywards Heath United Kingdom RH16 4EX

Study participating centre Royal Berkshire & Battle Hospital (berkshire West Site)

London Road Reading United Kingdom RG1 5AN

Sponsor information

Organisation

University of Sussex

ROR

https://ror.org/00ayhx656

Funder(s)

Funder type

Research organisation

Funder Name

Applied Research Collaboration Kent, Surrey, and Sussex (ARC KSS)

Results and Publications

Individual participant data (IPD) sharing plan

Data sharing will be anonymised data of participants and will be available on request to the corresponding author Dr Khalid Ali via (khalid.ali10@nhs.net). Data will be available to the public after the publication of the findings of the study. Data has been anonymized and consent for publication has been sought from all study participants during recruitment. There are no ethical or legal restrictions associated as per the ethical clearance received from the HRA - ethics committee review.

IPD sharing plan summary

Available on request

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Protocol article		11/11/2022	29/08/2025	Yes	No
HRA research summary			28/06/2023	No	No
Participant information sheet	version 2	16/03/2022	11/05/2022	No	Yes
Participant information sheet	Participant information sheet	11/11/2025	11/11/2025	No	Yes
Protocol file	version 10	16/01/2022	11/05/2022	No	No
Statistical Analysis Plan	version 10	16/01/2022	29/08/2025	No	No