

# Effects of the implementation of a specific Safety Checklist in cardiac surgery

|  |   |  |
|--|---|--|
| <b>Submission date</b><br>12/06/2018   | <b>Recruitment status</b><br>No longer recruiting | <input type="checkbox"/> Prospectively registered<br><input type="checkbox"/> Protocol                       |
| <b>Registration date</b><br>14/06/2018 | <b>Overall study status</b><br>Completed          | <input type="checkbox"/> Statistical analysis plan<br><input type="checkbox"/> Results                       |
| <b>Last Edited</b><br>14/06/2018       | <b>Condition category</b><br>Surgery              | <input type="checkbox"/> Individual participant data<br><input type="checkbox"/> Record updated in last year |

## Plain English summary of protocol

### Background and study aims

Cardiac (heart) surgery has become a routine procedure with acceptable risks. However, there is still room for improvement, especially in elderly patients with multiple comorbidities (illnesses). Each of these conditions may require special measures during or shortly after the operation. In these complex situations checklists may help to structure and improve communication between different caregivers. A specific cardiac surgery safety checklist was developed in one hospital (Isala) and then implemented in six other Dutch cardiac centers. This safety checklist focuses on pre-operative known risk factors in combination with a trans-esophageal echo (an ultrasound scan of the heart) that is performed just after induction of anesthesia.

### Who can participate?

Adult cardiac surgery patients

### What does the study involve?

Participating cardiac centers introduce the safety checklist. The use of the checklist is strongly encouraged but not obligatory. Patients who are operated with the use of the safety checklist are compared with those who are operated without. 30-day and 120-day mortality (death rates), surgical re-exploration, 72-hour stroke and deep sternal wound infections are compared between the groups.

### What are the possible benefits and risks of participating?

The benefit of participating is that patient safety may be improved by systematically checking all the possible risk factors for preoperative complications. There is a small risk that the initial operation plan will be adapted. However, these adaptations are meant to increase patient safety and to prevent possible harmful situations.

### Where is the study run from?

1. Isala Hospital, Zwolle (Netherlands)
2. Medisch Spectrum Twente (Netherlands)
3. Antonius Hospital Nieuwegein (Netherlands)
4. OLVG (Netherlands)
5. Catharina Hospital (Netherlands)

6. HAGA teaching hospitals (Netherlands)

7. Amphia (Netherlands)

When is the study starting and how long is it expected to run for?

May 2014 to December 2015

Who is funding the study?

Achmea Healthcare (Netherlands)

Who is the main contact?

Mr Alexander Spanjersberg

## Contact information

### Type(s)

Scientific

### Contact name

Mr Alexander Spanjersberg

### Contact details

Dr van Heesweg 2

Zwolle

Netherlands

8025AB

## Additional identifiers

### Protocol serial number

Z528-2

## Study information

### Scientific Title

Effects of the implementation of a specific cardiac surgery checklist on mortality in 7 Dutch cardiac centers

### Study objectives

Implementing a specific cardiac surgery safety checklist in multiple cardiac surgery centers results in lower mortality and major complications.

### Ethics approval required

Old ethics approval format

### Ethics approval(s)

Committee on Research Ethics of Isala Hospital in Zwolle the Netherlands considered that no further approval was necessary as this is a retrospective study on routine data, 14/08/2014, METC nr 14.08113

### Study design

Multicenter observational cohort study during a one-year implementation phase

### **Primary study design**

Observational

### **Study type(s)**

Prevention

### **Health condition(s) or problem(s) studied**

Adult cardiac surgery patients

### **Interventions**

Participating centers started to implement the safety checklist from 01/01/2015 and all adult patients undergoing cardiac surgery in one of the participating hospitals were eligible. The use of the checklist was strongly encouraged, but not obligatory. The studied patient population was limited to coronary artery bypass grafting (CABG), surgical aortic valve replacement (AVR), combination of both, and mitral valve surgery (MVS). Patients who were operated on with the use of the safety checklist were compared with those who were operated without.

### **Intervention Type**

Behavioural

### **Primary outcome(s)**

120-day mortality; data retrieved from electronic database of the regional municipal administration

### **Key secondary outcome(s)**

1. 30-day mortality; data retrieved from electronic database of the regional municipal administration
2. 72-hour stroke; data retrieved from active reporting of participating hospital; stroke is defined as a stroke diagnosed by a neurologist (not TIA), within 72 hours after primary surgery.
3. Surgical re-exploration: data from active reporting; surgical re-exploration is defined as every opening of the thorax after primary closure within 30 days after primary surgery. Causes may be bleeding, tamponade or other, but not mediastinitis
4. Deep sternal wound infection (DSWI); data from active reporting; DSWI is defined as deep sternal wound infection within 30 days after primary surgery

### **Completion date**

31/12/2015

## **Eligibility**

### **Key inclusion criteria**

1. Adult cardiac surgery patients
2. Undergoing coronary artery bypass grafting (CABG), surgical aortic valve replacement (AVR), AVR combined with CABG, and mitral valve surgery (MVS)

### **Participant type(s)**

Patient

**Healthy volunteers allowed**

No

**Age group**

Adult

**Sex**

All

**Key exclusion criteria**

Data not available on:

1. Type of surgery
2. Use of safety checklist

**Date of first enrolment**

01/01/2015

**Date of final enrolment**

31/12/2015

**Locations****Countries of recruitment**

Netherlands

**Study participating centre****Isala Hospital, Zwolle**

Dr van Heesweg 2

Zwolle

Netherlands

8025AB

**Study participating centre****Medisch Spectrum Twente**

Koningsplein 1

Enschede

Netherlands

7512 KZ

**Study participating centre****Antonius Hospital Nieuwegein**

Koekoekslaan 1

Nieuwegein

Netherlands

3435 CM

**Study participating centre****OLVG**

Oosterpark 9  
Amsterdam  
Netherlands  
1091 AC

**Study participating centre****Catharina Hospital**

Michelangelolaan 2  
Eindhoven  
Netherlands  
5623 EJ

**Study participating centre****HAGA teaching hospitals**

Els Borst-Eilersplein 275  
The Hague  
Netherlands  
2545 AA

**Study participating centre****Amphia**

Molengracht 21  
Breda  
Netherlands  
4818 CK

**Sponsor information****Organisation**

Achmea Healthcare

**Organisation**

Isala Academy

**Organisation**

Achmea (Netherlands)

**ROR**

<https://ror.org/00gqmky69>

**Funder(s)****Funder type**

Other

**Funder Name**

Achmea Healthcare

**Results and Publications****Individual participant data (IPD) sharing plan**

The dataset will not be directly available, as data ownership is at the participating centers. In the agreement with the participating centers it is stated that data may only be analyzed for the purpose of this study. If there is a request, the participating centers have to be asked for permission to use the data for a new purpose. In the meantime data are held at the national institution: Netherlands Heart Registry.

**IPD sharing plan summary**

Not expected to be made available