

Promoting the use of a self-management intervention among chiropractic students treating individuals with back pain

Submission date 09/03/2021	Recruitment status No longer recruiting	<input type="checkbox"/> Prospectively registered <input type="checkbox"/> Protocol
Registration date 12/03/2021	Overall study status Completed	<input type="checkbox"/> Statistical analysis plan <input checked="" type="checkbox"/> Results
Last Edited 22/05/2023	Condition category Musculoskeletal Diseases	<input checked="" type="checkbox"/> Individual participant data

Plain English summary of protocol

Background and study aims

Clinical practice guidelines recommend that chiropractors offer self-management strategies (SMS) to patients with back pain. SMS consists of helping patients participate in the decisions and activities that will lead to healthy behaviours, such as increasing their level of physical activity. However, SMS is not routinely used as part of chiropractors' practice. To address this gap between what is recommended and what is currently done in clinical practice, the researchers collaborated with Canada's largest chiropractic training institution, the Canadian Memorial Chiropractic College (CMCC), to plan the implementation of an SMS during professional training. They previously identified some barriers to using SMS by conducting surveys and interviews with CMCC patients with back pain, students and their clinical supervisors (e.g., chiropractors' lack of knowledge, skills and time; feeling anxious about using SMS; the influence of supervisory clinicians; and patients' lack of resources; the difficulty of remembering SMS recommendations, and feeling anxious about using SMS). Taking these factors into account, the researchers designed a knowledge translation (KT) intervention consisting of webinars and an online educational module on how to use an SMS. This project aims to support chiropractic students' use of self-management support strategies when treating individuals with back pain.

Who can participate?

Supervisory clinicians and students at CMCC and patients aged 18-65 receiving treatment from a consenting chiropractic student

What does the study involve?

The 16 patient-management teams of CMCC are randomly allocated to two groups, one receives the intervention and the other one is put on the waiting list (controls). The intervention includes webinars and an online educational module on how to use the self-management strategy (SMS). Participants in this study are asked to complete online questionnaires at different timepoints in the study. The questionnaires related to students' use of the SMS and to patients' health (e.g., levels of pain, disability, activation) are collected before and after the intervention using medical charts and questionnaires. To evaluate the feasibility of conducting a larger study, recruitment rate and adherence to the study's duties are assessed, along with completing the study

questionnaires and adherence to the KT intervention components. In addition, to evaluate the effects of the KT intervention, measures related to students' use of SMS and to patients' health (e.g., levels of pain, disability, activation) are collected before and after the intervention using medical charts and questionnaires.

What are the possible benefits and risks of participating?

This study may allow the researchers to gain an in-depth understanding of how best to transfer new knowledge strategies to chiropractors. This in turn may be of benefit to future patients.

There are no known risks to chiropractors, interns, and patients.

Where is the study run from?

Canadian Memorial Chiropractic College in collaboration with McGill University (Canada)

When is the study starting and how long is it expected to run for?

June 2017 to June 2019

Who is funding the study?

1. Canadian Chiropractic Guidelines Initiative (Canada)
2. McGill University (Canada)

Who is the main contact?

1. Dr André Bussières
andre.bussieres@mcgill.ca
2. Dr Owis Eilayyan
owis.eilayyan@mail.mcgill.ca

Contact information

Type(s)

Scientific

Contact name

Dr Owis Eilayyan

ORCID ID

<http://orcid.org/0000-0001-6191-8745>

Contact details

King Khaled Road
Skaka
Saudi Arabia
72341
+966 (0)544750627
owis.eilayyan@mail.mcgill.ca

Additional identifiers

EudraCT/CTIS number

Nil known

IRAS number**ClinicalTrials.gov number**

Nil known

Secondary identifying numbers

Nil known

Study information

Scientific Title

Theory-based intervention promoting the use of a self-management strategy among novice chiropractors treating individuals with spine pain: a mixed-methods pilot cluster-randomized control study

Acronym

KT SMS

Study objectives

It is hypothesized that it is feasible to implement a full trial to implement evidence-based theory to promote the use of a self-management strategy among novice chiropractors treating individuals with spine pain.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Approved 25/09/2017, Research Ethics Board of McGill University (#633 - 3655 Promenade Sir William Osler, Montreal, Quebec H3G 1Y6, Canada; +1 (0)514 398 3124, +1 (0)514 398 8302; ilde.lepore@mcgill.ca), ref: McGill IRB: A09-B53-17B

Approved 13/11/2017, Research Ethics Board of Canadian Memorial Chiropractic College (6100 Leslie St, North York, ON M2H 3J1, Canada; +1 (0)416 482 2340; mfillery@cmcc.ca), ref: 1711X01

Study design

Pilot quasi-clustered randomized trial

Primary study design

Interventional

Secondary study design

Cluster randomised trial

Study setting(s)

Other

Study type(s)

Treatment

Participant information sheet

No participant information sheet available

Health condition(s) or problem(s) studied

Spine pain

Interventions

The 16 patient-management teams of Canadian Memorial Chiropractic College (CMCC) are assigned to two groups, one receiving the intervention and the other one on the wait list (controls). The intervention includes webinars and an online educational module on how to use the self-management strategy (SMS). Participants are asked to complete online questionnaires at different timepoints in the study. The questionnaires related to students' use of the SMS and to patients' health (e.g., levels of pain, disability, activation) are collected before and after the intervention using medical charts and questionnaires. To evaluate the feasibility of conducting a larger study, recruitment rate and adherence to the study's duties are assessed using calculating the ratio of participated people to all eligible people to the study, completing the study questionnaires and adherence to the knowledge translation (KT) intervention components. In addition, to evaluate the effects of the KT intervention, measures related to students' use of SMS and to patients' health (e.g., levels of pain, disability, activation) are collected before and after the intervention using medical charts and questionnaires.

Intervention Type

Behavioural

Primary outcome measure

Clinicians and interns:

1. Recruitment rate, measured as a proportion of clinicians and interns potentially eligible for participating. It is the number of clinicians and interns agreeing to participate divided by the number of eligible clinicians and interns.
2. Retention rate: the number of clinicians or interns who completed follow-up of all outcome measures at 6 months divided by the number of clinicians, interns or patients who were randomized
3. Adherence to the knowledge translation intervention: for those randomized to the intervention arm, measured through the rates of attendance of the online training (baseline), practice and feedback session (3 months), and workshop training (3 months)

Patients:

Retention rate: the number of patients who completed follow-up of all outcome measures at 2 months divided by the number of patients who were randomized

Secondary outcome measures

Clinicians and interns:

1. Perceived skills measured using the BAP skills survey at four timepoints: baseline, immediately after the online training, 3 and 6 months.
2. Self-efficacy measured using the BAP Tool Experience at four timepoints: baseline, immediately after the online training, 3 and 6 months.
3. Perceived importance related to the brief action planning measured using the BAP Tool Experience at four timepoints: baseline, immediately after the online training, 3 and 6 months

Patients:

1. Level of confidence with SMS measured using the Brief Action Planning Survey at three timepoints: baseline, 2 and 8 weeks
2. Compliance with their action plan measured using the Patient Activation Measure at three timepoints: baseline, 2 and 8 weeks

3. Pain intensity measured using the Numerical Rating Scale at three timepoints: baseline, 2 and 8 weeks
4. Disability measured using the Bournemouth Questionnaire at three timepoints: baseline, 2 and 8 weeks
5. Self-efficacy measured using the Patient Activation Measure at four timepoints: baseline, immediately after the online training, 3 and 6 months
6. Quality of life measured using the PROMIS Global Health Questionnaire at three timepoints: baseline, 2 and 8 weeks
7. Satisfaction with care measured using the Patient Activation Measure at three timepoints: baseline, 2 and 8 weeks

Overall study start date

01/06/2017

Completion date

01/06/2019

Eligibility

Key inclusion criteria**Clinicians:**

Supervisory clinicians are eligible to participate if they:

1. Are licenced chiropractors
2. Work either part-time or full-time at one of the participating clinics

Interns:

The interns are eligible to participate if:

1. They are in their final year at Canadian Memorial Chiropractic College
2. In one of 16 "patient management teams" who accept to participate in the study
3. Provide chiropractic treatment to a least two adults (age 18-65 years) with spine pain each week

Patients:

Patients are deemed eligible if they are:

1. Between 18-65 years
2. Receiving treatment by a consenting chiropractic intern
3. Able to read English and hold a conversation in English

Participant type(s)

Mixed

Age group

Adult

Lower age limit

18 Years

Upper age limit

65 Years

Sex

Both

Target number of participants

55% of eligible clinicians and interns would agree to participate (i.e. clinicians: 11, interns: 140)

Total final enrolment

65

Key exclusion criteria

Interns:

Interns are excluded from the study if they have already attended the BAP webinar or educational online module

Patients:

Patients are excluded in the presence of:

1. 'Red flags' (i.e. indicators of serious pathologies including malignancy, infection, fracture, inflammatory disease)
2. Pregnancy

Date of first enrolment

13/11/2017

Date of final enrolment

17/04/2018

Locations**Countries of recruitment**

Canada

Study participating centre

Canadian Memorial Chiropractic College

6100 Leslie St

North York

North York

Canada

M2H 3J1

Sponsor information**Organisation**

McGill University

Sponsor details

845 Sherbrooke St W
Montreal
Canada
H3A 0G4
+1 (0)5143988302
ilde.lepore@mcgill.ca

Sponsor type

University/education

Website

<http://www.mcgill.ca/>

ROR

<https://ror.org/01pxwe438>

Organisation

Canadian Memorial Chiropractic College

Sponsor details

6100 Leslie St
North York
North York
Canada
M2H 3J1
+1 (0)4164822340 ext 267
mfillery@cmcc.ca

Sponsor type

University/education

Website

<https://www.cmcc.ca/>

ROR

<https://ror.org/03jfagf20>

Funder(s)

Funder type

University/education

Funder Name

McGill University

Alternative Name(s)

McGill, Université McGill, Universitas McGill, MGU

Funding Body Type

Government organisation

Funding Body Subtype

Universities (academic only)

Location

Canada

Funder Name

Canadian Chiropractic Guidelines Initiative

Results and Publications

Publication and dissemination plan

The protocol of the study is not published and not available online. The paper will be submitted in April 2021 to the Implementation Science journal for publication.

Intention to publish date

01/07/2021

Individual participant data (IPD) sharing plan

The datasets generated and/or analysed during the current study during this study will be included in the subsequent results publication as an additional file.

IPD sharing plan summary

Other

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Dataset			22/05/2023	No	No
Dataset			22/05/2023	No	No
Dataset			22/05/2023	No	No
Results article		21/01/2022	22/05/2023	Yes	No