

Can adolescent emotion regulation be improved with an app-based training?

Submission date 04/12/2018	Recruitment status Suspended	<input type="checkbox"/> Prospectively registered <input checked="" type="checkbox"/> Protocol
Registration date 10/12/2018	Overall study status Completed	<input type="checkbox"/> Statistical analysis plan <input type="checkbox"/> Results
Last Edited 09/07/2020	Condition category Mental and Behavioural Disorders	<input type="checkbox"/> Individual participant data <input type="checkbox"/> Record updated in last year

Plain English summary of protocol

Background and study aims

75% of all mental health problems have their onset before the end of adolescence. Adolescence, thus may be a particularly sensitive time period for preventing mental health problems. In this study, we will explore the usefulness of an app-based training for improving adolescents' ability to control their emotions. As an app, the training can be made available to anyone who has access to a smartphone or a tablet device anywhere in the world. We are particularly interested whether the training can improve adolescents' mental health.

Who can participate?

Individuals aged between 11-19 years, without a history of head injury, diagnosed neurodevelopmental disorder or learning difficulty.

What does the study involve?

To investigate the effectiveness of our training app, we will compare our training app to another training app, which we don't think will improve adolescents' ability to control their emotions. We will ask 200 (~50% females) adolescents to train on the two apps for 14 days. Before adolescents start with their training we will measure their mental health as well as their ability to control their emotions. We will then measure these things again immediately after they have finished their training, one month after the training and one year after the training. We are measuring them repeatedly to explore whether the training has lasting benefits to adolescents' mental health and emotional control.

What are the possible benefits and risks of participating?

There are no known risks or benefits to the individual for participating in the study.

Where is the study run from?

The study is run from the University College Institute of Cognitive Neuroscience.

When is the study starting and how long is it expected to run for?

The study start date is September 2018 and it will run until January 2019.

Who is funding the study?
The study is funded by the Wellcome Trust.

Who is the main contact?
Dr Susanne Schweizer, s.schweizer@ucl.ac.uk

Contact information

Type(s)
Scientific

Contact name
Dr Susanne Schweizer

ORCID ID
<http://orcid.org/0000-0001-6153-8291>

Contact details
UCL Institute of Cognitive Neuroscience, 17 Quenn Square
London
United Kingdom
WC1N 3AZ
+447588325004
s.schweizer@ucl.ac.uk

Additional identifiers

EudraCT/CTIS number

IRAS number

ClinicalTrials.gov number

Secondary identifying numbers
1

Study information

Scientific Title
Trial comparing the effectiveness of an app-based Affective Control Training to a placebo training App for improving adolescent mental health and emotion regulation

Acronym
ACTA

Study objectives
1. Affective control can be improved in adolescents (affective control training hypothesis).
2. AC-Training compared to P-Training will lead to greater improvements in all facets of affective control as measured by non-trained affective control tasks, including affective inhibition, updating and shifting tasks (affective control facets hypothesis).

3. The benefits of AC-Training will decrease with age (age-related change hypothesis).
4. Increases in affective control from pre- to post-training will be associated with fewer self-reported mental health problems and emotion regulation difficulties, as well as higher levels of self-reported self-control, at each assessment time point (mental health hypothesis).

Ethics approval required

Old ethics approval format

Ethics approval(s)

The University College London Research Ethics Committee, 23/04/2018, ref. 12753/002.

Study design

Proof-of-principle double-blind randomized control trial

Primary study design

Interventional

Secondary study design

Randomised controlled trial

Study setting(s)

School

Study type(s)

Other

Participant information sheet

Not available in web format, please use contact details to request a participant information sheet

Health condition(s) or problem(s) studied

Adolescent mental health and emotion regulation

Interventions

Training procedure and timeline

The study will have two training arms. An active Affective Control Training (AC-Training) and a placebo training (P-Training). The training will be administered via an app. Included participants will be randomized to either the AC-Training or the P-Training groups. Both training groups train for 14 days over a four-week period. They are asked to complete at least 10 minutes of training per day. The total duration of a session is There is no upper limit to the duration of the daily training session.

Affective training

In the affective training participants train on three different working memory tasks including neutral and affective stimuli (faces and words). The tasks are a visuospatial, auditory and dual n-back task. They require participants to maintain and update the location of faces, words, or both in working memory.

Placebo training

The placebo training task requires participants to indicate whether two panels display exactly the same stimuli in the same positions on a grid. As with the affective control training there are

three versions: a shapes version including geometric shapes as stimuli, and the other two versions include the same faces and words as the affective control training task.

Randomization

Condition allocation will be concealed to experimental staff by using computer-generated condition assignment stratified by age (young adolescents, 11-14 years, and mid-late adolescents, 15-19 years). Allocation will be based on a blocked randomization sequence with randomly mixed block sizes (2-6), which prevents the experimenter from deducing any potential sequencing even with awareness of the randomization type. To investigate this hypothesis, we will compare individuals' performances on the affective n-back task, which is a slightly modified (i.e., including different stimuli and fewer trials) version of the AC-Training task, across the two training groups.

Intervention Type

Behavioural

Primary outcome measure

1. Mental health will be measured using the strengths and difficulties questionnaire before training, immediately after training, one month after training and one year after training.
2. Affective control will be measured using computerized assessments of affective inhibition, updating and shifting before training, immediately after training, one month after training and one year after training.
3. Emotion regulation will be measured with the Difficulties in Emotion Regulation Scale will be assessed before training, immediately after training, one month after training and one year after training.

Secondary outcome measures

1. Self-regulation will be assessed with the Brief version of the Self-control Scale before training, immediately after training, one month after training and one year after training. 1.1. It will also be assessed by deriving a ratio of the time spent on the most demanding versus less demanding training tasks.

Overall study start date

21/09/2018

Completion date

01/01/2022

Eligibility

Key inclusion criteria

1. Aged between 11-19 years old
2. Speak English fluently

Participant type(s)

Healthy volunteer

Age group

Other

Sex

Both

Target number of participants

200

Key exclusion criteria

1. History of traumatic head injury
2. Diagnosed neurological or neurodevelopmental disorder
3. Currently enrolled in another cognitive training intervention.

Date of first enrolment

01/06/2018

Date of final enrolment

01/06/2021

Locations**Countries of recruitment**

England

United Kingdom

Study participating centre

UCL Institute of Cognitive Neuroscience

17 Queen Square

London

United Kingdom

WC1N 3AZ

Sponsor information**Organisation**

University College London

Sponsor details

17 Queen Square

London

England

United Kingdom

WC1N 3AZ

+44 (0)2076792222

icn@ucl.ac.uk

Sponsor type

University/education

Website

<http://www.ucl.ac.uk/>

ROR

<https://ror.org/02jx3x895>

Funder(s)

Funder type

Charity

Funder Name

Wellcome Trust

Alternative Name(s)**Funding Body Type**

Private sector organisation

Funding Body Subtype

International organizations

Location

United Kingdom

Results and Publications

Publication and dissemination plan

Standard academic dissemination of the study results will be sought through journal publications. Findings will also be communicated at scientific conferences and where permitted by journal regulations published on pre-print archives.

Intention to publish date

01/06/2022

Individual participant data (IPD) sharing plan

Participants consent will be obtained to share anonymised data. We will share data on request with researchers that consent to storing and analysing the data in accordance with the General Data Protection Regulation and the British Psychological Society's Code of Ethics and Conduct.

No de-identified data will be shared that data will be stored for 10 years on encrypted drives at the University College London Institute of Cognitive Neuroscience and locked filing cabinets in the case of paper data.

IPD sharing plan summary

Available on request

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Protocol article	protocol	02/10/2019	10/10/2019	Yes	No