Mental health assessment of adult people living in different parts of Ukraine and in the Ukrainian diaspora (Canton Zurich)

Submission date	Recruitment status No longer recruiting	[X] Prospectively registered			
11/01/2024		[X] Protocol			
Registration date	Overall study status	Statistical analysis plan			
15/01/2024	Ongoing	[X] Results			
Last Edited	Condition category	Individual participant data			
12/08/2025	Mental and Behavioural Disorders				

Plain English summary of protocol

Background and study aims

While the long-term, population-level mental health impact of Russia's invasion of Ukraine on February 24, 2022, cannot yet be fully predicted, high demand for mental health and psychosocial support is anticipated in a post-war context. Since no public mental health surveillance exists in Ukraine, or in the Ukrainian diaspora, our aim is to assess and monitor mental health and health care needs of people living across Ukraine and in the diaspora (Canton Zurich), thus facilitating adapted and responsive mental health care planning and provision. The aim of this study is the Mental Health Assessment of the Population project implement agile, digital surveillance of public mental health in adult people living in different parts of Ukraine and in the Ukrainian diaspora (Canton Zurich).

Who can participate?

Eligible participants for this study include adults (age ≥18 years) who are residents of Ukraine, as well as adults from Ukraine with refugee status S, currently residing in the Canton of Zurich. Additionally, adults (age ≥18 years) residing in the Canton of Zurich are invited to participate. To be eligible, individuals must provide informed consent and possess the ability to complete the surveys, available in both Ukrainian and German, either online or through a phone interview.

What does the study involve?

Mental Health Assessment of the Population (MAP) study conducts by a team of Swiss and Ukrainian researchers and focuses on mental health surveillance of adult people living in different parts of Ukraine and displaced Ukrainian citizens living in Canton Zurich. Baseline assessments will be conducted in February 2024. Follow-up assessments will take place every three months after baseline for at least two years.

The digital monitoring system will be designed to be cost effective, have a low participation burden, be responsive to changing information needs of Ukrainian stakeholders. Participants will be selected based on random sampling. Data will be collected through a secure digital study platform (REDCap). The results will be displayed in almost real-time on an online platform. Therefore, well before results are available in conventional scientific communication channels, the public, scientists, humanitarian organizations and policymakers can monitor the prevalence

of PTSD, depression, anxiety, and alcohol use disorder among the general population, their trajectories over time, and by subgroup.

What are the possible benefits and risks of participating?

MAP will create a robust, longitudinal mental health surveillance that will provide policy- and decision-makers with essential, high-quality data to make informed and timely decisions on mental health care and support in Ukraine. Establishing a mental health surveillance at the country level will provide vital information for the government to assess healthcare needs, formulate policies and programmes for psychological support, focusing efforts on areas which require most attention.

Data security: As with any online study, there is a small risk of threats to the security of stored personal and sensitive data. We will minimize this risk by relying on UZH infrastructure (Science IT), which provides high levels of data security, by anonymization of stored data and separate storage of information about participants identification. We will rely on our long-term experience with Science IT with the Swiss MS Registry, a particularly sensitive project, and studies at our institute. We will be in regular exchange with the cyber security officer of UZH. Psychological distress: it is possible that confrontation with personal psychiatric symptoms or reflection on traumatic events may cause psychological distress in participants. We will minimize this risk by relying on established questionnaires for the identification symptoms only, by keeping the length of the survey to the minimum necessary and by providing information on access to hotlines, acute psychiatric support.

Where is the study run from? University of Zurich (Switzerland)

When is the study starting and how long is it expected to run for? November 2023 to January 2026

Who is funding the study?

- 1. Canton Zurich (Entwicklungszusammenarbeit) (Switzerland)
- 2. University of Zurich (Switzerland)

Who is the main contact? Prof. Dr. med. et PhD Milo Puhan, miloalan.puhan@uzh.ch

Contact information

Type(s)

Public, Scientific, Principal investigator

Contact name

Prof Milo Puhan

ORCID ID

https://orcid.org/0000-0003-4721-1879

Contact details

Hirschengraben 84 Zurich Switzerland 8001 +41 44 634 46 10 miloalan.puhan@uzh.ch

Type(s)

Public, Scientific

Contact name

Dr Viktoriia Yasenok

ORCID ID

https://orcid.org/0000-0003-3250-2112

Contact details

Hirschengraben 84 Zurich Switzerland 8001 +41 44 634 46 54 viktoriia.yasenok@uzh.ch

Additional identifiers

Clinical Trials Information System (CTIS)

Nil known

ClinicalTrials.gov (NCT)

Nil known

Protocol serial number

Nil known

Study information

Scientific Title

Mental Health Assessment of the Population

Acronym

MAP

Study objectives

The overall aim of this study is to implement agile, digital surveillance of public mental health in adult people living in different parts of Ukraine and in the Ukrainian diaspora (Canton Zurich). The specific objectives are:

1. To determine the prevalence of symptoms of PTSD, depression, anxiety, and alcohol abuse at the beginning of the surveillance, and at follow-up intervals of every three months until two years. Short-term and long-term temporal development in the Ukrainian general population (in Ukraine and in the Canton of Zurich) and subgroups defined by age, region, and level of warrelated exposure will also be monitored.

- 2. To assess how mental health impacts general health and health care seeking behaviour.
- 3. To assess needs, preferences, barriers, and facilitators for mental health care services of the Ukrainian general population and subgroups.

Ethics approval required

Ethics approval required

Ethics approval(s)

- 1. approved 13/02/2024, Cantonal Ethics Committee Zurich (Stampfenbachstrasse 121, Zurich, CH-8090, Switzerland; +41 43 259 79 70; info.kek@kek.zh.ch), ref: 2023-02247
- 2. approved 14/11/2023, Commission on Bioethics of Sumy State University (Sanatorna 1, Sumy, 40018, Ukraine; +380542660950; info@med.sumdu.edu.ua), ref: 60-0274

Study design

Prospective population-based digital cohort study

Primary study design

Observational

Study type(s)

Quality of life, Screening

Health condition(s) or problem(s) studied

Prevalence and incidence of post-traumatic stress disorder, depression, anxiety, and alcohol use disorder

Interventions

Upon enrolment, participants, who are residents of Ukraine will complete the baseline assessment through a secure digital study platform (REDCap). To access REDCap for the baseline and follow-up assessments, participants will receive an e-mail (automated, including reminders) containing a link to the respective assessment. For the Ukrainians with refugee status S residing in the Canton of Zurich and general population of the Canton of Zurich, the initial contact will be established by postal mail. Participants will not need a specific app, but simply a web browser on their computer, tablet or smartphone. Follow-up assessments will take place every three months for at least 2 years.

Intervention Type

Other

Primary outcome(s)

Measured at baseline and then every 12 weeks for 2 years:

- 1. PSTD measured using Posttraumatic Stress Disorder Checklist (PCL-5)
- 2. Depression measured using Patient Health Questionnaire (PHQ)-9
- 3. Anxiety measured using generalized anxiety disorder 7 (GAD-7)
- 4. Alcohol use disorder measured using Alcohol Use Disorders Identification Test (AUDIT)

Key secondary outcome(s))

Current secondary outcome measures as of 08/07/2024:

Measured at baseline and then every 12 weeks for 2 years:

1. General health (as measured by the Feeling Thermometer from the European Quality of Life 5

Dimensions (EQ-5D) questionnaire, as well as five questions of the EQ-5D, describing the participant's health: mobility, self-care, usual activities, pain/discomfort, anxiety/depression), experiences of somatic distress syndrome (PHQ-15)

- 2. To measure social isolation and social integration we used questions taken from the Swiss Health Survey (2022)
- 3. Needs, preferences, barriers, and facilitators for mental health services will be assessed by closed-ended questions (based on pre-defined dropdown options)

Previous secondary outcome measures:

Measured at baseline and then every 12 weeks for 2 years:

- 1. General health (as measured by the Feeling Thermometer from the European Quality of Life 5 Dimensions (EQ-5D) questionnaire, as well as five questions of the EQ-5D, describing the participant's health: mobility, self-care, usual activities, pain/discomfort, anxiety/depression), experiences of somatic distress syndrome (PHQ-15), and one question about suicidal thoughts)
- 2. To measure social isolation and social integration we used questions taken from the Swiss Health Survey (2022)
- 3. Needs, preferences, barriers, and facilitators for mental health services will be assessed by closed-ended questions (based on pre-defined dropdown options)

Completion date

31/01/2026

Eligibility

Key inclusion criteria

- 1. Adults (age ≥18 years) who are residents of Ukraine.
- 2. Adults (age ≥18 years) from Ukraine with refugee status S residing in the Canton of Zurich.
- 3. Adults (age ≥18 years) residing in the Canton of Zurich.
- 4. Providing informed consent.
- 5. Being able to complete the surveys (available in Ukrainian and German) online or by phone interview.

Participant type(s)

Population

Healthy volunteers allowed

No

Age group

Adult

Lower age limit

18 years

Upper age limit

120 years

Sex

All

Total final enrolment

8180

Key exclusion criteria

Persons who cannot be reached on multiple attempts.

Date of first enrolment

25/03/2024

Date of final enrolment

15/08/2024

Locations

Countries of recruitment

Switzerland

Ukraine

Study participating centre

Epidemiology, Biostatistics und Prevention Institute (University of Zurich)

Hirschengraben 84 Zurich Switzerland 8001

Study participating centre

Center for Social Research (Sumy State University)

Rymskogo-Korsakova 2 Sumy Ukraine 40007

Sponsor information

Organisation

University of Zurich

ROR

https://ror.org/02crff812

Funder(s)

Funder type

Not defined

Funder Name

Kanton Zürich

Alternative Name(s)

Canton Zurich

Funding Body Type

Government organisation

Funding Body Subtype

Local government

Location

Switzerland

Funder Name

Universität Zürich

Alternative Name(s)

University of Zurich, Switzerland, University of Zurich, UZH

Funding Body Type

Government organisation

Funding Body Subtype

Universities (academic only)

Location

Switzerland

Results and Publications

Individual participant data (IPD) sharing plan

The datasets generated during and analysed during the current study will be available upon request from Prof. Dr. med. et phil. Milo A. Puhan, Director Epidemiology, Biostatistics and Prevention Institute (EBPI) University of Zurich, email: miloalan.puhan@uzh.ch

IPD sharing plan summary

Available on request

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article		11/08/2025	12/08/2025	Yes	No
<u>Protocol article</u>		13/01/2025	31/01/2025	Yes	No
Participant information sheet	Participant information sheet	11/11/2025	11/11/2025	No	Yes
Study website	Study website	11/11/2025	11/11/2025	No	Yes