Type 2 diabetes self-management using continuous glucose monitoring

Submission date	Recruitment status No longer recruiting	[X] Prospectively registered		
16/04/2021		☐ Protocol		
Registration date 22/04/2021	Overall study status Completed Condition category	Statistical analysis plan		
		[X] Results		
Last Edited		Individual participant data		
26/08/2025	Nutritional, Metabolic, Endocrine			

Plain English summary of protocol

Background and study aims

People living with diabetes are required to self-manage their condition through a variety of self-care activities such as eating a healthy diet, exercising regularly, taking medication, and monitoring their blood glucose levels. Individuals living with Type 2 Diabetes who receive support from specialist diabetes teams typically have complex health care needs and multiple chronic conditions for them to self-manage. This requires continuous effort and can be physically, emotionally, intellectually, and socially demanding.

Continuous glucose monitors (CGM) have been developed to give people with diabetes real-time readings of their blood glucose levels. It has been shown that using CGM can help some people with diabetes manage their blood glucose levels and improve their quality of life. The aim of the study is to determine whether being able to see blood glucose levels using CGM for 12 weeks will help support people with complex Type 2 Diabetes to self-manage their

Who can participate?

diabetes.

Adults with established Type 2 Diabetes (for over 1 year) and under the care of specialist hospital diabetes teams (Outpatients) will be invited to take part.

What does the study involve?

The study will compare the short-term use (12 weeks) of CGM on self-management behaviour compared to usual care. All participants will use a continuous glucose monitor as part of the study. Participants will be asked to attend 6 study visits over 36 weeks and will also receive 2 phone calls from the study nurse during the 12 week period that they are using the CGM device.

Participants will be allocated to recieve either CGM or usual care for 12 weeks, with an equal chance of being in either group (like tossing a coin) for the first period of the study. In the second period of the study, participants will receive the intervention that they did not receive in the first half of the study. In the third 12 week period of the study, no participants will have access to the CGM device.

Participants will wear the CGM device for 3 separate periods throughout the study. Two of the periods will last for 10 days each and during this time the participant will not be able to see their

blood glucose readings. The third period will last for 12 weeks when the participant will be able to use the CGM device fully to help them self-manage their diabetes. All participants will wear the CGM device for 12 weeks followed by a period of 12 weeks when they will receive usual care and not wear the device.

Throughout the study participants will be asked to complete the following questionnaires:

- 1. Diabetes Self-Management Questionnaire at randomisation, 12, 24 & 36 weeks;
- 2. Patient Activation Measure at screening, randomisation, 12, 24 & 36 weeks;
- 3. Audit of Diabetes Dependent Quality of Life Questionnaire at randomisation, 12, 24 & 36 weeks:
- 4. Problem Areas in Diabetes (PAID-5) questionnaire at randomisation, 12, 24 & 36 weeks.

The clinical measurements of HbA1c (glycated haemoglobin, which is a marker from blood samples of how well-controlled blood sugar has been the previous few months), total cholesterol, weight, BMI, and waist circumference will also be recorded.

What are the possible benefits and risks of participating?

The aim of the study is to determine whether CGM can help support people with complex Type 2 Diabetes manage their diabetes so possible benefits of taking part in the study could include a better understanding of Type 2 Diabetes, an improvement in diabetes self-management skills, an improvement in diabetes-related quality of life, and a reduction in diabetes-related distress. There could also be an improvement in an individual's blood glucose control and other clinical outcomes such as weight, reducing their risk of developing the complications of diabetes.

However, there may be no clinical benefit to taking part in the study and the use of a continuous glucose monitor may result in some discomfort, irritation, and redness at the site where the sensor is inserted. It may also increase anxiety or diabetes-related distress by providing regular blood glucose readings. Blood samples will be taken as part of the study which may cause some discomfort or bruising, however, this does not usually cause serious problems.

Where is the study run from? Diabetes Research Group, Swansea University (UK)

When is the study starting and how long is it expected to run for? From May 2020 to March 2023 (updated 25/05/2022, previously: February 2023; updated 31/03/2022, previously: December 2022; updated 19/10/2021, previously: August 2022; updated 03/08/2021, previously: July 2022)

Who is funding the study?

Dexcom (USA) and Swansea University (UK)

Who is the main contact? Dr Sharon Parsons S.N.Parsons@Swansea.ac.uk

Contact information

Type(s)
Public

Contact name

Dr Sharon Parsons

ORCID ID

https://orcid.org/0000-0002-5841-8309

Contact details

Diabetes Research Group Swansea University Grove Building Singleton Park Swansea United Kingdom SA2 8PP +44 (0)1792 606721 S.N.Parsons@Swansea.ac.uk

Additional identifiers

EudraCT/CTIS number

Nil known

IRAS number

290957

ClinicalTrials.gov number

Nil known

Secondary identifying numbers

IRAS 290957, RIO 031-20

Study information

Scientific Title

A randomised, controlled crossover study of short-term use of continuous glucose monitoring (CGM) to support self-management behaviour in complex type 2 diabetes mellitus: the DISCO GM study

Acronym

DISCO GM

Study objectives

Visualisation of blood glucose levels through the short-term use of continuous glucose monitoring alters self-management behaviour in people with complex type 2 diabetes mellitus.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Approved 12/01/2021, Wales Rec 6 (Public Health Wales, Building 1, Jobswell Road, St David's Park, SA31 3HB; +44 (0)1267 611164; Wales.REC6@Wales.nhs.uk), ref: 20/WA/0349

Study design

Single centre interventional randomized crossover trial

Primary study design

Interventional

Secondary study design

Randomised cross over trial

Study setting(s)

Hospital

Study type(s)

Treatment

Participant information sheet

Not available in web format, please use the contact details to request a participant information sheet.

Health condition(s) or problem(s) studied

Self-management of type 2 diabetes

Interventions

The study will be a randomised controlled crossover study of 36 weeks duration comparing:

- 1. Routine diabetes care plus diabetes self-management education
- 2. Short term use of Continuous Glucose Monitoring (12 weeks) plus diabetes self-management education.

Following diabetes self-management education, each participant will be randomised to undertake each intervention for a period of 12 weeks, followed by a 12-week follow-up period. The treatment sequence will be allocated at random. Randomisation will be performed using a computer generated list of random study sequence. Participants will be stratified according to whether they receive insulin therapy.

Intervention Type

Device

Phase

Not Applicable

Drug/device/biological/vaccine name(s)

Not provided at time of registration

Primary outcome measure

Diabetes self-management behaviour will be measured using the Diabetes Self-Management Questionnaire (DSMQ) at randomisation, 12, 24, and 36 weeks.

Secondary outcome measures

1. Diabetes-related quality of life measured using the Audit of Diabetes Dependent Quality of Life (ADDQoL) questionnaire at randomisation, 12, 24, and 36 weeks

- 2. Diabetes related distress measured using the Problem Areas in Diabetes (PAID-5) questionnaire at randomisation, 12, 24, and 36 weeks.
- 3. Patient Activation Level measured using the Patient Activation Measure (PAM) at screening, randomisation, 12, 24, and 36 weeks
- 4. Blood glucose control measured using HbA1c at randomisation, 12, 24, and 36 weeks
- 5. Glucose variability, incidence of hypoglycaemia, and time in range metrics will be measured using the continuous glucose monitoring device during the 12 week period the participant wears the device
- 6. Clinical outcomes such as weight, BMI, waist circumference and total cholesterol will be measured at randomisation, 12, 24 and 36 weeks

Overall study start date

06/05/2020

Completion date

31/03/2023

Eligibility

Key inclusion criteria

- 1. Aged over 18 years
- 2. Diagnosed with Type 2 Diabetes for over 1 year
- 3. Receiving care from a specialist diabetes team (hospital outpatient setting)
- 4. HbA1c level equal to or over 75 mmol/mol (9%)
- 5. Willing and able to provide informed consent
- 6. Willing and able to engage with continuous glucose monitoring

Participant type(s)

Patient

Age group

Adult

Lower age limit

18 Years

Sex

Both

Target number of participants

60

Total final enrolment

62

Key exclusion criteria

- 1. Diabetes other than Type 2 Diabetes
- 2. Pregnancy
- 3. Participation in any investigational drug trial within one month prior to visit 1
- 4. Condition rendering the participant unable to understand the nature, scope, and possible

consequences of the study

- 5. End-stage renal disease (existing or planned dialysis or transplantation)
- 6. Severe non-proliferative diabetic retinopathy, proliferative diabetic retinopathy, and diabetic macular oedema
- 7. Blindness or severe loss of visual acuity in both eyes
- 8. Treatment with hydroxyurea
- 9. Treatment with paracetamol (acetaminophen) higher than 1,000 mg every 6 h daily

Date of first enrolment

21/06/2021

Date of final enrolment

30/06/2022

Locations

Countries of recruitment

United Kingdom

Wales

Study participating centre Clinical Research Unit, Morriston Hospital

Heol Maes Eglwys Swansea United Kingdom SA6 6NL

Sponsor information

Organisation

Swansea University

Sponsor details

Research, Engagement & Innovation Services Singleton Campus Swansea Wales United Kingdom SA2 8PP +44 (0)1792 513849 Researchgovernance@Swansea.ac.uk

Sponsor type

University/education

Website

http://www.swansea.ac.uk/

ROR

https://ror.org/053fq8t95

Funder(s)

Funder type

Industry

Funder Name

Dexcom

Alternative Name(s)

Dexcom, Inc.

Funding Body Type

Government organisation

Funding Body Subtype

For-profit companies (industry)

Location

United States of America

Funder Name

Swansea University

Alternative Name(s)

, Prifysgol Abertawe

Funding Body Type

Government organisation

Funding Body Subtype

Universities (academic only)

Location

United Kingdom

Results and Publications

Publication and dissemination plan

Planned publication in a high impact peer-reviewed journal.

Intention to publish date

31/12/2023

Individual participant data (IPD) sharing plan

The datasets generated during and/or analysed during the current study will be available upon request from Dr Sharon Parsons (S.N.Parsons@Swansea.ac.uk) once all analysis and study publications have been completed. All data shared will be anonymised and released following review of the request and agreement by the Chief Investigator and all Co-Investigators

IPD sharing plan summary

Available on request

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
HRA research summary			28/06/2023	No	No
Results article		14/08/2025	26/08/2025	Yes	No