Randomised controlled trial to assess the clinical- and cost-effectiveness of physiotherapy and occupational therapy in Parkinson's disease

Submission date	Recruitment status	[X] Prospectively registered		
21/08/2008	No longer recruiting	☐ Protocol		
Registration date	Overall study status	Statistical analysis plan		
01/09/2008	Completed	[X] Results		
Last Edited	Condition category	Individual participant data		
02/09/2016	Nervous System Diseases			

Plain English summary of protocol

Not provided at time of registration

Study website

www.pdrehab.bham.ac.uk/

Contact information

Type(s)

Scientific

Contact name

Prof Carl Clarke

Contact details

Neurology Department City Hospital Birmingham **Dudley Road** Birmingham United Kingdom B18 7QH

c.e.clarke@bham.ac.uk

Additional identifiers

EudraCT/CTIS number

IRAS number

ClinicalTrials.gov number

Secondary identifying numbers HTA 07/01/07

Study information

Scientific Title

Randomised controlled trial to assess the clinical- and cost-effectiveness of physiotherapy and occupational therapy in Parkinson's disease

Acronym

PD REHAB

Study objectives

Parkinson's disease (PD) is a progressive neurological disorder caused by the loss of pigmented dopaminergic neurones in the brain and the consequent depletion of the neurotransmitter dopamine. This leads to increasing problems with movement, including tremor, rigidity, slowness, postural disturbance and loss of balance. PD is one of the commonest causes of disability in older people. It is estimated that about 8,000 new cases of PD are diagnosed in the UK each year. Average life expectancy is about 15 years, leading to a minimum prevalence of 100,000 cases. Incidence increases rapidly with age, with most patients developing the initial symptoms of PD between 50 and 70 years of age. There is currently no curative therapy for PD, and treatment is directed towards the alleviation of symptoms.

The objective of this randomised controlled trial (RCT) is to evaluate the clinical and cost-effectiveness of combined domiciliary physiotherapy (PT) and occupational therapy (OP) in patients with PD. The results of the trial will inform future decisions by patients, clinicians, commissioners, the National Institute for Health and Clinical Excellence (NICE) and Government regarding the use of these rehabilitation therapies in PD. Patients and carers, along with the Parkinson's Disease Society, will be involved in translating the trial findings into a patient/carer leaflet to support their decision making in therapy up-take and will ensure the patient/carer voice is embedded within all recommendations for clinical practice.

More details can be found at: http://www.nets.nihr.ac.uk/projects/hta/070107 Protocol can be found at: http://www.nets.nihr.ac.uk/__data/assets/pdf_file/0004/51736/PRO-07-01-07.pdf

Ethics approval required

Old ethics approval format

Ethics approval(s)

MREC approval on 17/12/2008

Study design

Multicentre randomised controlled trial

Primary study design

Interventional

Secondary study design

Randomised controlled trial

Study setting(s)

Other

Study type(s)

Treatment

Participant information sheet

Not available in web format, please use the contact details below to request a patient information sheet

Health condition(s) or problem(s) studied

Parkinson's disease

Interventions

The participants will be randomly allocated to either immediate OT and PT versus no treatment for the duration of the trial.

Treatment arm: Physiotherapy and occupational therapy will be delivered in the patient's home by a trained therapist. The framework for the content of the therapy has been developed and it will be further agreed in advance by expert groups based on our previous work on standard NHS OT and PT and European guidelines. It will meet the requirements of patient-centred care as therapists will work towards the patients agreed goals within the framework. In that way therapy will be tailored to the individual patient's requirements. We have allowed for 8 visits by both the occupational therapist and physiotherapist to each patient in line with standard NHS practice as documented in the Physiotherapy Evaluation Project and our survey of occupational therapy services in the UK.

Control arm: The control patients will consent to have OT and PT deferred until the end of their 15 months participation in the trial. Since there is insufficient evidence to prove or disprove the benefit of OT and PT in PD, equipoise still exists. Therefore, it is ethical to randomise between immediate versus no therapy. We anticipate that patients will try to be fully compliant. However, some may have one or both therapies arranged by health or social care providers not associated with the trial (e.g., social services). Since this may lead to a dilution of the intervention effect, at each assessment, we will ask control arm patients whether they have received such therapy. To reduce the possibility of control arm patients receiving therapy, we will devise a clear short leaflet about the importance of the control arm and why utilising other therapies may impact on their participation in the study. This will be developed by the patient and carer involvement group.

Total duration of intervention: 3 months (if allocated the treatment arm)
Total duration of follow-up: 12 months (therefore, total duration of trial: 15 months)

Intervention Type

Other

Phase

Not Applicable

Primary outcome measure

Instrumental activities of daily living (NEADL; patient completed). NEADL specifically assesses aspects of patient function to which OT and PT are directed. NEADL was originally developed for stroke trials, but has now been used more widely as a generic outcome measure, such as in intervention studies for older people with general frailty and in those with specific problems (e. g. visual impairment and respiratory disease). NEADL questionnaires will be completed at baseline, 3, 9 and 15 months)

Secondary outcome measures

- 1. Health-related quality of life, assessed by the Parkinson's Disease Questionnaire 39 (PDQ 39) and EuroQol-5D (EQ-5D), both to be completed by the patient at baseline, 3, 9 and 15 months
- 2. Cost-effectiveness: cost per quality adjusted life year (EQ-5D; see first secondary outcome measure), patient-completed health economics questionnaire at 9 and 15 months
- 3. Hoehn and Yahr scale at entry/baseline (investigator completed)
- 4. Serious adverse events throughout trial (investigator completed)
- 5. Carer quality of life, assessed by the Short Form 12 (SF-12) (carer completed) at baseline, 3, 9 and 15 months

Overall study start date

01/01/2009

Completion date

31/12/2013

Eligibility

Key inclusion criteria

- 1. Both males and females, no age limit
- 2. Idiopathic PD defined by the UK Parkinson's Disease Society Brain Bank Criteria. These criteria are in standard use throughout the NHS in the UK and were supported by the NICE guidelines.
- 3. PD patients who report limitations in activities of daily living (ADL). We will stratify patients according to their baseline Nottingham Extended Activities of Daily Living (NEADL) score which means we will be able to examine the efficacy of these interventions at different levels of ADL disability.

Participant type(s)

Patient

Age group

All

Sex

Both

Target number of participants

750

Key exclusion criteria

Current information as of 02/09/2009:

1. Dementia, as usually defined clinically by the patient's physician. From our experience in another trial, some patients with moderate to severe dementia have difficulty in completing self-

assessment forms.

2. Received occupational therapy or physiotherapy in the last 1 year

Initial information at time of registration:

- 1. Dementia, as usually defined clinically by the patient's physician. From our experience in another trial, some patients with moderate to severe dementia have difficulty in completing self-assessment forms.
- 2. Received occupational therapy in the last 2 years or physiotherapy in the last 1 year

Date of first enrolment

01/01/2009

Date of final enrolment

31/12/2013

Locations

Countries of recruitment

England

United Kingdom

Study participating centre City Hospital Birmingham

Birmingham United Kingdom B18 7QH

Sponsor information

Organisation

University of Birmingham (UK)

Sponsor details

c/o Dr Brendan Laverty
Research and Commercial Services
Aitchison Building
Edgbaston
Birmingham
England
United Kingdom
B15 2TT

Sponsor type

University/education

Website

http://www.bham.ac.uk/

ROR

https://ror.org/03angcq70

Funder(s)

Funder type

Government

Funder Name

Health Technology Assessment Programme

Alternative Name(s)

NIHR Health Technology Assessment Programme, HTA

Funding Body Type

Government organisation

Funding Body Subtype

National government

Location

United Kingdom

Results and Publications

Publication and dissemination plan

Not provided at time of registration

Intention to publish date

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article	results	01/03/2016		Yes	No
Results article	results	01/08/2016		Yes	No