

# Is an adapted form of mindfulness-based cognitive therapy an effective treatment to support the recovery of 15-18-year-olds who, despite already receiving some treatment, are still experiencing symptoms of depression?

<b>Submission date</b> 01/08/2024	<b>Recruitment status</b> Recruiting	<input checked="" type="checkbox"/> Prospectively registered
		<input checked="" type="checkbox"/> Protocol
<b>Registration date</b> 15/08/2024	<b>Overall study status</b> Ongoing	<input type="checkbox"/> Statistical analysis plan
		<input type="checkbox"/> Results
<b>Last Edited</b> 16/12/2025	<b>Condition category</b> Mental and Behavioural Disorders	<input type="checkbox"/> Individual participant data
		<input checked="" type="checkbox"/> Record updated in last year

## Plain English summary of protocol

### Background and study aims

In the UK about 140,000 15–19-year-olds experience depression. An estimated 35,000 young people access NHS treatment for depression, of which about 14,000 do not respond and a further 8,000 are likely to experience depression again after initial successful treatment.

Teenagers who still have symptoms after treatment for low mood, depression or anxiety, or who relapse quickly, need more treatment options. These young people have a high risk of substance misuse, self-harm, school, or relationship difficulty, as well as poor adult mental and physical health. Parenting a teenager with depression is stressful and can damage family relationships. Teenagers whose parents have depression are more likely to develop mental health problems in adulthood.

Mindfulness-based cognitive therapy (MBCT) combines training in mindfulness meditation with principles from cognitive therapy. It teaches skills to recognise early warning signs of depression, avoid repetitive thinking patterns that make depression more likely, and respond in ways that protect mental health. Although MBCT is recommended for adults who have experienced three or more depressive episodes, MBCT for teenagers is relatively untested. Mindfulness for Adolescents and Carers (MAC) was developed as a version of MBCT adapted to be more engaging for teenagers. MAC aims to help teenagers recover from depression and the parallel parent/carer group aims to support parents and carers to cope better. The aim of this study is to see if MAC supports recovery and prevents relapse amongst 15-18-year-olds who risk developing recurrent depression as adults.

### Who can participate?

Young people aged between 15 and 18 who have completed at least one evidence-based treatment for anxiety or depression but are still experiencing symptoms of low mood. If a young person is eligible to participate then their parent or carer will be invited to take part in a parallel parent mindfulness group.

What does the study involve?

This study is run across six different parts of England: London, Devon, Sussex, East of England, Oxford and Nottingham. People who agree to take part will either be randomly assigned to take part in the Mindfulness for Adolescents and Carers (MAC) group and continue to receive their current/usual treatment, or be assigned to continue with their current/usual treatment only.

MAC is mindfulness-based cognitive therapy adapted for teenagers. MAC is delivered to a group of up to 12 young people. There are eight weekly sessions, each 1 hour 30 to 45 minutes.

Between MAC sessions, people will be asked to record their Mindfulness at Homepractice on the MAC App. The App will have spaces where they can select what practices they have done and how they found them. This will be shared with their therapist. The App will also automatically record usage information such as how often they open the App, which audio recordings they listen to the most and how long they listen to them for. This automatically collected information will not be shared with their therapist, but it will be used in the study's final analysis.

The researchers will invite parents/carers to attend sessions as well as this can really help them to support their child. The young people and parent/carer sessions run separately, each in their own room. However, young people can still take part in this study even if their parent/carer doesn't want to take part themselves.

Mindfulness works by helping to learn skills that can prevent low mood or depression from coming back, helping people to become more aware of how their body is feeling and the impact this can have on their emotions, and trying to help pay attention to the present moment and think about the kind of things their internal voice is saying to you. Often our mind is thinking about what will happen (the future) or what has happened (the past) and sometimes we miss what is happening right now. The present is not always as bad as we think, but even when it is, then mindfulness practices and ideas can help us find new ways of responding to difficulties. The MAC programme aims to help the young person to 'train their mind' so that they can choose to respond rather than react to difficulties. To do this, first we need to learn to notice when we are doing something unhelpful, and then we need to let go of it and find a different way of working with our mind. In this programme we learn to be flexible, kind and understanding with ourselves in order to take the above steps.

What are the possible benefits and risks of participating?

Engaging in MAC involves a commitment to the workshops and the mindfulness practice. This typically involves experiencing the full range of positive, negative and neutral experiences that are an essential part of the treatment. This is done in a supportive and constructive therapeutic contact. Participants will complete some questionnaires and discuss with researchers how they are feeling. Some of these questions are personal and sometimes people can find it upsetting to discuss these issues. This is a new treatment and is only available through taking part in the study.

Where is the study run from?

Cambridge and Peterborough NHS Foundation Trust and University of Cambridge (UK)

When is the study starting and how long is it expected to run for?

September 2021 to September 2027

Who is funding the study?

National Institute for Health Research, Programme Grant for Applied Research (NIHR PGfAR) (UK)

Who is the main contact?

Gemma Giove-Hunt, gg434@cam.ac.uk

# Contact information

## Type(s)

Principal investigator

## Contact name

Prof Tamsin Ford

## ORCID ID

<https://orcid.org/0000-0001-5295-4904>

## Contact details

University of Cambridge  
Developmental Psychiatry Douglas House  
18b Trumpington Road  
Cambridge  
United Kingdom  
CB2 8AH

-  
[tjf52@medschl.cam.ac.uk](mailto:tjf52@medschl.cam.ac.uk)

## Type(s)

Scientific

## Contact name

Dr Rachel Hayes

## ORCID ID

<https://orcid.org/0000-0001-7525-322X>

## Contact details

South Cloisters (room 2.05)  
St Luke's Campus  
University of Exeter  
Exeter  
United Kingdom  
EX1 2LU  
+44 (0)1392 722978  
[R.A.Hayes@exeter.ac.uk](mailto:R.A.Hayes@exeter.ac.uk)

## Type(s)

Scientific

## Contact name

Dr Gemma Giove-Hunt

## Contact details

University of Cambridge  
Herchel Smith Building  
Forvie Site

Addenbrooke's Hospital  
Cambridge  
United Kingdom  
CB2 0AH  
-  
gg434@cam.ac.uk

## **Additional identifiers**

**Clinical Trials Information System (CTIS)**  
Nil known

**Integrated Research Application System (IRAS)**  
341587

**ClinicalTrials.gov (NCT)**  
Nil known

**Protocol serial number**  
CPMS 62119, NIHR204413

## **Study information**

### **Scientific Title**

Is Mindfulness for Adolescents and Carers plus treatment as usual more effective and cost-effective compared to treatment as usual alone; how does it work and for whom does it work best? A randomised controlled trial with embedded economic evaluation and study of mechanisms

**Acronym**  
ATTEND

### **Study objectives**

The research aims to answer the following questions:

PGfAR WP3 RCT:

1. Is Mindfulness for Adolescents and Carers (MAC) plus treatment as usual (TAU) more effective at producing a sustained reduction of symptoms of depression in adolescents compared to TAU?
2. Is MAC plus TAU cost-effective compared to TAU?
3. Does MAC plus TAU impact the following secondary outcomes:
  - 3.1. For young people:
    - 3.1.1. Anxiety
    - 3.1.2. Quality of life
    - 3.1.3. Ability to cope
    - 3.1.4. Perceived quality of family relationship
  - 3.2. For parents/carers:
    - 3.2.1. Depression
    - 3.2.2. Anxiety

- 3.2.3. Quality of life
- 3.2.4. Ability to cope
- 3.2.5. Perceived quality of family relationship

PGfAR WP4 mechanisms:

- 4. What characteristics moderate the effect of MAC?
- 5. Does MAC work through its intended psychological mechanisms (such as increases in the ability to decentre and mindfulness skills)? And if yes, what are the exact pathways?
- 6. Do changes in process variables (such as decentring and mindfulness) transfer to influence outcomes across the young person-carer dyad? If yes, what are the exact pathways?
- 7. Are outcomes of the MAC intervention related to the amount of mindfulness practice that participants engage in?
- 8. How is the learning from the trial intervention reflected in participants' actual responses to negative mood (as assessed using second-person methods to analyse subjective reports)?
- 9. What are the experiences of young people and their carers with the intervention?

### **Ethics approval required**

Old ethics approval format

### **Ethics approval(s)**

Approved 23/05/2024, East of England – Cambridge South Research Ethics Committee (Equinox House, City Link, Nottingham, NG2 4LA, UK; +44 (0)207 104 8084, +44 (0)207 104 8258, +44 (0) 207 104 8208; cambridgesouth.rec@hra.nhs.uk), ref: 24/EE/0091

### **Study design**

Randomized; Interventional; Design type: Treatment, Psychological & Behavioural

### **Primary study design**

Interventional

### **Study type(s)**

Treatment

### **Health condition(s) or problem(s) studied**

Mental health

### **Interventions**

The programme grant has work packages as follows:

- 1. Finalise the therapist-training programme.
- 2. Co-produce two Apps to encourage and measure mindfulness practice.
  - 3.1. Recruit 480 teenagers, and their parents/carers will be invited too. Half will access MAC and half will access the standard NHS treatment currently available. This will allow us to compare the differences between the two groups on depression and other outcomes.
  - 3.2. Compare the two group's treatment costs, with their symptoms 9 months after treatment, to assess whether MAC is value for money.
- 4. Find out how MAC works and who benefits the most by exploring changes in how teenagers and parents feel, think, and relate to each other.
- 5. Understand how best we can make MAC available across the NHS.

Work packages 3 and 4 form part of an individually randomised two-arm controlled trial. The researchers will be recruiting 15–18-year-olds who, even after having a previous evidence-based

treatment for depression or anxiety, continue to experience significant symptoms or have relapsed. The focus is to test the effectiveness of MAC as an intervention. This does not include the therapist training (WP1), the App for home practice (WP2), or the different care pathways or implementation (WP5 IRAS number 333973), which have their own protocols and ethics where applicable.

The economic analysis will evaluate the cost and cost-effectiveness of MAC plus TAU compared to TAU alone from NHS/personal social services, education, and societal perspectives.

WP4 Mechanisms: In line with guidelines on the evaluation of complex interventions (Skivington et al., 2021), the researchers will investigate treatment moderators and mediators. This WP aims to provide a more nuanced understanding of:

1. Who is likely to benefit
2. How change is achieved
3. How mechanisms of change are best facilitated

Participant journey:

Recruitment + eligibility:

1. The Clinical Team and the Clinical Research Network will identify potential young participants by active screening of caseloads. Research Assistants in each site will provide support by answering any eligibility queries but will not have access to identifiable information. Participants will also be recruited via practitioner referrals.

Any participants who contact the study email address directly via word-of-mouth or from seeing promotional materials will be asked to provide their name, date of birth, and the city/town they live in. The relevant site's Research Assistant with the local Clinical Team and Clinical Research Network will then screen their case notes for eligibility. One method of recruitment will be via NHS Trust research databases, each approved and operated by the relevant NHS Trust. The database will be queried to find patients who are likely to meet the study's eligibility criteria. For patients that have specifically consented to the following (either in advance or having been approached by their primary clinical team), the Trust will provide the patient's details to the research team and authorize the research team to view the patient's records and to contact the patient to discuss participation in the study. Researchers will not be given identifiable information without the patient's specific consent. Study participation itself would require the patient's further consent.

2. Potential eligible young participants that have been identified will be provided with a short, written summary (Appendix b) in the format of a printable or email leaflet from the referring clinician, local CRN support, or clinical care team which have recruited them.
3. If a young person expresses an interest in the study, the young person (aged 16 to 18 years) or parent/carer (for a young person aged 15 years) will be asked to return a Permission to Contact Form (Appendix e) either directly to the study team or provide permission for the person who referred them to return it.
4. When a permission to contact form is received by the study team, a Research Assistant will contact the young person and parent/carer to explain more about the study and answer any questions.
5. If the young person is still interested, they will be sent the full Participant Information Sheet (PIS) and the Privacy Notice, and a time will be arranged to complete an intake assessment.
6. During the intake assessment the study will be fully explained to the young person and their parent/carer before written informed consent is obtained by the Research Assistant via REDCap. The Research Assistant will also ask the young person to complete an eligibility questionnaire. Parents/carers of eligible young participants that have consented to join will be invited to take part in the parent/carer group of the trial.

## **Trial:**

The next stage is participants complete the baseline questionnaires online and they will be randomised. They then start the fortnightly completion of a short questionnaire online for 12 months. Those assigned to MAC will complete the 8-week intervention. Those assigned to TAU will continue their standard care as normal.

They will all complete a set of online questionnaires at 14 weeks post-randomisation and 12 months randomisation. The researchers will thank them for their involvement and pay both the young people and parent/carers a small incentive at set stages.

## **Intervention Type**

Behavioural

## **Primary outcome(s)**

Young people's levels of depression measured using the Short Moods and Feelings Questionnaire (SMFQ) over the 12-month follow-up period using an Area Under the difference Curve (AUC) analysis of the fortnightly

## **Key secondary outcome(s)**

For young people:

Measured at baseline, 3.5 months post-randomisation and 12 months post-randomisation:

1. Anxiety measured using the Revised Children's Anxiety and Depression Scale-25 (RCADS-25)
2. Quality of life measured using the EQ-5D-5L
3. Ability to cope with life measured using a single bespoke question
4. Parent – young people relationship quality measured using the Parent-Adolescent Relationship Scale (PARS)

For parents or carers:

Measured at baseline, 3.5 months post-randomisation and 12 months post-randomisation:

1. Depression measured using the Patient Health Questionnaire eight-item depression scale (PHQ-8) over the 12-month follow-up period using an Area Under the difference Curve (AUC) analysis of the fortnightly
2. Anxiety measured measured using Generalized Anxiety Disorder 7 (GAD-7)
3. Quality of Life measured using the EQ-5D-5L
4. Ability to cope with life using a single bespoke question
5. Parent – young people relationship quality measured using the PARS

## **Completion date**

30/09/2027

## **Eligibility**

### **Key inclusion criteria**

Young people:

1. Aged 15 to 18 years old at the time of recruitment
2. Completed at least one evidence-based treatment for anxiety or depression
3. Primary problem of unresolved or relapsed depression or anxiety: not recovered sufficiently to be discharged, or who have subsequently relapsed and been re-referred for treatment of depression or anxiety
4. Readiness to engage in a group-based mindfulness-based intervention, which would include

the ability to focus and participate in a group for up to 1 hour 45 minutes; capacity to think flexibly and reflect on one's own experiences; and the willingness to practice everyday mindfulness and learn formal meditation for up to 15 minutes per day.

Carers:

1. A carer of a young person who has consented to take part in the study

### **Participant type(s)**

Carer, Patient

### **Healthy volunteers allowed**

No

### **Age group**

Mixed

### **Lower age limit**

15 years

### **Upper age limit**

18 years

### **Sex**

All

### **Total final enrolment**

0

### **Key exclusion criteria**

Young people:

1. Current active management required for suicidal risk, self-harm or eating disorder
2. Current psychosis or PTSD

Carers:

1. A carer of a young person who has not consented to take part in the study

### **Date of first enrolment**

21/08/2024

### **Date of final enrolment**

28/02/2026

## **Locations**

### **Countries of recruitment**

United Kingdom

England

**Study participating centre**  
**CAMHS Croydon London Road**  
78 London Road  
Croydon  
England  
CR0 2TB

**Study participating centre**  
**Lambeth CAMHS (clamhs)**  
393 Brixton Road  
London  
England  
SW9 7AW

**Study participating centre**  
**CAMHS Lewisham Park**  
78 Lewisham Park  
London  
England  
SE13 6QJ

**Study participating centre**  
**CAMHS Southwark Adolescent Team**  
Bloomfield Clinic  
St. Thomas Street  
London  
England  
SE1 9RT

**Study participating centre**  
**South London and Maudsley NHS Foundation Trust**  
Bethlem Royal Hospital  
Monks Orchard Road  
Beckenham  
England  
BR3 3BX

**Study participating centre**  
**Children and Family Health Devon**  
Single Point of Access Team  
1a Capital Court

Bittern Road  
Sowton Industrial Estate  
Barnstaple  
England  
EX2 7FW

**Study participating centre**

**Livewell Southwest**

Local Care Centre  
200 Mount Gould Road  
Plymouth  
England  
PL4 7PY

**Study participating centre**

**Devon Partnership NHS Trust**

Wonford House Hospital  
Dryden Road  
Exeter  
England  
EX2 5AF

**Study participating centre**

**Cambridge Child and Adolescent Mental Health Services**

18a Trumpington Road  
Cambridge  
England  
CB2 8AH

**Study participating centre**

**Peterborough Child and Adolescent Mental Health Services**

City Care Centre  
Thorpe Road  
Peterborough  
England  
PE3 6DB

**Study participating centre**

**Huntingdon Child and Adolescent Mental Health Services**

Newtown Centre  
Nursery Road

Huntingdon  
England  
PE29 3RJ

**Study participating centre**  
**Sussex Partnership NHS Foundation Trust**  
Trust Hq  
Swandean  
Arundel Road  
Worthing  
England  
BN13 3EP

## Sponsor information

**Organisation**  
Cambridgeshire and Peterborough NHS Foundation Trust

**ROR**  
<https://ror.org/040ch0e11>

## Funder(s)

**Funder type**  
Government

**Funder Name**  
NIHR Central Commissioning Facility (CCF)

## Results and Publications

**Individual participant data (IPD) sharing plan**

**IPD sharing plan summary**  
Data sharing statement to be made available at a later date

### Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
	version 1.4				

<a href="#">Participant information sheet</a>		17/07/2024	14/08/2024	No	Yes
<a href="#">Protocol file</a>	version 1.3	20/06/2024	14/08/2024	No	No
<a href="#">Study website</a>	Study website	11/11/2025	11/11/2025	No	Yes