

# Emotion Recognition Training and mood

|  |   |   |
|--|---|---|
| <b>Submission date</b><br>06/07/2012   | <b>Recruitment status</b><br>No longer recruiting             | <input type="checkbox"/> Prospectively registered<br><input checked="" type="checkbox"/> Protocol |
| <b>Registration date</b><br>12/09/2012 | <b>Overall study status</b><br>Completed                      | <input type="checkbox"/> Statistical analysis plan<br><input checked="" type="checkbox"/> Results |
| <b>Last Edited</b><br>21/02/2020       | <b>Condition category</b><br>Mental and Behavioural Disorders | <input type="checkbox"/> Individual participant data  |

## Plain English summary of protocol

### Background and study aims

Faces play a key role in everyday life; recognising emotions on faces is important to social functioning. This is difficult in some psychiatric disorders – for example, people with depression are unable to identify happiness in faces. We have developed a new computer-based training programme which targets the recognition of facial expression of emotions by initially assessing the threshold for detecting one emotion over another in an ambiguous expression (e.g., a blend of happiness and sadness), and then providing feedback to shift this threshold (e.g., to favour identification of happiness over sadness), promoting the perception of positive emotion over negative emotion. This study aims to establish the effects of emotion recognition training on mood in people with high levels of depressive symptoms over a 6-week follow-up period.

### Who can participate?

Adults aged between 18 and 40 with high levels of depressive symptoms.

### What does the study involve?

The participants will be randomly allocated to either a treatment group, who will receive feedback designed to shift their recognition of ambiguous faces as displaying happiness rather than sadness, or to a control group, who will receive feedback not designed to shift their recognition. Depressive symptoms will be measured at the end of treatment and 2 and 6 weeks after training.

### What are the potential benefits and risks of participation?

Participants would not directly benefit from taking part in this study. However, the information we get from this study may help us to understand the influence of emotion perception on low mood.

### Where will the study be run from?

School of Experimental Psychology, University of Bristol (UK).

### When is the study starting and how long will it be expected to run for?

The study is expected to run from August 2012 to December 2013.

### Who is funding the study?

Medical Research Council (UK).

Who is the main contact?  
Dr Sally Adams  
sally.adams@bristol.ac.uk

## Contact information

**Type(s)**  
Scientific

**Contact name**  
Prof Marcus Munafò

**Contact details**  
University of Bristol  
School of Experimental Psychology  
12A Priory Road  
Bristol  
United Kingdom  
BS8 1TU  
+44 (0)117 954 6841  
marcus.munafò@bristol.ac.uk

## Additional identifiers

**Protocol serial number**  
UoB: 1701

## Study information

**Scientific Title**  
Effects of Emotion Recognition Training on mood among individuals with high levels of depressive symptoms

**Acronym**  
ERT

**Study objectives**  
We hypothesise that individuals randomised to receive an intervention designed to modify emotion perception designed to increase the perception of happiness over sadness in ambiguous expressions will show reduced depressive symptoms, reduced negative affect and increased positive effect, compared with individuals randomised to receive a placebo intervention.

**Ethics approval required**  
Old ethics approval format

**Ethics approval(s)**  
Faculty of Science Human Ethics Research Committee, University of Bristol, 02/05/2012, ref: 211010468

**Study design**

Randomised controlled trial

**Primary study design**

Interventional

**Study type(s)**

Treatment

**Health condition(s) or problem(s) studied**

Mood disorders

**Interventions**

We have developed a new paradigm which targets the recognition of facial expression of emotions by initially assessing the threshold for detecting one emotion over another in an ambiguous expression (e.g., a blend of happiness and sadness), and then providing feedback to shift this threshold (e.g., to favour identification of happiness over sadness). Training consists of feedback to shift the participant's balance point, estimated by presenting exemplar faces from a 15-frame morphed face image continuum using a two-alternative forced choice procedure. In the training condition, the 'correct' classification shifted two morph steps towards 'happy'; the two images nearest the balance point that the participant would have previously classified as 'angry' at baseline were considered 'happy' in terms of providing feedback.

Feedback in the control condition was based directly on baseline performance.

**Intervention Type**

Other

**Phase**

Not Applicable

**Primary outcome(s)**

Current primary outcome measures as of 17/05/2013:

Depressive symptoms: Beck Depression Inventory-ii; BDI-ii (rated over the past two weeks)

Previous primary outcome measures until 17/05/2013:

Depressive symptoms: BDI-II (Mood rated over the past week)

**Key secondary outcome(s)**

Current secondary outcome measures as of 17/05/2013:

1. Depressive symptoms: Hamilton Rating Scale for Depression; HAM-D
2. Anxiety symptoms: Beck Anxiety Inventory; BAI (rated over the past month)
3. Positive affect: Positive and Negative Affect Schedule; PANAS (rated as 'how you feel right now')
4. Negative affect: Positive and Negative Affect Schedule; PANAS (rated as 'how you feel right now')
5. Emotion sensitivity: Emotion Recognition Task (test phase); ERT
6. Approach motivation and persistence: The Fishing Game
7. Depressive interpretation bias: The Scrambled Sentences Test; SST

Previous secondary outcome measures until 17/05/2013:

1. Depressive symptoms: Hamilton Rating Scale for Depression (HAM-D)
2. Anxiety symptoms: Beck Anxiety Inventory (BAI) (mood rated over the past week)
3. Positive affect: Positive and Negative Affect Schedule (PANAS) (mood rated over the past day)
4. Negative affect: Positive and Negative Affect Schedule (PANAS) (mood rated over the past day)
5. Emotion sensitivity: Emotion Recognition Task (ERT) (test phase)
6. Approach motivation and persistence: The Fishing Game
7. Depressive interpretation bias: The Scrambled Sentences Test (SST)

**Completion date**

01/03/2014

## **Eligibility**

**Key inclusion criteria**

1. Aged between 18 and 40 years
2. Participants who score 14 or higher on the Beck Depression Inventory (BDI)-II
3. English as first language or equivalent level of fluency
4. Able to give informed consent as judged by lead researcher

**Participant type(s)**

Patient

**Healthy volunteers allowed**

No

**Age group**

Adult

**Lower age limit**

18 years

**Sex**

All

**Total final enrolment**

190

**Key exclusion criteria**

1. Primary anxiety disorder, psychosis, bipolar disorder or substance dependence [other than nicotine and caffeine] as defined by Diagnostic and Statistical Manual of Mental Disorders, Fourth Edition (DSM-IV)
2. Current use of illicit drug (except cannabis)
3. Being at clinically significant risk for suicidal behaviour
4. Use of psychotropic medication in last 5 weeks prior to study
5. Major somatic or neurological disorders and concurrent medication which could alter emotional processing (including active treatment with counselling, psychotherapy and cognitive behavioural therapy). We will allow intermittent use of medication, judged by the principal

investigator.

6. Participants who in opinion of the lead researcher are not appropriate to participate

**Date of first enrolment**

25/07/2012

**Date of final enrolment**

01/03/2014

## **Locations**

**Countries of recruitment**

United Kingdom

England

**Study participating centre**

**University of Bristol**

Bristol

United Kingdom

BS8 1TU

## **Sponsor information**

**Organisation**

University of Bristol (UK)

**ROR**

<https://ror.org/0524sp257>

## **Funder(s)**

**Funder type**

Research council

**Funder Name**

Medical Research Council (MRC) (UK) ref: MR/J011819/1

**Alternative Name(s)**

Medical Research Council (United Kingdom), UK Medical Research Council, MRC

**Funding Body Type**

Government organisation

## Funding Body Subtype

National government

## Location

United Kingdom

# Results and Publications

## Individual participant data (IPD) sharing plan

### IPD sharing plan summary

Not provided at time of registration

### Study outputs

| Output type                                   | Details                       | Date created | Date added | Peer reviewed? | Patient-facing? |
|---|-------------------------------|--------------|------------|----------------|-----------------|
| <a href="#">Results article</a>               | results                       | 17/02/2020   | 21/01/2019 | Yes            | No              |
| <a href="#">Results article</a>               | results                       | 17/02/2020   | 21/02/2020 | Yes            | No              |
| <a href="#">Protocol article</a>              | protocol                      | 01/06/2013   |            | Yes            | No              |
| <a href="#">Participant information sheet</a> | Participant information sheet | 11/11/2025   | 11/11/2025 | No             | Yes             |