Pathophysiology of urge incontinence in older women

Submission date	Recruitment status	Prospectively registered
09/03/2006	No longer recruiting	☐ Protocol
Registration date	Overall study status	Statistical analysis plan
03/07/2006	Completed	Results
Last Edited	Condition category	Individual participant data
03/07/2006	Urological and Genital Diseases	Record updated in last year

Plain English summary of protocol

Not provided at time of registration

Contact information

Type(s)

Scientific

Contact name

Dr Neil Resnick

Contact details

Suite 500
Kaufmann Medical Building
Pittsburgh
Pennsylvania
United States of America
15213
+1 412 692 2360
ResnickNM@dom.pitt.edu

Additional identifiers

Protocol serial number 1999P-001891

Study information

Scientific Title

Study objectives

Older adults with urge incontinence respond well to generic oxybutynin when it is titrated for physiological differences in older patients. This treatment approach is efficacious even in detrusor hyperreflexia with impaired contractility (DHIC).

Ethics approval required

Old ethics approval format

Ethics approval(s)

Approved by Brigham and Women's Hospital Institutional Review Board (IRB) on 26/09/1995, protocol number 94-6641-01

Study design

Double-blind, randomized, placebo-controlled trial

Primary study design

Interventional

Study type(s)

Treatment

Health condition(s) or problem(s) studied

Urge incontinence, detrusor hyperreflexia with impaired contractility (DHIC)

Interventions

- 1. Immediate release oxybutynin following treatment of reversible causes, dose titrated for four weeks and maintained for further four weeks
- 2. Control group: placebo

Intervention Type

Drug

Phase

Not Specified

Drug/device/biological/vaccine name(s)

Oxybutynin

Primary outcome(s)

Percentage reduction in incontinence episodes on 4-day bladder diary

Key secondary outcome(s))

- 1. Number of subjects dry at end of study
- 2. Subjective satisfaction

Completion date

31/03/2006

Eligibility

Key inclusion criteria

Cognitively intact, community-dwelling persons at least 55 years old with urge incontinence at least every two days

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Senior

Sex

Female

Key exclusion criteria

- 1. Significant stress incontinence
- 2. Outlet obstruction
- 3. Post-voiding residual (PVR) urine >300 ml
- 4. Mini mental state examination (MMSE) <24/30
- 5. Inability to go to the toilet independently
- 6. Contraindication to antimuscarinic therapy
- 7. Gastrointestinal obstruction
- 8. Megacolon
- 9. Severe liver or renal disease
- 10. Uncontrolled hyperthyroidism
- 11. Multiple sclerosis
- 12. Anteroposterior resection
- 13. Pelvic radiation
- 14. Spinal cord disease resulting in para- or quadri-plegia

Date of first enrolment

01/03/1996

Date of final enrolment

31/03/2006

Locations

Countries of recruitment

United States of America

Study participating centre Suite 500

Pennsylvania United States of America 15213

Sponsor information

Organisation

National Institutes of Health (USA)

ROR

https://ror.org/01cwqze88

Funder(s)

Funder type

Government

Funder Name

National Institutes of Health (NIH) (National Institute of Diabetes and Digestive and Kidney Diseases [NIDDK])

Alternative Name(s)

US National Institutes of Health, Institutos Nacionales de la Salud, NIH, USNIH

Funding Body Type

Government organisation

Funding Body Subtype

National government

Location

United States of America

Results and Publications

Individual participant data (IPD) sharing plan

IPD sharing plan summary