

# The mini-implants with angulated and non-angulated abutment

<b>Submission date</b> 09/10/2015	<b>Recruitment status</b> No longer recruiting	<input type="checkbox"/> Prospectively registered <input type="checkbox"/> Protocol
<b>Registration date</b> 16/10/2015	<b>Overall study status</b> Completed	<input type="checkbox"/> Statistical analysis plan <input type="checkbox"/> Results
<b>Last Edited</b> 28/06/2016	<b>Condition category</b> Oral Health	<input type="checkbox"/> Individual participant data <input type="checkbox"/> Record updated in last year

## Plain English summary of protocol

### Background and study aims

Overdentures, also known as dental implants, are metal posts which are screwed directly into the jaw bone in order to support replacement teeth. Abutments are connectors that are placed on the top of a dental implant to connect the implant to the replacement tooth. Mini-implants have been successfully used to support complete dentures in edentulous patients (patients with no natural teeth) that have wasting (or resorption) of the bone holding the teeth (alveolar bone). The aim of this study is to see whether mini-implants with an angulated abutment (that is, an abutment placed at a different angle to the denture) is better than a non-angulated abutment (that is, an abutment placed at the same angle than the denture).

### Who can participate?

Patients who, having responded to an advertising campaign, have no natural teeth and have ill-fitting dentures due to resorption of the alveolar bone.

### What does the study involve?

Participants are randomly allocated to one of two groups. Those in group 1 receive a non-angulated abutment. Those in group 2 receive angulated abutment. Alveolar bone height is measured 6 months after treatment and again at 12, 18 and 24 months.

### What are the possible benefits and risks of participating?

The use of mini-implants with non-angulated abutment may provide benefits for patients such as a stable, immediately functional aesthetic for overdentures for patients with wasting of the alveolar bone. There are no reported risks to taking part.

### Where is the study run from?

Al-Azhar University, Faculty of Dentistry (Egypt)

### When is the study starting and how long is it expected to run for?

October 2012 to December 2014

### Who is funding the study?

Albaha University (Saudi Arabia)

Who is the main contact?

1. Professor Khalid Arafa (scientific)
2. Dr Hashim Ahmed (public)

## Contact information

### Type(s)

Scientific

### Contact name

Prof Khalid Arafa

### Contact details

Albaha University  
Al-Baha  
Saudi Arabia  
00966

### Type(s)

Public

### Contact name

Dr Hashim Ahmed

### Contact details

Egypt  
Cairo  
Egypt  
0020

## Additional identifiers

### Protocol serial number

N/A

## Study information

### Scientific Title

Effects of angulated and non angulated mini-implants abutment supporting mandibular overdenture on peri-implant bone height

### Study objectives

The mini-implants with angulated abutment is better than non-angulated abutment

### Ethics approval required

Old ethics approval format

### Ethics approval(s)

Dental Health Department at the Faculty of Applied Medical Sciences, Albaha University.

**Study design**

Randomized two-arm parallel design

**Primary study design**

Interventional

**Study type(s)**

Treatment

**Health condition(s) or problem(s) studied**

Mini-implants used to support complete dentures in edentulous patients with little bone width or length.

**Interventions**

One of the initial steps in non-angulated mini-implant insertion include the use of a surgical stent to the determined position of the abutment with four holes. Participants in this study were randomly allocated to one or two groups.

1. Group 1: received lower overdentures with non-angulated abutment. A non-angulated abutment means there is overstructure without any changes in angle of the abutment.
2. Group 2: received lower overdentures with angulated abutment, which means the angulated abutments were essential to redirect the screw holes in a communal pathway of attachment to help in the fabrication and fitting of the prosthesis. Furthermore, the abutments were utilized to redirect these holes in the lingual path. Lastly, in specific cases, it may not be possible to redirect and fabricate the screw with an angle of pre-fabricate 45° angulated abutments (selecting direction is easy with the octa 45° rotation angles).

Bones were evaluated for height after 6, 12, 18, and 24 months with panoramic x-ray. The mini-implants used were manufactured by Dentium, Slim Line, No: SDM1304.

**Intervention Type**

Procedure/Surgery

**Primary outcome(s)**

Alveolar bone height, measured after 6 months with panoramic x-ray.

**Key secondary outcome(s)**

Alveolar bone height, measured after 12, 18, and 24 months with panoramic x-ray.

**Completion date**

12/12/2014

**Eligibility****Key inclusion criteria**

Patients with a lower flat ridge due to completely edentulous maxillary and mandibular ridges with resorbed ill-fitted lower dentures

**Participant type(s)**

Patient

**Healthy volunteers allowed**

No

**Age group**

Other

**Sex**

Male

**Key exclusion criteria**

Patients without a lower flat ridge due to completely edentulous maxillary and and mandibular ridges

**Date of first enrolment**

01/10/2012

**Date of final enrolment**

01/06/2014

**Locations****Countries of recruitment**

Egypt

Saudi Arabia

**Study participating centre**

**Al-Azhar University**

Assiut Branch

Faculty of Dentistry

Cairo

Egypt

00966

**Sponsor information****Organisation**

Albaha University

**ROR**

<https://ror.org/0403jak37>

**Funder(s)**

**Funder type**

University/education

**Funder Name**

Albaha University (Saudi Arabia)

**Results and Publications****Individual participant data (IPD) sharing plan****IPD sharing plan summary**

Available on request