

# An intervention to improve the quality of emergency care during childbirth in Nigeria

<b>Submission date</b> 03/08/2020	<b>Recruitment status</b> No longer recruiting	<input type="checkbox"/> Prospectively registered <input type="checkbox"/> Protocol
<b>Registration date</b> 14/08/2020	<b>Overall study status</b> Completed	<input type="checkbox"/> Statistical analysis plan <input checked="" type="checkbox"/> Results
<b>Last Edited</b> 17/09/2024	<b>Condition category</b> Pregnancy and Childbirth	<input type="checkbox"/> Individual participant data

## Plain English summary of protocol

### Background and study aims

Along with India, Nigeria currently accounts for one-third of the annual maternal deaths in the world. Among several other factors, poor quality of care and the inadequate use of skilled care for pregnant women are the key determinants of the high rate of maternal deaths in Nigeria. The intervention was designed to improve the quality of care, and patient satisfaction and to reduce deaths of mothers and children during pregnancy and childbirth in Nigeria.

### Who can participate?

Pregnant women who access maternal care in participating centers and their health care givers

### What does the study involve?

Of the 8 hospitals involved in the study, the intervention was carried out in 4. The intervention activities include structured training in improving maternal outcomes, strategic planning and monitoring, and gathering patient feedback. During the study period data was collected from all 8 hospitals on maternal outcomes to compare between the hospitals that received the intervention and those that did not.

### What are the possible benefits and risks of participating?

None

### Where is the study run from?

The Women's Health and Research Centre, Bénin City (Nigeria)

### When is the study starting and how long is it expected to run for?

July 2017 to July 2019

### Who is funding the study?

World Health Organisation (Switzerland)

### Who is the main contact?

Prof. Friday Okonofua, feokonofua@yahoo.co.uk

## Contact information

### Type(s)

Scientific

### Contact name

Prof Friday Okonofua

### ORCID ID

<https://orcid.org/0000-0002-8777-2606>

### Contact details

KM 11, Lagos-Benin Expressway

Igue-Iheya

Benin City

Nigeria

301000

+234 8023347828

feokonofua@wharc-online.org

### Type(s)

Scientific

### Contact name

Prof Rosemary Ogu

### ORCID ID

<https://orcid.org/0000-0002-5467-302X>

### Contact details

University of Port Harcourt

Port Harcourt

Nigeria

500272

+234 8033129937

rosemary.ogu@uniport.edu.ng

## Additional identifiers

### Clinical Trials Information System (CTIS)

Nil known

### ClinicalTrials.gov (NCT)

Nil known

### Protocol serial number

A65869, NCTR91540209

## Study information

## **Scientific Title**

Intervention to improve the quality of emergency obstetric care for preventing maternal and perinatal mortality in referral hospitals in Nigeria: a quasi-experimental research study

## **Study objectives**

1. There is no significant difference in the policies and patterns of emergency obstetric care and practices between intervention and control health facilities
2. There is no significant difference in the clinical management of the complications that lead to maternal/perinatal deaths between the intervention and control health facilities
3. There is no significant difference in the assessments of the quality of clinical care between intervention and control sites
4. There is no significant difference in case-fatality rates due to leading obstetric complications between intervention and control sites
5. There is no significant difference in the indicators of maternal and newborn outcomes (maternal, stillbirth, and neonatal death ratios) between the intervention and control health facilities

## **Ethics approval required**

Old ethics approval format

## **Ethics approval(s)**

1. Approved 25/06/2014, WHO Research Ethics Review Committee (20 Avenue Appia-CH-1211 Geneva 27, Switzerland; no telephone number provided; [ercsec@who.int](mailto:ercsec@who.int)), ref: A65869.
2. Approved 16/07/2014, National Health Research Ethics Committee (NHREC) of Nigeria (Federal Ministry of Health, Federal Secretariat, Abuja, Nigeria; +234-9-523-8367; [info@nhrec.net](mailto:info@nhrec.net)), ref: NHREC/01/01/2007 – renewed in 2015, ref: NHREC 01/01/20047-12/12/2015b

## **Study design**

Multi-centre interventional quasi-experimental mixed-methods study

## **Primary study design**

Interventional

## **Study type(s)**

Other

## **Health condition(s) or problem(s) studied**

Emergency obstetric care

## **Interventions**

All the women who presented for antenatal, delivery and postnatal care within the period were eligible for inclusion in the study. Recruitment and informed consent were obtained at the time the women registered in the hospitals for antenatal care, or during admission for management of complications, or at the time of delivery. Informed consent was obtained from those presenting with pregnancy related complications when they have been clinically stabilized. For women presenting at the hospital for the first time in labour, consent is obtained after they delivered their babies. The monitoring/evaluation officer collects and enters the data into the computer system daily. Sources of data collection were hospital records, clinical case records, maternal/perinatal deaths clinical audit records, maternal/perinatal death reviews, client flow analysis, focus group discussion, in-depth interview, and exit interviews. Total duration of observation is the total time the woman spends at the facility.

Six public secondary care hospitals and two public tertiary care hospitals in both north and south of Nigeria were selected randomly for the formative phase. Thereafter the intervention was carried out in four of the initial eight hospitals, with two hospitals as intervention and two as control sites. At baseline, we assessed the providers' and facilities' readiness to provide care, patients' satisfaction and experience while accessing obstetric care, using a mixed-method which included a questionnaire on knowledge and management of obstetric complications, site inventory assessment, client flow analysis, focus group discussion and in-depth interviews. The intervention activities which were developed based on the results in the formative research include

1. Development of a strategic plan for preventing maternal and perinatal deaths
2. Staff Training/Capacity building for healthcare providers in the facilities
3. Establishing a maternal and perinatal death surveillance and response system (MPDSR) in the health facilities
4. Development of protocols, guidelines, algorithm and reminders for clinical Emergency Obstetric Care EmOC
5. Advocacy activities for increased funding and resource mobilization
6. Computerized appointment scheduling system to reducing delays in service delivery
7. Patients education and feedback- Involving men in maternal and child health care through monthly health talk

### **Intervention Type**

Mixed

### **Primary outcome(s)**

Measured at baseline, monthly during the intervention, and at endline using patient records:

1. Number of women attending antenatal, delivery and post-natal clinics
2. Women with moderate to severe PPH, eclampsia, and obstructed labour
3. Number of cases with PPH, eclampsia and obstructed labour where internationally accepted protocols are adhered to or breeched
4. Number of clinically managed cases of PPH, eclampsia and obstructed that died
5. Number of maternal deaths
6. Number of stillbirths and early neonatal deaths occurring in the hospitals

### **Key secondary outcome(s))**

Client perception of quality and satisfaction with care measured using client flow analysis (patient records) at baseline, monthly during the intervention, and at endline and also by an exit interview questionnaire

### **Completion date**

30/07/2019

## **Eligibility**

### **Key inclusion criteria**

1. Pregnant women that present during the intervention period
2. All the healthcare givers in the obstetric units

### **Healthy volunteers allowed**

No

**Age group**

Adult

**Sex**

All

**Total final enrolment**

20439

**Key exclusion criteria**

Does not meet inclusion criteria

**Date of first enrolment**

01/10/2017

**Date of final enrolment**

30/06/2019

**Locations****Countries of recruitment**

Nigeria

**Study participating centre**

Central Hospital Benin City

Benin City

Nigeria

301000

**Study participating centre**

Central Hospital Warri

Warri

Nigeria

-

**Study participating centre**

General Hospital Minna

Minna

Nigeria

-

**Study participating centre**

**General Hospital Suleja**

Suleja

Nigeria

-

## Sponsor information

### Organisation

World Health Organization

### ROR

<https://ror.org/01f80g185>

## Funder(s)

### Funder type

Research organisation

### Funder Name

World Health Organization

### Alternative Name(s)

, , Всемирная организация здравоохранения, Organisation mondiale de la Santé, Organización Mundial de la Salud, WHO, , ВОЗ, OMS

### Funding Body Type

Government organisation

### Funding Body Subtype

International organizations

### Location

Switzerland

## Results and Publications

### Individual participant data (IPD) sharing plan

The datasets generated during and/or analysed during the current study will be stored in a publically available repository.

The datasets generated during the formative phase of this study is stored on Zenodo (<http://doi.org/10.5281/zenodo.161549>). Users are expected to request for access from the Principal Investigator, Professor Friday Okonofua Email [feokonofua@yahoo.co.uk](mailto:feokonofua@yahoo.co.uk). The intervention

datasets will also be stored on Zenodo and will be available on request from the principal Investigator. The qualitative data are outputs generated from a computer-assisted qualitative data analysis software, Atlas.ti version 6.25, whereas the quantitative data are all stored in SPSS format. There are no legal issues, and no consent to share is required from the participants.

IPD sharing plan summary

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
<a href="#">Results article</a>	Effects on rates of primary postpartum haemorrhage (PPH)	01/04/2022	17/08/2022	Yes	No
<a href="#">Results article</a>	Results of exit interviews with mothers	26/08/2023	29/08/2023	Yes	No
<a href="#">Results article</a>	improving six quality indicators	04/11/2020	17/09/2024	Yes	No
<a href="#">Participant information sheet</a>	Participant information sheet	11/11/2025	11/11/2025	No	Yes