

# Can the COVID-19 virus be detected in the smoke generated in minimally invasive surgery in patients with confirmed coronavirus infection?

<b>Submission date</b> 14/05/2020	<b>Recruitment status</b> No longer recruiting	<input type="checkbox"/> Prospectively registered <input type="checkbox"/> Protocol
<b>Registration date</b> 02/07/2020	<b>Overall study status</b> Completed	<input type="checkbox"/> Statistical analysis plan <input type="checkbox"/> Results
<b>Last Edited</b> 02/07/2020	<b>Condition category</b> Respiratory	<input type="checkbox"/> Individual participant data <input type="checkbox"/> Record updated in last year

## Plain English summary of protocol

### Background and study aims

COVID-19 is a condition caused by the coronavirus (called SARS-CoV-2) that was first identified in late 2019. This virus can infect the respiratory (breathing) system. Some people do not have symptoms but can carry the virus and pass it on to others. People who have developed the condition may develop a fever and/or a continuous cough among other symptoms. This can develop into pneumonia. Pneumonia is a chest infection where the small air pockets of the lungs, called alveoli, fill with liquid and make it more difficult to breathe.

The production of " smoke and fumes" due to the use of high energy devices in minimally invasive (laparoscopic) surgery to generate heat is well known. This smoke is composed of 95% water and 5% particles from the patient such as body cells and viruses. This represents a potential health risk due to the possibility of surgical healthcare workers contracting infectious diseases from this smoke.

Several studies have shown that laparoscopy can cause viruses that are carried in the blood to be present in these fumes, but to date, there is no evidence that this occurs with the novel coronavirus.

During the COVID-19 outbreak, despite the lack of evidence on whether the virus can be transmitted through this method, experts have advised that surgical staff take precautions to minimise the risk of this possible transmission during surgery.

This study aims to observe if SARS-CoV-2 particles can be detected in the fumes from laparoscopic surgery.

### Who can participate?

Patients aged 18 to 90 years scheduled for a laparoscopic procedure at the participating hospital

What does the study involve?

Participants will have their scheduled surgical procedures. These will follow hospital and local guidelines. Additionally, participants will be required to give a blood sample prior to surgery which will be tested for COVID-19 and a Biosampler will be used during the procedure to collect particles from the fumes.

What are the possible benefits and risks of participating?

The benefits for those taking part in the study is to increase our knowledge of the possibility of transmission of the virus through the fumes generated during surgery. This has never been demonstrated but would provide evidence for an increase in safety measures to make surgery safer.

No serious adverse events are expected. If an adverse event occurs, this will be managed by the surgical team and recorded in the entries of our operating room check-list and will be communicated promptly to the investigator of the study. The event will be communicated within 5 days to the local healthcare authorities.

Where is the study run from?

Arcispedale Santa Maria Nuova (Italy)

When is the study starting and how long is it expected to run for?

From May 2020 to May 2021

Who is funding the study?

Local Health Unit of Reggio Emilia (Italy)

Who is the main contact?

1. Dr Ruggero Bollino  
ruggero.bollino@ausl.re.it
2. Dr Maurizio Zizzo  
maurizio.zizzo@ausl.re.it

## Contact information

**Type(s)**

Public

**Contact name**

Dr Ruggero Bollino

**ORCID ID**

<https://orcid.org/0000-0002-5585-1262>

**Contact details**

General and Emergency Surgery Unit  
Santa Maria Nuova Hospital  
Risorgimento Avenue, 80  
Reggio Emilia  
Italy

42123  
+39 (0)522 296451  
ruggero.bollino@ausl.re.it

**Type(s)**  
Scientific

**Contact name**  
Dr Maurizio Zizzo

**Contact details**  
Surgical Oncology Unit  
Department of Oncology and Advanced Technologies  
Oncological and Hematological Center of Reggio Emilia (CORE)  
Santa Maria Nuova Hospital  
Risorgimento Avenue, 80  
Reggio Emilia  
Italy  
42123  
+39 (0)522 296372  
maurizio.zizzo@ausl.re.it

## **Additional identifiers**

**Clinical Trials Information System (CTIS)**  
Nil known

**ClinicalTrials.gov (NCT)**  
Nil known

**Protocol serial number**  
600/2020/OSS/AUSLRE

## **Study information**

**Scientific Title**  
Detection of the COVID-19 virus, SARS-CoV-2, in surgical smoke during Laparoscopic Surgery (CoV2\_LapSurg): a pilot investigation

**Acronym**  
CoV2\_LapSurg

**Study objectives**  
SARS-CoV-2 particles will be isolated from the bioaerosol collected in solution during 20 consecutive major laparoscopic surgical procedures using the Biosampler (SKC Inc, AMS Analitica) and analysed using RT-PCR

**Ethics approval required**  
Old ethics approval format

## **Ethics approval(s)**

Approved 16/06/2020, The Ethics Committee of the Emilia Nord Vast Area (AVEN) (I.R.C.C.S - ASMN, Viale Umberto I, 50 – 42121 Reggio Emilia, Italy; +39 (0)522.296979; domenico.merlo@ausl.re.it), ref: 2020/0071828

## **Study design**

Single-centre prospective observational pilot study

## **Primary study design**

Observational

## **Study type(s)**

Prevention

## **Health condition(s) or problem(s) studied**

COVID-19 (SARS-CoV-2 infection) detection in minimally invasive surgery

## **Interventions**

This is an observational trial. The study aims at analyzing with PCR the bioaerosol collected through the Biosampler (SKC Inc, AMS Analitica) in solution during 20 consecutive major laparoscopic surgical procedures to try to isolate Sars-CoV-2 particles. The presence of SARS-CoV-2 RNA in plasma of each patient will be measured before surgery using RT-PCR. There will be no follow-up of participants, all data is collected during the same surgical procedure.

The Biosampler will be connected through extension tubes to a trocar assigned to evacuate the pneumoperitoneum and to a negative pressure suction system with a flow of about 15L / min during the procedure. Surgical smoke will be collected for 30 min after major vessel exposure. The particles collected in 15 ml phosphate buffer case will then be sealed under sterile conditions and sent to the laboratory for investigation with PCR. Nucleic acid extraction will be executed by magnetic bead method on 1 ml of phosphate buffer derived by the Biosampler. A commercial One-Step Reverse Transcription Real-Time polymerase chain reaction (GeneFinder™ COVID -19 PLUS Real Real Amp Kit) will be performed in order to confirm the presence of Sars-Cov-2 in specimens by amplification of RdRp, E and N gene.

## **Intervention Type**

Device

## **Phase**

Not Specified

## **Drug/device/biological/vaccine name(s)**

Biosampler (SKC Inc, AMS Analitica)

## **Primary outcome(s)**

Correct detection of the presence of SARS-CoV-2 virus particles collected in surgical smoke during laparoscopic surgery through highly efficient Biosamplers and RT-PCR test when compared to the presence of SARS-CoV-2 RNA detected in plasma using RT-PCR in the same cohort prior to the procedure

## **Key secondary outcome(s))**

There are no secondary outcome measures

**Completion date**

24/06/2021

## Eligibility

**Key inclusion criteria**

1. Diagnosis of COVID-19 confirmed through positive RT-PCR test before surgery
2. Scheduled laparoscopic procedure at least 1.5 h duration with major vessels exposure
3. Aged 18 to 90 years

**Participant type(s)**

Patient

**Healthy volunteers allowed**

No

**Age group**

Adult

**Lower age limit**

18 years

**Sex**

All

**Key exclusion criteria**

Patients not able to give their informed consent

**Date of first enrolment**

25/05/2020

**Date of final enrolment**

25/05/2021

## Locations

**Countries of recruitment**

Italy

**Study participating centre**

**Arcispedale Santa Maria Nuova**

Azienda USL-IRCCS di Reggio Emilia

Viale Risorgimento 80

Reggio Emilia

Italy

42123

# Sponsor information

## Organisation

Azienda Sanitaria Unità Locale di Reggio Emilia

## ROR

<https://ror.org/001bbwj30>

# Funder(s)

## Funder type

Hospital/treatment centre

## Funder Name

Azienda Sanitaria Unità Locale di Reggio Emilia

# Results and Publications

## Individual participant data (IPD) sharing plan

The data sharing plans for the current study are unknown and will be made available at a later date.

## IPD sharing plan summary

Not provided at time of registration