Comparing digital cognitive assessment and blood biomarkers of dementia in older adults

Submission date	Recruitment status	[X] Prospectively registered
11/08/2020	No longer recruiting	☐ Protocol
Registration date	Overall study status	Statistical analysis plan
17/08/2020	Completed	[X] Results
Last Edited	Condition category	Individual participant data
21/12/2021	Nervous System Diseases	

Plain English summary of protocol

Background and study aims

Dementia is the loss of cognitive functioning (thinking, remembering, and reasoning) and behavioural abilities. Integrated Cognitive Assessment (ICA) is a computerised cognitive assessment tool based on image recognition and operating on the Apple iPad. The ICA uses artificial intelligence (AI)-based algorithms to distinguish between cognitively healthy and cognitively impaired participants. ICA is distinctive as it does not rely on language or education, does not require specialist clinicians to administer the test, and its duration is short (5-6 minutes). ICA is demonstrated to be free from learning bias (i.e. patients cannot memorise it after repeated use), so it can be used several times in shorter intervals to measure changes in cognition. The overall aim of this study is to assess the correlation of ICA with some of the key blood biomarkers of dementia in older adults.

Who can participate?

Adults aged 50-90 with mild Alzheimer's dementia, mild cognitive impairment, or healthy volunteers

What does the study involve?

Participants undergo a cognitive assessment using both the ICA and the Montreal cognitive assessment (MoCA). A blood sample will also be taken to measure the level of blood biomarkers (amyloid-beta, p-Tau, and NFL), and APOE genotyping.

What are the possible benefits and risks of participating?

This study has a great potential to present a new approach to improve diagnostic accuracy by combining a digital biomarker with blood-based ones. Through participation in this study, participants will learn more about their cognitive status. The risks of participating in the study are generally low. Side effects from having blood drawn typically are quite minor, and may include bruising or minor swelling at the site of the injection, which can be soothed with an ice pack, and light-headedness or dizziness.

Where is the study run from? Royan Institute (Tehran, Iran) When is the study starting and how long is it expected to run for? July 2020 to February 2021

Who is funding the study? Cognetivity Ltd (UK)

Who is the main contact?

1. Dr Seyed-Mahdi Khaligh-Razavi (scientific) Seyed@Cognetivity.com

2. Dr Zahra Vahabi (neurologist) zvahabi@sina.tums.ac.ir

3. Chris Kalafatis (old age psychiatrist) chris@cognetivity.com

Contact information

Type(s)

Scientific

Contact name

Dr Seyed-Mahdi Khaligh-Razavi

ORCID ID

https://orcid.org/0000-0002-5700-1704

Contact details

Cognetivity Ltd
3 Waterhouse Sq
138 Holborn
London
United Kingdom
EC1N 2SW
+44 (0)2030023628
Seyed@Cognetivity.com

Type(s)

Scientific

Contact name

Dr Zahra Vahabi

Contact details

Tehran University of Medical Sciences Tehran Iran 1417653911 +98 (0)21 8889 6692 zvahabi@sina.tums.ac.ir

Additional identifiers

Clinical Trials Information System (CTIS)

Nil known

ClinicalTrials.gov (NCT)

Nil known

Protocol serial number

CGN-2003

Study information

Scientific Title

Association between the Integrated Cognitive Assessment (ICA) and fluid biomarkers of neurodegeneration

Study objectives

This study aims to explore the relationship between the ICA and blood biomarkers of neurodegeneration in healthy controls, patients with mild Alzheimer's disease and mild cognitive impairment.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Approved 03/08/2020, Tehran University of Medical Sciences research ethics committee (Central Building of Tehran University of Medical Sciences, Qods St., Keshavarz Blvd, Tehran, Iran, +98 (0) 21 64053419; ethics@behdasht.gov.ir), ref: IR.TUMS.MEDICINE.REC.1390.290

Study design

Observational case-control study

Primary study design

Observational

Study type(s)

Diagnostic

Health condition(s) or problem(s) studied

Mild Alzheimer's disease (mild AD), mild cognitive impairment (MCI)

Interventions

Participants undergo a cognitive assessment using both the ICA and the Montreal cognitive assessment (MoCA) at baseline. A blood sample will also be taken to measure the level of amyloid-beta, p-Tau, and NFL, and APOE genotyping.

Intervention Type

Mixed

Primary outcome(s)

- 1. Serum amyloid-beta 40 and amyloid-beta 42 levels measured using ELISA test at baseline
- 2. Serum Phosphorylated Tau level measured using ELISA test at baseline
- 3. Serum Neurofilament light-chain (NFL) levels measured using ELISA test at baseline
- 4. Level of cognitive performance measured by ICA test at baseline

Key secondary outcome(s))

- 1. APOE genotype determined by DNA sequencing at baseline
- 2. Level of cognitive performance measured by MoCA test at baseline

Completion date

01/02/2021

Eligibility

Key inclusion criteria

- 1. Capacity to understand the information about the study and to give consent to participate
- 2. Males and females aged between 50-90 years
- 3. Not currently on medication that may interfere with the study results
- 4. Healthy individuals; or individuals with specialist diagnosis of mild cognitive impairment or mild AD according to NINCDS-ADRDA criteria

Participant type(s)

Mixed

Healthy volunteers allowed

No

Age group

Senior

Sex

All

Key exclusion criteria

- 1. Presence of significant cerebrovascular disease
- 2. Major medical co-morbidities e.g. Congestive Cardiac Failure, Diabetes Mellitus with renal impairment
- 3. Major psychiatric disorder eg. Chronic psychosis, recurrent depressive disorder, generalized anxiety disorder
- 4. The use of cognitive-enhancing drugs e.g. cholinesterase inhibitors, unless on stable doses
- 5. A concurrent diagnosis of epilepsy
- 6. A history of alcohol misuse
- 7. A history of illicit drug use
- 8. A history of severe visual impairment, e.g. macular degeneration, diabetic retinopathy, as determined by the clinical team
- 9. A history of TBI
- 10. Presence of sleep apnoea

Date of first enrolment

Date of final enrolment 30/01/2021

Locations

Countries of recruitment

Iran

Study participating centre Royan Institute

Banihashem Square Banihashem Street Ressalat Highway Tehran Iran 19395-4644

Sponsor information

Organisation

Cognetivity Ltd

Funder(s)

Funder type

Industry

Funder Name

Cognetivity Ltd

Results and Publications

Individual participant data (IPD) sharing plan

The current data-sharing plans for the current study are unknown and will be made available at a later date

IPD sharing plan summary

Data sharing statement to be made available at a later date

Study outputs

Output typeDetailsDate createdDate addedPeer reviewed?Patient-facing?Basic results21/12/2021NoNoParticipant information sheet11/11/202511/11/2025NoYes