

The role of faecal occult blood testing in identifying subjects with iron deficiency anaemia who have underlying gastro-intestinal cancer

Submission date 17/06/2016	Recruitment status No longer recruiting	<input type="checkbox"/> Prospectively registered <input type="checkbox"/> Protocol
Registration date 15/09/2016	Overall study status Completed	<input type="checkbox"/> Statistical analysis plan <input checked="" type="checkbox"/> Results
Last Edited 16/05/2023	Condition category Cancer	<input type="checkbox"/> Individual participant data

Plain English summary of protocol

<https://www.cancerresearchuk.org/about-cancer/find-a-clinical-trial/a-study-looking-whether-testing-poo-blood-can-show-who-might-be-at-risk-cancer-stomach-bowel>

Contact information

Type(s)

Scientific

Contact name

Dr Jonathon Snook

ORCID ID

<https://orcid.org/0000-0002-3172-2722>

Contact details

Poole Hospital NHS Foundation Trust
Poole
United Kingdom
BH11 9NG

Additional identifiers

Protocol serial number

N/A

Study information

Scientific Title

The role of faecal occult blood testing in risk stratification for GI malignancy in subjects with iron deficiency anaemia

Acronym

IDIOM (3)

Study objectives

Screening patients with iron deficiency anaemia by means of faecal occult blood testing can identify sub-groups at high risk of underlying gastro-intestinal malignancy, over and above the stratification provided by established clinical criteria.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Not provided at time of registration

Study design

Single-centre cohort observation

Primary study design

Observational

Study type(s)

Screening

Health condition(s) or problem(s) studied

Iron deficiency anaemia caused by gastrointestinal malignancy

Interventions

All patients in the study will have a qualitative immunochemical stool test for occult blood prior to gastro-intestinal investigation of the cause of their anaemia.

All patients will be followed up until they have completed investigation of their iron deficiency anaemia, as clinically indicated. The study will assess whether faecal occult blood (FOB) testing at presentation can predict the likelihood of underlying gastrointestinal pathology in subjects with iron deficiency anaemia (IDA) and, in particular, cancer.

Intervention Type

Other

Primary outcome(s)

The predictive value of immunochemical faecal blood testing for gastrointestinal malignancy

Key secondary outcome(s)

The predictive value of immunochemical faecal blood testing for:

1. Colorectal cancer
2. Any bleeding lesion

Completion date

30/06/2018

Eligibility

Key inclusion criteria

Confirmed iron deficiency anaemia

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Sex

All

Total final enrolment

62

Key exclusion criteria

1. Aged under 18
2. Lack of capacity to provide informed consent and to undertake stool collection
3. Decision not to undergo investigation to establish the cause of iron deficiency

Date of first enrolment

01/07/2016

Date of final enrolment

30/06/2018

Locations

Countries of recruitment

United Kingdom

England

Study participating centre

Poole Hospital NHS Foundation Trust

Longfleet Road

Poole

United Kingdom

BH15 2JB

Sponsor information

Organisation

Poole Hospital NHS Foundation Trust

ROR

<https://ror.org/03kdm3q80>

Funder(s)

Funder type

Hospital/treatment centre

Funder Name

Poole Hospital Gastroenterology Research Fund

Results and Publications

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Available on request

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article	results	21/05/2020	13/07/2020	Yes	No
Participant information sheet		21/06/2016	20/09/2016	No	Yes
Plain English results			16/05/2023	No	Yes